The Journal of

Membrane Biology

**An international journal
for studies on the structure, function and genesis
of biomembranes**

Volumes 111–120 1989–1991

Editorial Board

W.R. Loewenstein, Miami, Editor-in-Chief

Q. Al-Awqati, Columbia
G. Blobel, Rockefeller
D. Branton, Harvard
P. Cuatrecasas, Warner Lambert
J.M. Diamond, California, L.A.
D. Engelman, Yale
S. Fleischer, Vanderbilt
J.G. Forte, California, Berkeley
G. Guidotti, Harvard
J. Handler, Johns Hopkins
A. Helenius, Yale
L. Heppel, Cornell
W.L. Hubbell, California, L.A.
R.B. Kelly, California, S.F.
A. Klug, Cambridge
S.E. Luria, MIT
E.A.C. MacRobbie, Cambridge
V.T. Marchesi, Yale
H.M. McConnell, Stanford
S. McLaughlin, SUNY, Stony Brook
C. Miller, Brandeis
H. Murer, Zurich
G.E. Palade, California, S.D.
E. Racker, Cornell
H. Reuter, Bern
B. Sakmann, Max-Planck, Heidelberg
R.W. Schekman, California, Berkeley
S.G. Schultz, Texas
S.J. Singer, California, S.D.
C.L. Slayman, Yale
K.R. Spring, N.I.H.
C.F. Stevens, Salk Institute
W. Stoeckenius, California, S.F.
R.W. Tsien, Stanford
D. Urry, Alabama
H.H. Ussing, Copenhagen

D.J. Fritts, Assistant to the Editor

Springer International

The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproductions, also in microform, is transferred to the publisher

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Printed in West Germany

© 1991 by Springer-Verlag New York Inc.

Author Index—Volumes 111–120

Ache, B.W., *see* McClintock, T.S. 113:115
Ackerson, L.C., *see* Moronne, M.M., et al. 115:31
Adler, J., *see* Delcour, A.H., et al. 112:267
Adler, J., *see* Delcour, A.H., et al. 119:267
Agnew, W.S., *see* Cooper, E.C. 111:253
Ahearn, G.A., Franco, P., Clay, L.P.: Electrogenic 2 Na^+/1 H^+ Exchange in Crustaceans 116:215
Aires, M.M., *see* Malnic, G., et al. 118:121
Akabas, M., Dodd, J., Al-Awqati, Q.: Identification of Electrophysiologically Distinct Subpopulations of Rat Taste Cells 114:71
Al-Awqati, Q., *see* Akabas, M., et al. 114:71
Alder, G.M., Bashford, C.L., Pasternak, C.A.: Action of Diphtheria Toxin Does Not Depend on the Induction of Large, Stable Pores Across Biological Membranes 113:67
Alvarez, O., *see* Eisenman, G. 119:109
Alvarez, O., *see* Watkins, J.A., et al. 119:141
Amberger, E., *see* Preston, R.R., et al. 115:61
Andjus, P.R., Vucelić, D.: D_2O-Induced Cell Excitation 115:123
Andreoli, T.E., *see* Bayliss, J.M., et al. 113:49
Andreoli, T.E., *see* Reeves, W.B. 113:57
Andreoli, T.E., *see* Winters, C.J., et al. 118:269
Anraku, Y., *see* Yamato, I. 114:143
Antonenko, Y.N.: Electrically Silent Anion Transport through Bilayer Lipid Membrane Induced by Tributyltin and Triethyllead 113:109
Argent, B.E., *see* Gray, M.A., et al. 115:203
Arienti, G., *see* Corazzi, L., et al. 112:123
Armant, D.R., *see* Toner, M., et al. 115:261
Armstrong, S.K., *see* Bullock, J.O., et al. 114:79
Armstrong, S.K., *see* Bullock, J.O., et al. 116:185
Arnold, K., *see* Ohki, S. 114:195
Ashley, R.H.: Activation and Conductance Properties of Ryanodine Sensitive Calcium Channels from Brain Microsomal Membranes Incorporated into Planar Lipid Bilayers 111:179
Atwater, I., *see* Kukuljan, M., et al. 119:187
Avenet, P., Lindemann, B.: Perspectives of Taste Reception 112:1
Azevedo, J.R., Johnson, D.A.: Temperature-Dependent Lateral and Transverse Distribution of the Epidermal Growth Factor Receptor in A431 Plasma Membranes 118:215
Baez, J., *see* Van Houten, J.L., et al. 119:15
Bakker, R., Groot, J.A.: Further Evidence for the Regulation of the Tight Junction Ion Selectivity by cAMP in Goldfish Intestinal Mucosa 111:25
Bamberg, E., *see* van der Hijden, H.T.W.M., et al. 114:245
Bar-Noy, S., Cabantchik, Z.I.: Transport Domain of the Erythrocyte Anion Exchange Protein 115:217
Baro, I., *see* Coulombe, A., et al. 111:57
Barros, L.F., Bustamante, J.C., Yudilevich, D.L., Jarvis, S.M.: Adenosine Transport and Nitrobenzylthioinosine Binding in Human Placental Membrane Vesicles from Brush-Border and Basal Sides of the Trophoblast 119:151
Bashford, C.L., *see* Alder, G.M., et al. 113:67
Baum, B.J., *see* He, X., et al. 115:159
Bayliss, J.M., Reeves, W.B., Andreoli, T.E.: Cl^- Transport in Basolateral Renal Medullary Vesicles: I. Cl^- Transport in Intact Vesicles 113:49
Beaven, G.H., Parmar, J., Nash, G.B., Bennett, P.M., Gratzer, W.B.: Effect of Magnesium Ions on Red Cell Membrane Properties 118:251
Beilby, M.J., *see* Blatt, M.R., et al. 114:205
Beilby, M.J., *see* McCulloch, S.R., et al. 115:129
Bennett, P.M., *see* Beaven, G.H., et al. 118:251
Berardi, A.L., *see* Malnic, G., et al. 118:121
Bergh, C., Kelley, S.J., Dunham, P.B.: K-Cl Cotransport in LK Sheep Erythrocytes: Kinetics of Stimulation by Cell Swelling 117:177
Bergman, C., *see* Bergman, J., et al. 111:241
Bergman, J., Zaafrani, M., Bergman, C.: Electrophysiological Investigation of the Amino Acid Carrier Selectivity in Epithelial Cells from *Xenopus* Embryo 111:241
Berteloot, A., *see* Wierzbicki, W., et al. 117:11
Berton, G., *see* Placchi, P., et al. 119:25
Beyer, E.C., Paul, D.L., Goodenough, D.A.: Connexin Family of Gap Junction Proteins 116:187
Beyer, E.C., *see* Musil, L.S., et al. 116:163
Blatt, M.R., Beilby, M.J., Tester, M.: Voltage Dependence of the *Chara* Proton Pump Revealed by Current-Voltage Measurement During Rapid Metabolic Blockade with Cyanide 114:205
Böller, K., *see* El Aoumari, A., et al. 115:229
Bonga, S.E.W., *see* Flik, G., et al. 113:13
Bosma, M.M., Moody, W.J.: Macroscopic and Single-Channel Studies of Two Ca^{2+} Channel Types in Oocytes of the Ascidian *Cionaintestinalis* 114:231
Bottà, G., *see* Meyer, G., et al. 118:107
Bourguet, J., *see* Ibarra, C., et al. 116:57
Boyer, B., Thiery, J.P.: Epithelial Cell Adhesion Mechanisms 112:97
Boyle, A.G., *see* Restrepo, D. 120:223
Brade, L., *see* Schöder, G., et al. 118:161
Brandenburg, K., *see* Schöder, G., et al. 118:161
Brandt, N.R., Caswell, A.H., Wen, S.-R., Talvenheimo, J.A.: Molecular Interactions of the Junctional Foot Protein and Dihydropyridine Receptor in Skeletal Muscle Triads 113:237
Brandt, N.R., *see* Kim, K.C., et al. 113:221
Brenner, R.M., *see* Kone, B.C., et al. 113:1
Briand, J.-P., *see* El Aoumari, A., et al. 115:229
Brugnara, C.: Characteristics of the Volume- and Chloride Dependent K Transport in Human Erythrocytes Homozygous for Hemoglobin C 111:69
Brunschwig, J.-P., *see* Kim, K.C., et al. 113:221
Brusa, P., *see* Placchi, P., et al. 119:25
Buckley, J.T., *see* Wilmsen, H.U., et al. 115:71
Buller, A.L., White, M.M.: Altered Patterns of *N*-Linked Glycosylation of the *Torpedo* Acetylcholine Receptor Expressed in *Xenopus* Oocytes 115:179
Bullock, J.O., Armstrong, S.K., Shear, J.L., Lies, D.P., McIntosh, M.A.: Formation of Ion Channels by Colicin B in Planar Lipid Bilayers 114:79
Bullock, J.O., Armstrong, S.K., Shear, J.L., Lies, D.P., McIntosh, M.A.: Erratum [114:79-95 (1990)] 116:185
Burckhardt, G., *see* Schmid, A., et al. 111:265
Burckhardt, G., *see* Simon, B.J. 117:141
Burg, M.B., *see* Garcia-Perez, A. 119:1
Burns, A.L., *see* Pollard, H.B., et al. 117:101
Bustamante, J.C., *see* Barros, L.F., et al. 119:151
Cabantchik, Z.I., *see* Bar-Noy, S. 115:217
Cabrini, G., *see* Placchi, P., et al. 119:25
Canessa, M., Fabry, M.E., Suzuka, S.M., Morgan, K., Nagel, R.L.: Na^+/H^+ Exchange is Increased in Sickle Cell Anemia and Young Normal Red Cells 116:107
Canessa, M., *see* Morgan, K. 118:193
Capek, K., *see* Pácha, J., et al. 120:201
Carlson, R.O., Levitan, I.B.: Constant Turnover of Arachidonic

Acid and Inhibition of a Potassium Current in *Aplysia* Giant Neurons 116:261
Carlson, R.O., Levitan, I.B.: Regulation of Intracellular Free Arachidonic Acid in *Aplysia* Nervous System 116:249
Carmeliet, E., *see* Jorissen, M., et al. 117:123
Cash, D.J., Subbarao, K.: Responses of γ-Aminobutyrate Receptor from Rat Brain: Similarity of Different Preparation Methods; Muscimol Induced Desensitization and Chloride Exchange 111:229
Casirola, D., Patrini, C., Ferrari, G., Rindi, G.: Thiamin Transport by Human Erythrocytes and Ghosts 118:11
Cassiman, J.-J., *see* Jorissen, M., et al. 117:123
Cassola, A.C., *see* Malnic, G., et al. 118:121
Caswell, A.H., *see* Brandt, N.R., et al. 113:237
Caswell, A.H., *see* Kim, K.C., et al. 113:221
Ceña, V., Stutzin, A., Rojas, E.: Effects of Calcium and Bay K 8644 on Calcium Currents in Adrenal Medullary Chromaffin Cells 112:255
Cescatti, L., Pederzolli, C., Menestrina, G.: Modification of Lysine Residues of *Staphylococcus aureus* -Toxin: Effects on Its Channel-Forming Properties 119:53
Cescatti, L., *see* Pederzolli, C., et al. 119:41
Chan, S., *see* Turnheim, K., et al. 112:247
Chan, Y.L., *see* Wang, T. 117:131
Chandler, D.E., *see* Merkle, C.J. 112:223
Chao, A.C., Widdicombe, J.H., Verkman,, A.S.: Chloride Conductive and Cotransport Mechanisms in Cultures of Canine Tracheal Epithelial Cells Measured by an Entrapped Fluorescent Indicator 113:193
Chen, X., *see* Palma, A., et al. 120:67
Chich, J.-F., *see* Henry, J.-P., et al. 112:139
Christophersen, P.: Ca^{2+}-Activated K^+ Channel from Human Erythrocyte Membranes: Single Channel Rectification and Selectivity 119:75
Classen, J., Deuticke, B., Haest, C.W.M.: Nonmediated Flip-Flop of Phospholipid Analogues in the Erythrocyte Membrane as Probed by Palmitoyicarnitine: Basic Properties and Influence of Membrane Modification 111:169
Clausen, C., *see* Rich, A., et al. 113:211
Clausen, C., *see* Rich, A., et al. 119:241
Clay, L.P., *see* Ahearn, G.A., et al. 116:215
Colden-Stanfield, M., Schilling, W.P., Possani, L.D., Kunze, D.L.: Bradykinin-Induced Potassium Current in Cultured Bovine Aortic Endothelial Cells 116:227
Colombini, M.: Voltage Gating in the Mitochondrial Channel, VDAC 111:103
Cook, D.I., Poronnik, P., Young, J.A.: Characterization of a 25 pS Nonselective Cation Channel in a Cultured Secretory Epithelial Cell Line 114:37
Cook, D.L., *see* Fatherazi, S. 120:105
Cook, D.L., *see* Hopkins, W.F., et al. 119:229
Cook, D.L., *see* Satin, L.S., et al. 112:213
Cooper, E.C., Agnew, W.S.: Reconstituted Voltage-Sensitive Sodium Channels from Eel Electroplax: Activation of Permeability by Quaternary Lidocaine, N-bromoacetamide, and N-bromosuccinimide 111:253
Cooper, K., Gates, P., Rae, J.L., Dewey, J.: Electrophysiology of Cultured Human Lens Epithelial Cells 117:285
Cooper, K., Rae, J.L., Gates, P.: Membrane and Junctional Properties of Dissociated Frog Lens Epithelial Cells 111:215
Cooper, K., *see* Rae, J.L., et al. 114:29
Coraboeuf, E., *see* Coulombe, A., et al. 111:57
Corazzi, L., Fratto, G., Pistolesi, R., Arienti, G.: Fusion of Liposomes and Rat Brain Microsomes Examined by Two Assays 112:123
Corbett, A.M., Krueger, B.K.: Isolation of Two Saxitoxin Sensitive Sodium Channel Subtypes from Rat Brain with Distinct Biochemical and Functional Properties 117:163
Corcelli, A., Turner, R.J.: Role of Phospholipids in the Binding of Bumetanide to the Rabbit Parotid Na/K/Cl Cotransporter 120:125
Corman, B., *see* Van Der Goot, F., et al. 120:59
Costantin, J., *see* Turnheim, K., et al. 112:247
Cote, B.L., *see* Van Houten, J.L., et al. 119:15
Coulombe, A., Lefèvre, I.A., Baro, I., Coraboeuf, E.: Barium- and Calcium-Permeable Channels Open at Negative Membrane Potentials in Rat Ventricular Myocytes 111:57
Cravalho, E.G., *see* Toner, M., et al. 115:261
Cremaschi, D., *see* Meyer, G., et al. 118:107
Curtain, C.C., *see* Gordon, L.M., et al. 111:155
Dautigny, A., *see* Popot, J.-L., et al. 120:233
de Jonge, B., *see* Rook, M.B., et al. 118:179
de Pont, J.J.H.H.M., *see* van der Hijden, H.T.W.M., et al. 114:245
DeFelice, L.J., *see* Mazzanti, M. 116:41
DeHaan, R.L., *see* Kawano, S. 116:9
DeHaan, R.L., *see* Kawano, S. 120:17
Dehlinger-Kremer, M., Zeuzem, S., Schulz, I.: Interaction of Caffeine-, IP_3- and Vanadate-Sensitive Ca^{2+} Pools in Acinar Cells of the Exocrine Pancreas 119:85
Delcour, A.H., Adler, J., Kung, C.: A Single Amino Acid Substitution Alters Conductance and Gating of OmpC Porin of *Escherichia coli* 119:267
Delcour, A.H., Martinac, B., Adler, J., Kung, C.: Voltage Sensitive Ion Channel of *Escherichia coli* 112:267
Deuticke, B., *see* Classen, J., et al. 111:169
Dewey, J., *see* Cooper, K.,, et al. 117:285
Dewey, J., *see* Rae, J.L., et al. 114:29
Dinh, D.P., *see* Popot, J.-L., et al. 120:233
Dixon, D.A., Haynes, D.H.: Ca^{2+} Pumping ATPase of Cardiac Sarcolemma is Insensitive to Membrane Potential Produced by K^+ and Cl^- Gradients but Requires a Source of Counter Transportable H^+ 112:169
Dixon, S.J., *see* Wilson, J.X. 111:83
Dixon, T.E., *see* Rich, A., et al. 113:211
Dixon, T.E., *see* Rich, A., et al. 119:241
Dodd, J., *see* Akabas, M., et al. 114:71
Douen, A.G., *see* Klip, A. 111:1
Dunham, P.B., *see* Bergh, C., et al. 117:177
Dunne, M.J., Yule, D.I., Gallacher, D.V., Petersen, O.H.: Stimulant-Evoked Depolarization and Increase in $[Ca^{2+}]_i$ in Insulin-Secreting Cells Is Dependent on External Na^+ 113:131
Dunne, M.J., Yule, D.I., Gallacher, D.V., Petersen, O.H.: Comparative Study of the Effects of Cromakalim (BRL 34915) and Diazoxide on Membrane Potential, $[Ca^{2+}]_i$ and ATP-Sensitive-Potassium Currents in Insulin-Secreting Cells 114:53
Duplain, M., *see* Lapointe, J.-Y. 120:165
Dupont, E., *see* El Aoumari, A., et al. 115:229
Durbec, P., *see* El Aoumari, A., et al. 115:229
Edwards, C., *see* Enomoto, K.-I., et al. 119:133
Eisenberg, R.S.: Channels as Enzymes 115:1
Eisenman, G., Alvarez, O.: Structure and Function of Channels and Channelogs as Studied by Computational Chemistry 119:109
El Aoumari, A., Fromaget, C., Dupont, E., Reggio, H., Durbec, P., Briand, J.-P., Böller, K., Kreitman, B., Gros, D.: Conservation of a Cytoplasmic Carboxy-Terminal Domain of Connexin 43, a Gap Junctional Protein, in Mammal Heart and Brain 115:229
Enomoto, K.-I., Furuya, K., Maeno, T., Edwards, C., Oka, T.:

Oscillating Activity of a Calcium-Activated K^+ Channel in-Normal and Cancerous Mammary Cells in Culture 119:133
Escobales, N., Figueroa, J.: Na^+/Na^+ Exchange and Na^+/H^+ Antiport in Rabbit Erythrocytes: Two Distinct Transport Systems 120:41
Estacion, M.: Inhibition of Voltage-Dependent Na^+ Current in Cell-Fusion Hybrids Containing Activated c-Ha-*ras* 113: 169
Fabry, M.E., *see* Canessa, M., et al. 116:107
Fatherazi, S., Cook D.L.: Specificity of Tetraethylammonium and Quinine for Three K Channels in Insulin-Secreting Cells 120:105
Fatherazi, S., *see* Satin, L.S., et al. 112:213
Fermini, B., Nathan, R.D.: Sialic Acid and the Surface Charge Associated with Hyperpolarization-Activated, Inward Rectifying Channels 114:61
Ferrari, G., *see* Casirola, D., et al. 118:11
Fichtner, H., *see* Kohlhardt, M., et al. 112:67
Figueroa, J., *see* Escobales, N. 120:41
Fisahn, J., Lucas, W.J.: Inversion of Extracellular Current and Axial Voltage Profile in *Chara* and *Nitella* 113:23
Flik, G., Schoenmakers, T.J.M., Groot, J.A., van Os, C.H., Bonga, S.E.W.: Calcium Absorption by Fish Intestine: The Involvement of ATP- and Sodium-Dependent Calcium Extrusion Mechanisms 113:13
Fong, D., *see* Vemuri, R., et al. 118:279
Franco, P., *see* Ahearn, G.A., et al. 116:215
Fratto, G., *see* Corazzi, L., et al. 112:123
Fritzsch, G., *see* Koepsell, H., et al. 114:113
Fröbe, U., *see* Kohlhardt, M., et al. 112:67
Fromaget, C., *see* El Aoumari, A., et al. 115:229
Furuya, K., *see* Enomoto, K.-I., et al. 119:133
Gaete, V., *see* Watkins, J.A., et al. 119:141
Gagnon, M.L., *see* Van Houten, J.L., et al. 119:15
Gallacher, D.V., *see* Dunne, M.J., et al. 113:131
Gallacher, D.V., *see* Dunne, M.J., et al. 114:53
Gallin, E.K., *see* McKinney, L.C. 116:47
Garcia-Perez, A., Burg, M.B.: Role of Organic Osmolytes in Adaptation of Renal Cells to High Osmolality 119:1
Gardner, P., *see* Schumann, M.A. 111:133
Garton, A.J., *see* Gray, M.A., et al. 115:203 h)
Gassner, B., *see* Kersting, U., et al. 111:37
Gates, P., *see* Cooper, K., et al. 111:215
Gates, P., *see* Cooper, K., et al. 117:285
Gates, P., *see* Rae, J.L., et al. 114:29
Geering, K.: Subunit Assembly and Functional Maturation of Na,K ATPase 115:109
Geibel, J., *see* Wang, W., et al. 111:277
George, J.N., *see* Turner, R.J. 113:203
George, J.N., Turner, R.J.: Inactivation of the Rabbit Parotid Na/K/Cl Cotransporter by N-Ethylmaleimide 112:51
Gershfeld, N.L., *see* Ginsberg, L., et al. 119:65
Gesteland, R.C., *see* Kleene, S.J. 120:75
Ghishan, F.K., *see* Kikuchi, K., et al. 114:257
Gibrat, R., *see* Simon-Plas, F., et al. 120:51
Gick, G.G., Melikian, J., Ismail-Beigi, F.: Thyroidal Enhancement of Rat Myocardial Na,K-ATPase: Preferential Expression of 2 Activity and mRNA Abundance 115:273
Giebisch, G., *see* Malnic, G., et al. 118:121
Giebisch, G., *see* Wang, W., et al. 111:277
Gilbert, D.L., *see* Ginsberg, L., et al. 119:65
Ginsberg, L., Gilbert, D.L., Gershfeld, N.L.: Membrane Bilayer Assembly in Neural Tissue of Rat and Squid as a Critical Phenomenon: Influence of Temperature and Membrane Proteins 119:65
Glass, J., *see* Watkins, J.A., et al. 119:141
Gögelein, H., *see* Schmid, A., et al. 111:265
Goldschmidt, D., *see* Henry, J.-P., et al. 112:139
Goldshleger, R., Shahak, Y., Karlish, S.J.D.: Electrogenic and Electroneutral Transport Modes of Renal Na/K ATPase Reconstituted into Proteoliposomes 113:139
Goncalves, A.A., *see* Kukuljan, M., et al. 119:187
Goodenough, D.A., *see* Beyer, E.C., et al. 116:187
Goodenough, D.A., *see* Musil, L.S., et al. 116:163
Goodrum, D.D., *see* Wheeler, L.A., et al. 118:77
Gordon, L.G.M., Macknight, A.D.C.: Contributions of Secondary Active Transport Processes to Membrane Potentials 120:141
Gordon, L.G.M., Macknight, A.D.C.: Application of Membrane Potential Equations to Tight Epithelia 120:155
Gordon, L.M., Looney, F.D., Curtain, C.C.: Fatty-Acid Spin Probe Interactions with Erythrocyte Ghosts and Liposomes Prepared from Erythrocyte Ghosts 111:155
Gratzer, W.B., *see* Beaven, G.H., et al. 118:251
Gray, M.A., Greenwell, J.R., Garton, A.J., Argent, B.E.: Regulation of Maxi-K^+ Channels on Pancreatic Duct Cells by Cyclic AMP-Dependent Phosphorylation 115:203
Greenwell, J.R., *see* Gray, M.A., et al. 115:203
Grell, E., *see* van der Hijden, H.T.W.M., et al. 114:245
Grignon, C., *see* Simon-Plas, F., et al. 120:51
Grinstein, S., *see* Mason, M.J. 116:139
Groot, J.A., *see* Bakker, R. 111:25
Groot, J.A., *see* Flik, G., et al. 113:13
Gros, D., *see* El Aoumari, A., et al. 115:229
Grossman, E.B., *see* Sun, A., et al. 120:83
Grouzis, J.-P., *see* Simon-Plas, F., et al. 120:51
Gstraunthaler, G., *see* Kersting, U., et al. 111:37
Gullans, S.R., *see* Kone, B.C., et al. 113:1
Gupta, C.M., *see* Joshi, R. 117:233
Gutknecht, J.: Salicylates and Proton Transport through Lipid Bilayer Membranes: A Model for Salicylate-Induced Uncoupling and Swelling in Mitochondria 115:253
Gutman, M., *see* Rochel, S., et al. 118:225
Haase, W., *see* Vasilets, L.A., et al. 118:131
Haberland, M.E., *see* Vemuri, R., et al. 118:279
Haest, C.W.M., *see* Classen, J., et al. 111:169
Hahin, R.: Na Activation Delays and Their Relation to Inactivation in Frog Skeletal Muscle 118:233
Hakimian, J., Ismail-Beigi, F.: Enhancement of Glucose Transport in Clone 9 Cells by Exposure to Alkaline pH: Studies on Potential Mechanisms 120:29
Hamasaki, N., Izuhara, K., Okubo, K., Kanazawa, Y., Omachi, A., Kleps, R.A.: Inhibition of Chloride Binding to the Anion Transport Site by Diethylpyrocarbonate Modification of Band 3 116:87
Hanrahan, J.W., *see* Tabcharani, J.A., et al. 112:109
Hanrahan, J.W., Tabcharani, J.A.: Inhibition of an Outwardly Rectifying Anion Channel by HEPES and Related Buffers 116:65
Haynes, D.H., *see* Dixon, D.A. 112:169
He, X., Wu, X., Turner, R.J., Baum, B.J.: Evidence for Two Modes of Ca^{2+} Entry Following Muscarinic Stimulation of a Human Salivary Epithelial Cell Line 115:159
Hebert, S.C., *see* Sun, A., et al. 120:83
Helmle-Kolb, C., *see* Krayer-Pawlowska, D., et al. 120:173
Henderson, R.M., *see* Wang, W., et al. 111:277
Henry, J.-P., Chich, J.-F., Goldschmidt, D., Thieffry, M.: Blockade of a Mitochondrial Cationic Channel by an Addressing Peptide: An Electrophysiological Study 112:139
Herzig, J.W., Kohlhardt, M.: Na^+ Channel Blockade by Cyclic

AMP and Other 6-Aminopurines in Neonatal Rat Heart 119:163
Heuner, A., *see* Schwegler, J.S., et al. 117:243
Hilden, S.A., Madias, N.E.: H^+/Ca^{2+} Exchange in Rabbit Renal Cortical Endosomes 112:131
Hoffmann, E.K., *see* Lambert, I.H., et al. 111:113
Hoffmann, E.K., *see* Livne, A. 114:153
Holmberg, S.R.M., *see* Williams, A.J. 115:167
Hopkins, W.F., Satin, L.S., Cook, D.L.: Inactivation Kinetics and Pharmacology Distinguish Two Calcium Currents in Mouse Pancreatic B-Cells 119:229
Hopkins, W.F., *see* Satin, L.S., et al. 112:213
Horowicz, P., *see* Kotsias, B.A. 115:95
Horowicz, P., *see* Spalding, B.C., et al. 116:195
Hundal, H.S., *see* Taylor, P.M., et al. 112:149
Huppert, D., *see* Rochel, S., et al. 118:225
Ibarra, C., Ripoche, P., Parisi, M., Bourguet, J.: Effects of PCMBS on the Water and Small Solute Permeabilities in Frog Urinary Bladder 116:57
Ibarrola, I., *see* Trueba, M., et al. 120:115
Ichikawa, M., Urayama, M., Matsumoto, G.: Anticalmodulin Drugs Block the Sodium Gating Current of Squid Giant Axons 120:211
Inesi, G., Kirtley, M.E.: Coupling of Catalytic and Channel Function in the Ca^{2+} Transport ATPase 116:1
Inestrosa, N.C., Perelman, A.: Association of Acetylcholinesterase with the Cell Surface 118:1
Ismail-Beigi, F., *see* Gick, G.G., et al. 115:273
Ismail-Beigi, F., *see* Hakimian, J. 120:29
Ismail-Beigi, F., *see* Melikian, J. 119:171
Iwai, M., *see* Sugimoto, T., et al. 113:39
Izuhara, K., *see* Hamasaki, N., et al. 116:87
Jackson, R.C., Modern, P.A.: Reassociation of Cortical Secretory Vesicles with Sea Urchin Egg Plasma Membrane: Assessment of Binding Specificity 115:83
Jacobs, R.E., *see* White, S.H. 115:145
Janoshazi, A., Seifter, J.L., Solomon, A.K.: Interactions Between Anion Exchange and Other Membrane Proteins in Rabbit Kidney Medullary Collecting Duct Cells 112:39
Janoshazi, A., Solomon, A.K.: Interaction Among Anion, Cation and Glucose Transport Proteins in the Human Red Cell 112:25
Jarvis, S.M.: *see* Barros, L.F., et al. 119:151
Jennings, I.R., *see* Pope, A.J., et al. 116:129
Jensen, T.J., *see* Tabcharani, J.A., et al. 112:109
Joha, H., *see* Kersting, U., et al. 111:37
Johnson, D.A., *see* Azevedo, J.R. 118:215
Jonas, P.: Temperature Dependence of Gating Current in Myelinated Nerve Fibers 112:277
Jong, Y.-J., Sheldon, A., Zhang, G.H., Kraus-Friedmann, N.: Purification of the Microsomal Ca^{2+}-ATPase from Rat Liver 118:49
Jongsma, H.J., *see* Rook, M.B., et al. 118:179
Jørgensen, F., *see* Lambert, I.H., et al. 111:113
Jørgensen, P.L., *see* Wiener, H., et al. 117:275
Jorissen, M., Vereecke, J., Carmeliet, E., Van den Berghe, H., Cassiman, J.-J.: Outward-Rectifying Chloride Channels in Cultured Adult and Fetal Human Nasal Epitheliai Cells 117:123
Joshi, R., Gupta, C.M.: Sulfate Self-Exchange and Amino Acid Transport in Calcium-Loaded Human Erythrocytes 117:233
Jow, B., *see* Nelson, D.J., et al. 117:29
Jow, B., *see* Nelson, D.J., et al. 117:45
Jow, F., *see* Nelson, D.J., et al. 117:29
Kametani, F., *see* Kitagawa, S., et al. 119:221
Kanazawa, Y., *see* Hamasaki, N., et al. 116:87
Kanno, T., Takishima, T.: Chloride and Potassium Channels in U937 Human Monocytes 116:149
Karlish, S.J.D., *see* Goldshleger, R., et al. 113:139
Karniski, L.P.: Activation of Cl^-/OH- Exchange by Parachloromercuribenzoic Acid in Rabbit Renal Brush-Border Membranes 112:59
Kasai, M., Muto, S.: Ca^{2+} Pump and Ca^{2+}/H^+ Antiporter in Plasma Membrane Vesicles Isolated by Aqueous Two-Phase Partitioning from Corn Leaves 114:133
Kawano, S., DeHaan, R.L.: Analysis of the T-Type Calcium Channel in Embryonic Chick Ventricular Myocytes 116:9
Kawano, S., DeHaan, R.L.: Developmental Changes in the Calcium Currents in Embryonic Chick Ventricular Myocytes 120:17
Kelley, S.J., *see* Bergh, C., et al. 117:177
Kersting, U., Joha, H., Steigner, W., Gassner, B., Gstrauthaler, G., Pfaller, W., Oberleithner, H.: Fusion of Cultured Dog Kidney (MDCK) Cells: I. Technique, Fate of Plasma Membranes and of Cell Nuclei 111:37
Kersting, U., *see* Oberleithner, H., et al. 111:49
Ketchum, K.A., Poole, R.J.: Cytosolic Calcium Regulates a Potassium Current in Corn (*Zea mays*) Protoplasts 119:277
Kikuchi, K., Kikuchi, T., Ghishan, F.K.: Ontogeny of the Na^+-H^+ Exchanger in Rat Ileal Brush-Border Membrane Vesicles 114:257
Kikuchi, T., *see* Kikuchi, K., et al. 114:257
Kim, K.C., Caswell, A.H., Brunschwig, J.-P., Brandt, N.R.: Identification of a New Subpopulation of Triad Junctions Isolated from Skeletal Muscle; Morphological Correlations with Intact Muscle 113:221
Kimmich, G.A.: Membrane Potentials and the Mechanism of Intestinal Na^+-Dependent Sugar Transport 114:1
Kirtley, M.E., *see* Inesi, G. 116:1
Kitagawa, S., Matsubayashi, M., Kotani, K., Usui, K., Kametani, F.: Asymmetry of Membrane Fluidity in the Lipid Bilayer of Blood Platelets: Fluorescence Study with Diphenylhexatriene and Analogs 119:221
Klaerke, D.A., *see* Wiener, H., et al. 117:275
Kleene, S.J., Gesteland, R.C.: Transmembrane Currents in Frog Olfactory Cilia 120:75
Kleps, R.A., *see* Hamasaki, N., et al. 116:87
Klip, A., Douen, A.G.: Role of Kinases in Insulin Stimulation of Glucose Transport 111:1
Koepsell, H., Fritzsch, G., Korn, K., Madrala, A.: Two Substrate Sites in the Renal Na^+-D-Glucose Cotransport Studied by Model Analysis of Phlorizin Binding and D-Glucose Transport Measurements 114:113
Kohlhardt, M., Fichtner, H., Fröbe, U.: Gating in Iodate-Modified Single Cardiac Na^+ Channels 112:67
Kohlhardt, M., *see* Herzig, J.W. 119:163
Kone, B.C., Brenner, R.M., Gullans, S.R.: Sulfhydryl-Reactive Heavy Metals Increase Cell Membrane K^+ and Ca^{2+} Transport in Renal Proximal Tubule 113:1
Korn, K., *see* Koepsell, H., et al. 114:113
Kotani, K., *see* Kitagawa, S., et al. 119:221
Kotsias, B.A., Horowicz, P.: Nitrate and Chloride Ions Have Different Permeation Pathways in Skeletal Muscle Fibers of *Rana pipiens* 115:95
Krapf, R., *see* Krayer-Pawlowska, D., et al. 120:173
Kraus-Friedmann, N., *see* Jong, Y.-J., et al. 118:49
Krayer-Pawlowska, D., Helmle-Kolb, C., Montrose, M.H., Krapf, R., Murer, H.: Studies on the Kinetics of Na^+/H^+ Exchange in O Cells: Introduction of a New Device for the Analysis of Polarized Transport in Cultured Epithelia 120:173

Kreitman, B., *see* El Aoumari, A., et al. 115:229
Krippeit-Drews, P., Schmidt, H.: Competitive Action of Divalent Cations and D600 in Frog Slow Muscle Fibers 112:185
Krueger, B.K., *see* Corbett, A.M. 117:163
Krupka, R.M.: Expression of Substrate Specificity in Facilitated Transport Systems 117:69
Krüppel, T., Lueken, W.: Calcium-Dependent Sodium Current in the Marine Ciliate *Euplotes vannus* 116:79
Kubalski, A., Martinac, B., Saimi, Y.: Proteolytic Activation of a Hyperpolarization- and Calcium-Dependent Potassium Channel in *Parmecium* 112:91
Kukuljan, M., Goncalves, A.A., Atwater, I.: Charybdotoxin Sensitive $K_{(Ca)}$ Channel is not Involved in Glucose-Induced Electrical Activity in Pancreatic β-Cells 119:187
Kung, C., *see* Delcour, A.H., et al. 112:267
Kung, C., *see* Delcour, A.H., et al. 119:267
Kung, C., *see* Preston, R.R., et al. 115:41
Kung, C., *see* Preston, R.R., et al. 115:51
Kung, C., *see* Preston, R.R., et al. 115:61
Kunze, D.L., Ritchie, A.K.: Multiple Conductance Levels of the Dihydropyridine-Sensitive Calcium Channel in GH_3 Cells 118:171
Kunze, D.L., *see* Colden-Stanfield, M., et al. 116:227
Kurachi, Y., *see* Tanaka, H., et al. 120:185
Lacaz-Vieira, F., *see* Procopio, J. 117:57
Lagnado, L., McNaughton, P.A.: Electrogenic Properties of the Na:Ca Exchange 113:177
Lambert, I.H., Hoffmann, E.K., Jørgensen, F.: Membrane Potential, Anion and Cation Conductances in Ehrlich Ascites Tumor Cells 111:113
Landowne, D.: Chloramine-T Alters the Nerve Membrane Birefringence Response 113:123
Lang, F., *see* Völkl, H. 117:113
Lapointe, J.-Y., Duplain, M.: Regulation of Basolateral Membrane Potential After Stimulation of Na^+ Transport in Proximal Tubules 120:165
Lauf, P.K., *see* Zade-Oppen, A.M.M. 118:143
Lauf, P.K.: Thiol-Dependent Passive K:Cl Transport in Sheep Red Blood Cells: X. A Hydroxylamine-Oxidation Induced K:Cl Flux Blocked by Diethylpyrocarbonate 118:153
Laver, D.R.: Coupling of K^+-Gating and Permeation with Ca^{2+} Block in the Ca^{2+}-Activated K^+ Channel in *Chara australis* 118:55
Laver, D.R., Walker, N.A.: Activation by Ca^{2+} and Block by Divalent Ions of the K^+ Channel in the Membrane of Cytoplasmic Drops from *Chara australis* 120:131
Le Bivic, A., *see* Lisanti, M.P., et al. 113:155
Lefèvre, I.A., *see* Coulombe, A., et al. 111:57
Leigh, R.A., *see* Pope, A.J., et al. 116:129
Levitan, I.B., *see* Carlson, R.O. 116:249
Levitan, I.B., *see* Carlson, R.O. 116:261
Li, L., *see* Palma, A., et al. 120:67
Lies, D.P., *see* Bullock, J.O., et al. 114:79
Lies, D.P., *see* Bullock, J.O., et al. 116:185
Lindemann, B., *see* Avenet, P. 112:1
Lisanti, M.P., Le Bivic, A., Saltiel, A.R., Rodriguez-Boulan, E.: Preferred Apical Distribution of Glycosyl-Phosphatidylinositol (GPI) Anchored Proteins: A Highly Conserved Feature of the Polarized Epithelial Cell Phenotype 113:155
Lisanti, M.P., Rodriguez-Boulan, E., Saltiel, A.R.: Emerging Functional Roles for the Glycosyl-Phosphatidylinositol Membrane Protein Anchor 117:1
Livne, A., Hoffmann, E.K.: Cytoplasmic Acidification and Activation of Na^+/H^+ Exchange During Regulatory Volume Decrease in Ehrlich Ascites Tumor Cells 114:153
Lombardi, M., *see* Sun, A., et al. 120:83
Lombardo, R., *see* Placchi, P., et al. 119:25
Looney, F.D., *see* Gordon, L.M., et al. 111:155
Lopes, A.G., *see* Malnic, G., et al. 118:121
Lowy, R.J., Spring, K.R.: Identification of Riboflavin Transport by MDCK Cells Using Quantitative Fluorescence Video Microscopy 117:91
Lucas, W.J., *see* Fisahn, J. 113:23
Ludt, J., Tønnessen, T.I., Sandvig, K., Olsnes, S.: Evidence for Involvement of Protein Kinase C in Regulation of Intracellular pH by Cl^-/HCO_3^- Antiport 119:179
Lueken, W., *see* Krüppel, T. 116:79
Macek, P., *see* Zorec, R., et al. 118:243
Macey, R.I., *see* Moronne, M.M., et al. 115:31
Machen, T.E., *see* Negulescu, P.A. 116:239
Macknight, A.D.C., *see* Gordon, L.G.M. 120:141
Macknight, A.D.C., *see* Gordon, L.G.M. 120:155
Madara, J.L.: Maintenance of the Macromolecular Barrier at Cell Extrusion Sites in Intestinal Epithelium: Physiological Rearrangement of Tight Junctions 116:177
Mäefessel, K., *see* Vasilets, L.A., et al. 118:131
Madias, N.E., *see* Hilden, S.A. 112:131
Madrala, A., *see* Koepsell, H., et al. 114:113
Maeno, T., *see* Enomoto, K.-I., et al. 119:133
Mahaut-Smith, M.P.: Chloride Channels in Human Platelets: Evidence for Activation by Internal Calcium 118:69
Mahmoud, A.A., *see* Sjodin, R.A., et al. 114:225
Malnic, G., Lopes, A.G., Cassola, A.C., Berardi, A.L., Aires, M.M., Giebisch, G.: pH-Stat Experiments in Proximal Renal Tubules 118:121
Manganel, M., Turner, R.J.: Agonist-Induced Activation of Na^+/H^+ Exchange in Rat Parotid Acinar Cells 111:191
Marcarulla, J.M., *see* Trueba, M., et al. 120:115
Marino, A., *see* Trueba, M., et al. 120:115
Martinac, B., *see* Delcour, A.H., et al. 112:267
Martinac, B., *see* Kubalski, A., et al. 112:91
Martinac, B., *see* Saimi, Y. 112:79
Mason, M.J., Grinstein, S.: Effect of Cytoplasmic Acidification on the Membrane Potential of T-Lymphocytes: Role of Trace Metals 116:139
Mason, W.T., *see* Zorec, R., et al. 118:243
Masson-Pévet, M.A., *see* Rook, M.B., et al. 118:179
Matsubayashi, M., *see* Kitagawa, S., et al. 119:221
Matsumoto, G., *see* Ichikawa, M., et al. 120:211
Mazzanti, M., DeFelice, L.J.: Ca Modulates Outward Current through I_{K1} Channels 116:41
McCann, F.V., McCarthy, D.C., Noelle, R.J.: Patch-Clamp Profile of Ion Channels in Resting Murine B Lymphocytes 114:175
McCarthy, D.C., *see* McCann, F.V., et al. 114:175
McClintock, T.S., Ache, B.W.: Nonselective Cation Channel Activated by Patch Excision from Lobster Olfactory Receptor Neurons 113:115
McCulloch, S.R., Beilby, M.J., Walker, N.A.: Transport of Potassium in *Chara australis*: II. Kinetics of a Symport with Sodium 115:129
McIntosh, M.A., *see* Bullock, J.O., et al. 114:79
McIntosh, M.A., *see* Bullock, J.O., et al. 116:185
McKinney, L.C., Gallin, E.K.: Effect of Adherence, Cell Morphology, and Lipopolysaccharide on Potassium Conductance and Passive Membrane Properties of Murine Macrophage J774.1 Cells 116:47
McNamee, M., *see* Palma, A., et al. 120:67
McNaughton, P.A., *see* Lagnado, L. 113:177
Mechmann, S., *see* Pott, L. 117:189
Mehlhorn, R.J., *see* Moronne, M.M., et al. 115:31

Meiri, H., *see* Omri, G. 115:13
Meiri, H., *see* Schwartz, A., et al. 116:117
Melikian, J., Ismail-Beigi, F.: Thyroid Hormone Regulation of Na,K-ATPase Subunit-mRNA Expression in Neonatal Rat Myocardium 119:171
Melikian, J., *see* Gick, G.G., et al. 115:273
Melitto, C., *see* Romero, P.J., et al. 116:19
Menestrina, G., *see* Cescatti, L., et al. 119:53
Menestrina, G., *see* Pederzolli, C., et al. 119:41
Merkle, C.J., Chandler, D.E.: Hyperosmolality Inhibits Exocytosis in Sea Urchin Eggs by Formation of a Granule-Free Zone and Arrest of Pore Widening 112:223
Meyer, G., Bottà, G., Rossetti, C., Cremaschi, D.: The Nature of the Neutral Na^+-Cl^- Coupled Entry at the Apical Membrane of Rabbit Gallbladder Epithelium: III. Analysis of Transports on Membrane Vesicles 118:107
Milanick, M.A.: Branched Reaction Mechanism for the Na/K Pump as an Alternative Explanation for a Nonmonotonic Current *vs.* Membrane Potential Response 119:33
Miller, M.P., *see* Moronne, M.M., et al. 115:31
Misler, S., *see* Pressel, D.M. 116:273
Modern, P.A., *see* Jackson, R.C. 115:83
Montes, J.G., *see* Sjodin, R.A., et al. 114:225
Montrose, M.H., *see* Krayer-Pawlowska, D., et al. 120:173
Moody, W.J., *see* Bosma, M.M. 114:231
Morgan, K., Canessa, M.: Interactions of External and Internal H^+ and Na^+ with Na^+/Na^+ and Na^+/H^+ Exchange of Rabbit Red Cells:Evidence for a Common Pathway 118:193
Morgan, K., *see* Canessa, M., et al. 116:107
Moronne, M.M., Mehlhorn, R.J., Miller, M.P., Ackerson, L.C., Macey, R.I.: ESR Measurement of Time-Dependent and Equilibrium Volumes in Red Cells 115:31
Morris, C.E.: Mechanosensitive Ion Channels 113:93
Murer, H., *see* Krayer-Pawlowska, D., et al. 120:173
Musil, L.S., Beyer, E.C., Goodenough, D.A.: Expression of the Gap Junction Protein Connexin 43 in Embryonic Chick Lens: Molecular Cloning, Ultrastructural Localization, and Post-Translational Phosphorylation 116:163
Muto, S., *see* Kasai, M. 114:133
Nachliel, E., *see* Rochel, S., et al. 118:225
Nagel, R.L., *see* Canessa, M., et al. 116:107
Nakanishi, S., *see* Sugimoto, T., et al. 113:39
Naruse, K., *see* Nomura, K., et al. 115:241
Nash, G.B., *see* Beaven, G.H., et al. 118:251
Nathan, R.D., *see* Fermini, B. 114:61
Negulescu, P.A., Machen, T.E.: Lowering Extracellular Sodium of pH Raises Intracellular Calcium in Gastric Cells 116:239
Nelson, D.J., Jow, B., Jow, F.: Whole-Cell Currents in Macrophages: I. Human Monocyte-Derived Macrophages 117:29
Nelson, D.J., Jow, B., Popovich, K.J.: Whole-Cell Currents in Macrophages: II. Alveolar Macrophages 117:45
Nelson, D.J., *see* Soliven, B. 117:263
Nielsen, R.: Prostaglandin E_2 Enhances the Sodium Conductance of Exocrine Glands in Isolated Frog Skin (*Rana esculenta*) 113:31
Noelle, R.J., *see* McCann, F.V., et al. 114:175
Nomura, K., Naruse, K., Watanabe, K., Sokabe, M.: Aminoglycoside Blockade of Ca^{2+}-Activated K^+ Channel from Rat Brain Synaptosomal Membranes Incorporated into Planar Bilayers 115:241
Nunez, M.-T., *see* Watkins, J.A., et al. 119:141
Oberleithner, H., Kersting, U., Silbernagl, S., Steigner, W., Vogel, U.: Fusion of Cultured Dog Kidney (MDCK) Cells: II. Relationship between Cell pH and K^+ Conductance in Response toAldosterone 111:49
Oberleithner, H., *see* Kersting, U., et al. 111:37
Ogiza, K., *see* Trueba, M., et al. 120:115
Ohkawa, T., Tsutsui, I.: Electrical Tolerance (Breakdown) of the *Chara corallina* Plasmalemma: II. Inductive Property of Membrane and Effects of pH*o* and Impermeable Monovalent Cations on Breakdown Phenomenon 114:159
Ohki, S., Arnold, K.: Surface Dielectric Constant, Surface Hydrophobicity and Membrane Fusion 114:195
Ohkubo, H., *see* Sugimoto, T., et al. 113:39
Ohta, Y., *see* Tanaka, H., et al. 120:185
Oiki, S., *see* Yada, T., et al. 112:159
Oka, T., *see* Enomoto, K.-I., et al. 119:133
Okada, Y., *see* Yada, T., et al. 112:159
Okazaki, Y., Tazawa, M.: Calcium Ion and Turgor Regulation in Plant Cells 114:189
Okubo, K., *see* Hamasaki, N., et al. 116:87
Olsnes, S., *see* Ludt, J., et al. 119:179
Omachi, A., *see* Hamasaki, N., et al. 116:87
Omri, G., Meiri, H.: Characterization of Sodium Currents in Mammalian Sensory Neurons Cultured in Serum-Free Defined Medium with and without Nerve Growth Factor 115:13
Oortgiesen, M., van Kleef, R.G.D.M., Vijverberg, H.P.M.: Novel Type of Ion Channel Activated by Pb^{2+}, Cd^{2+}, and Al^{3+} in Cultured Mouse Neuroblastoma Cells 113:261
Ortíz, C.E., *see* Romero, P.J., et al. 116:19
Ottolenghi, M., Sheves, M.: Synthetic Retinals as Probes for the Binding Site and Photoreactions in Rhodopsins 112:193
Pácha, J., Teisinger, J., Popp, M., Capek, K.: Na,K-ATPase and the Development of Na^+ Transport in Rat Distal Colon 120:201
Palma, A., Li, L., Chen, X., Pappone, P., NcNamee, M.: Effects of pH on Acetylcholine Receptor Function 120:67
Palti, Y., *see* Schwartz, A., et al. 116:117
Pappone, P., *see* Palma, A., et al. 120:67
Parisi, M., *see* Ibarra, C., et al. 116:57
Parmar, J., *see* Beaven, G.H., et al. 118:251
Passow, H., *see* Weber, W.-M., et al. 111:93
Pasternak, C.A., *see* Alder, G.M., et al. 113:67
Patrini, C., *see* Casirola, D., et al. 118:11
Pattus, F., *see* Wilmsen, H.U., et al. 115:71
Paul, D.L., *see* Beyer, E.C., et al. 116:187
Paulais, M., Teulon, J.: cAMP-Activated Chloride Channel in the Basolateral Membrane of the Thick Ascending Limb of the Mouse Kidney 113:253
Payne, G.S.: Genetic Analysis of Clathrin Function in Yeast 116:93
Pedersen, P.L., *see* Wehrle, J.P. 111:199
Pederzolli, C., Cescatti, L., Menestrina, G.: Chemical Modification of *Staphylococcus aureus* α-Toxin by Diethylpyrocarbonate: Role of Histidines in Its Membrane Damaging Properties 119:41
Pederzolli, C., *see* Cescatti, L., et al. 119:53
Peracchia, C.: Effects of Caffeine and Ryanodine on Low pH_i-Induced Changes in Gap Junction Conductance and Calcium Concentration in Crayfish Septate Axons 117:79
Peracchia, C.: Increase in Gap Junction Resistance with Acidification in Crayfish Septate Axons Is Closely Related to Changes in Intracellular Calcium But Not Hydrogen Ion Concentration 113:75
Perelman, A., *see* Inestrosa, N.C. 118:1
Petersen, O.H., *see* Dunne, M.J., et al. 113:131
Petersen, O.H., *see* Dunne, M.J., et al. 114:53
Petersen, O.H., Wakui, M.: Oscillating Intracellular Ca^{2+} Signals Evoked by Activation of Receptors Linked to Inositol Lipid Hydrolysis: Mechanism of Generation 118:93
Pfaller, W., *see* Kersting, U., et al. 111:37

Philipson, K.D., *see* Trosper, T.L. 112:15
Philipson, K.D., *see* Vemuri, R., et al. 118:279
Pilsudski, R., Rougier, O., Tourneur, Y.: Reversible Activation of the ATP-Dependent Potassium Current with Dialysis of Frog Atrial Cells by Micromolar Concentrations of GDP 117:223
Pistolesi, R., *see* Corazzi, L., et al. 112:123
Placchi, P., Lombardo, R., Tamanini, A., Brusa, P., Berton, G., Cabrini, G.: cAMP-Dependent Protein Kinase Inhibits the Chloride Conductance in Apical Membrane Vesicles of Human Placenta 119:25
Pollard, H.B., Burns, A.L., Rojas, E.: Synexin (Annexin VII): A Cytosolic Calcium-Binding Protein which Promotes Membrane Fusion and Forms Calcium Channels in Artificial Bilayer and Natural Membranes 117:101
Poole, R.J., *see* Ketchum, K.A. 119:277
Pope, A.J., Jennings, I.R., Sanders, D., Leigh, R.A.: Characterization of Cl^--Transport in Vacuolar MembraneVesicles Using a Cl^--Sensitive Fluorescent Probe: Reaction Kinetic Models for Voltage and Concentration Dependence of Cl^- Flux 116:129
Popot, J.-L., Dinh, D.P., Dautigny, A.: Major Myelin Proteolipid: The 4-α-Helix Topology 120:233
Popovich, K.J., *see* Nelson, D.J., et al. 117:45
Popp, M., *see* Pácha, J., et al. 120:201
Poronnik, P., *see* Cook, D.I., et al. 114:37
Possani, L.D., *see* Colden-Stanfield, M., et al. 116:227
Pott, L., Mechmann, S.: Large-Conductance Ion Channel Measured by Whole-Cell Voltage Clamp in Single Cardiac Cells: Modulation by β-Adrenergic Stimulation and Inhibition by Octanol 117:189
Pressel, D.M., Misler, S.: Sodium Channels Contribute to Action Potential Generation in Canine and Human Pancreatic Islet B Cells 116:273
Preston, R.R., Saimi, Y., Amberger, E., Kung, C.: Interactions Between Mutants with Defects in Two Ca^{2+}-Dependent K^+ Currents of *Paramecium tetraurelia* 115:61
Preston, R.R., Saimi, Y., Kung, C.: Evidence for Two K^+ Currents Activated Upon Hyperpolarization of *Paramecium tetraurelia* 115:41
Preston, R.R., Wallen-Friedman, M.A., Saimi, Y., Kung, C.: Calmodulin Defects Cause the Loss of Ca^{2+}-Dependent K^+Currents in Two Pantophobiac Mutants of *Paramecium tetraurelia* 115:51
Procopio, J., Lacaz-Vieira, F.: Roles of External and Cellular Cl^- Ions on the Activation of an Apical Electrodiffusional Cl Pathway in Toad Skin 117:57
Quinton, P.M., *see* Reddy, M.M. 119:199
Rae, J.L., Dewey, J., Cooper, K., Gates, P.: Potassium Channel in Rabbit Corneal Endothelium Activated by External Anions 114:29
Rae, J.L., *see* Cooper, K., et al. 111:215
Rae, J.L., *see* Cooper, K., et al. 117:285
Raymond, J.R., *see* Théveniau, M.A., et al. 111:141
Reddy, M.M., Quinton, P.M.: Intracellular Potassium Activity and the Role of Potassium in Transepithelial Salt Transport in the Human Reabsorptive Sweat Duct 119:199
Reeves, W.B., Andreoli, T.E.: Cl^- Transport in Basolateral Renal Medullary Vesicles: II. Cl^- Channels in Planar Lipid Bilayers 113:57
Reeves, W.B., *see* Bayliss, J.M., et al. 113:49
Reeves, W.B., *see* Winters, C.J., et al. 118:269
Reggio, H., *see* El Aoumari, A., et al. 115:229
Rennie, M.J., *see* Taylor, P.M., et al. 112:149
Restrepo, D., Boyle, A.G.: Stimulation of Olfactory Receptors Alters Regulation of [Ca*i*] in Olfactory Neurons of the Catfish (*Ictalurus punctatus*) 120:223
Rich, A., Dixon, T.E., Clausen, C.: Changes in Membrane Conductances and Areas Associated with Bicarbonate Secretion in Turtle Bladder 113:211
Rich, A., Dixon, T.E., Clausen, C.: Electrogenic Bicarbonate Secretion in the Turtle Bladder: Apical Membrane Conductance Characteristics 119:241
Rigaud, J., *see* Simon-Plas, F., et al. 120:51
Rindi, G., *see* Casirola, D., et al. 118:11
Riordan, J.R., *see* Tabcharani, J.A., et al. 112:109
Ripoche, P., *see* Ibarra, C., et al. 116:57
Ripoche, P., *see* Van Der Goot, F., et al. 120:59
Ritchie, A.K., *see* Kunze, D.L. 118:171
Rochel, S., Nachliel, E., Huppert, D., Gutman, M.: Proton Dissociation Dynamics in the Aqueous Layer of Multilamellar Phospholipid Vesicles 118:225
Rodriguez-Boulan, E., *see* Lisanti, M.P., et al. 113:155
Rodriguez-Boulan, E., *see* Lisanti, M.P., et al. 117:1
Rojas, E., *see* Ceña, V., et al. 112:255
Rojas, E., *see* Pollard, H.B., et al. 117:101
Romero, P.J., Ortíz, C.E., Melitto, C.: Metabolic Control of the K^+ Channel of Human Red Cells 116:19
Rook, M.B., de Jonge, B., Jongsma, H.J., Masson-Pévet, M.A.: Gap Junction Formation and Functional Interaction between Neonatal Rat Cardiocytes in Culture: A Correlative Physiological and Ultrastructural Study 118:179
Rossetti, C., *see* Meyer, G., et al. 118:107
Roufogalis, B.D., *see* Wang, K.K.W., et al. 112:233
Rougier, O., *see* Pilsudski, R., et al. 117:223
Rougon, G.N., *see* Théveniau, M.A., et al. 111:141
Roy, G., *see* Wierzbicki, W., et al. 117:11
Sachs, G., *see* Wheeler, L.A., et al. 118:77
Saga, K., *see* Takemura, T., et al. 119:211
Saimi, Y., Martinac, B.: Calcium-Dependent Potassium Channel in *Paramecium* Studied Under Patch Clamp 112:79
Saimi, Y., *see* Kubalski, A., et al. 112:91
Saimi, Y., *see* Preston, R.R., et al. 115:41
Saimi, Y., *see* Preston, R.R., et al. 115:51
Saimi, Y., *see* Preston, R.R., et al. 115:61
Saltiel, A.R., *see* Lisanti, M.P., et al. 113:155
Saltiel, A.R., *see* Lisanti, M.P., et al. 117:1
Sanders, D., *see* Pope, A.J., et al. 116:129
Sandvig, K., *see* Ludt, J., et al. 119:179
Satin, L.S., Hopkins, W.F., Fatherazi, S., Cook, D.L.: Expression of a Rapid, Low-Voltage Threshold K Current in Insulin-secreting Cells is Dependent on Intracellular Calcium Buffering 112:213
Satin, L.S., *see* Hopkins, W.F., et al. 119:229
Sato, F., *see* Takemura, T., et al. 119:211
Sato, K., *see* Takemura, T., et al. 119:211
Schilling, W.P., *see* Colden-Stanfield, M., et al. 116:227
Schmalzing, G., *see* Vasilets, L.A., et al. 118:131
Schmid, A., Burckhardt, G., Gögelein, H.: Single Chloride Channels in Endosomal Vesicle Preparations from Rat Kidney Cortex 111:265
Schmidt, H., *see* Krippeit-Drews, P. 112:185
Schnell, K.F., *see* Stadler, F. 118:19
Schöder, G., Brandenburg, K., Brade, L., Seydel, U.: Pore Formation by Complement in the Outer Membrane of Gram-Negative Bacteria Studied with Asymmetric Planar Lipopolysaccharide/Phospholipid Bilayers 118:161
Schoenmakers, T.J.M., *see* Flik, G., et al. 113:13
Schron, C.M.: pH Modulation of the Kinetics of Rabbit Jejunal, Brush-Border Folate Transport 120:192

Schultz, S.G., *see* Turnheim, K., et al. 112:247
Schulz, I., *see* Dehlinger-Kremer, M., et al. 119:85
Schumann, M.A., Gardner, P.: Modulation of Membrane K^+ Conductance in T-Lymphocytes by Substance P via a GTP-Binding Protein 111:133
Schwartz, A., Palti, Y., Meiri, H.: Structural and Developmental Differences between Three Types of Na Channels in Dorsal Root Ganglion Cells of Newborn Rats 116:117
Schwarz, W., *see* Vasilets, L.A., et al. 118:131
Schwarz, W., *see* Weber, W.-M., et al. 111:93
Schwegler, J.S., Steigner, W., Heuner, A., Silbernagl, S.: pH_i-Dependent Membrane Conductance of Proximal Tubule Cells in Culture (OK): Differential Effects on K^+- and Na^+-Conductive Channels 117:243
Seifter, J.L., *see* Janoshazi, A., et al. 112:39
Seydel, U., *see* Schöder, G., et al. 118:161
Shahak, Y., *see* Goldshleger, R., et al. 113:139
Shear, J.L., *see* Bullock, J.O., et al. 114:79
Shear, J.L., *see* Bullock, J.O., et al. 116:185
Sheldon, A., *see* Jong, Y.-J., et al. 118:49
Sheves, M., *see* Ottolenghi, M. 112:193
Shigemoto, R., *see* Sugimoto, T., et al. 113:39
Sigel, E.: Use of *Xenopus* Oocytes for the Functional Expression of Plasma Membrane Proteins 117:201
Silbernagl, S., *see* Oberleithner, H., et al. 111:49
Silbernagl, S., *see* Schwegler, J.S., et al. 117:243
Simon, B.J., Burckhardt, G.: Characterization of Inside-Out Oriented H^+-ATPases in Cholate-Pretreated Renal Brush-Border-Membrane Vesicles 117:141
Simon-Plas, F., Venema, K., Grouzis, J.-P., Gibrat, R., Rigaud, J., Grignon, C.: Spontaneous Insertion of Plant Plasma Membrane (H^+)ATPase into a Preformed Bilayer 120:51
Sjodin, R.A., Mahmoud, A.A., Montes, J.G.: Direct Inhibitory Action of EGTA-Ca Complex on Reverse-Mode Na/Ca Exchange in *Myxicola* Giant Axons 114:225
Skulachev, V.P.: Power Transmission along Biological Membranes 114:97
Sokabe, M., *see* Nomura, K., et al. 115:241
Soliven, B., Nelson, D.J.: Beta-Adrenergic Modulation of K^+ Current in Human T Lymphocytes 117:263
Solomon, A.K., *see* Janoshazi, A. 112:25
Solomon, A.K., *see* Janoshazi, A., et al. 112:39
Spalding, B.C., Taber, P., Swift, J.G., Horowicz, P.: Zinc Inhibition of Chloride Efflux from Skeletal Muscle of *Rana pipiens* and Its Modification by External pH and Chloride Activity 116:195
Spring, K.R., *see* Lowy, R.J. 117:91
Stadler, F., Schnell, K.F.: Inhibition of the Phosphate Self Exchange Flux in Human Erythrocytes and Erythrocyte Ghosts 118:19
Stampe, P., Vestergaard-Bogind, B.: Ca^{2+}-Activated K^+ Conductance of the Human Red Cell Membrane: Voltage-Dependent Na^+ Block of Outward-Going Currents 112:9
Steigner, W., *see* Kersting, U., et al. 111:37
Steigner, W., *see* Oberleithner, H., et al. 111:49
Steigner, W., *see* Schwegler, J.S., et al. 117:243
Strehler, E.E.: Recent Advances in the Molecular Characterization of Plasma Membrane Ca^{2+} Pumps 120:1
Stutzin, A., *see* Ceña, V., et al. 112:255
Subbarao, K., *see* Cash, D.J. 111:229
Sugimoto, T., *see* Tanaka, H., et al. 120:185
Sugimoto, T., Tanabe, Y., Shigemoto, R., Iwai, M., Takumi, T., Ohkubo, H., Nakanishi, S.: Immunohistochemical Study of a Rat Membrane Protein which Induces a Selective Potassium Permeation: Its Localization in the Apical Membrane Portion of Epithelial Cells 113:39
Sun, A., Grossman, E.B., Lombardi, M., Hebert, S.C.: Vasopressin Alters the Mechanism of Apical Cl^- Entry from $Na^+:Cl^-$ to $Na^+:2Cl^-$ Cotransport in Mouse Medullary Thick Ascending Limb 120:83
Suzuka, S.M., *see* Canessa, M., et al. 116:107
Suzuki, Y., *see* Takemura, T., et al. 119:211
Swift, J.G., *see* Spalding, B.C., et al. 116:195
Tabcharani, J.A., Jensen, T.J., Riordan, J.R., Hanrahan, J.W.: Bicarbonate Permeability of the Outwardly Rectifying Anion Channel 112:109
Tabcharani, J.A., *see* Hanrahan, J.W. 116:65
Taber, P., *see* Spalding, B.C., et al. 116:195
Takemura, T., Sato, F., Saga, K., Suzuki, Y., Sato, K.: Intracellular Ion Concentrations and Cell Volume During Cholinergic Stimulation of Eccrine Secretory Coil Cells 119:211
Takishima, T., *see* Kanno, T. 116:149
Takumi, T., *see* Sugimoto, T., et al. 113:39
Talvenheimo, J.A., *see* Brandt, N.R., et al. 113:237
Tamanini, A., *see* Placchi, P., et al. 119:25
Tanabe, Y., *see* Sugimoto, T., et al. 113:39
Tanaka, H., Ohta, Y., Sugimoto, T., Kurachi, Y.: Voltage-Gated K^+ Channels in the Mouse Interleukin 3-Dependent Cell Line, FDC-P2 120:185
Taylor, P.M., Hundal, H.S., Rennie, M.J.: Transport of Glutamine in *Xenopus laevis* Oocytes: Relationship with Transport of Other Amino Acids 112:149
Tazawa, M., *see* Okazaki, Y. 114:189
Tazawa, M., *see* Wayne, R. 116:31
Teisinger, J., *see* Pácha, J., et al. 120:201
Tester, M., *see* Blatt, M.R., et al. 114:205
Tester, M., *see* Zorec, R., et al. 118:243
Teulon, J., *see* Paulais, M. 113:253
Théveniau, M.A., Raymond, J.R., Rougon, G.N.: Antipeptide Antibodies to the β_2-Adrenergic Receptor Confirm the Extracellular Orientation of the Amino-Terminus and the Putative First Extracellular Loop 111:141
Thieffry, M., *see* Henry, J.-P., et al. 112:139
Thiery, J.P., *see* Boyer, B. 112:97
Toner, M., Cravalho, E.G., Armant, D.R.: Water Transport and Estimated Transmembrane Potential during Freezing of Mouse Oocytes 115:261
Tønnessen, T.I., *see* Ludt, J., et al. 119:179
Tourneur, Y., *see* Pilsudski, R., et al. 117:223
Trosper, T.L., Philipson, K.D.: Functional Characteristics of the Cardiac Sarcolemmal Monocarboxylate Transporter 112:15
Trueba, M., Ibarrola, I., Ogiza, K., Marino, A., Marcarulla, J.M.: Specific Binding Sites for Corticosterone in Isolated Cells and Plasma Membrane from Rat Liver 120:115
Tsutsui, I., *see* Ohkawa, T. 114:159
Turner, R.J., George, J.N.: Solubilization and Partial Purification of the Rabbit Parotid Na/K/Cl^-Dependent Bumetanide Binding Site 113:203
Turner, R.J., *see* Corcelli, A. 120:125
Turner, R.J., *see* George, J.N. 112:51
Turner, R.J., *see* He, X., et al. 115:159
Turner, R.J., *see* Manganel, M. 111:191
Turnheim, K., Costantin, J., Chan, S., Schultz, S.G.: Reconstitution of a Calcium-Activated Potassium Channel in Basolateral Membranes of Rabbit Colonocytes into Planar Lipid Bilayers 112:247
Ueda, S., *see* Yada, T., et al. 112:159
Urayama, M., *see* Ichikawa, M., et al. 120:211
Usui, K., *see* Kitagawa, S., et al. 119:221
Van den Berghe, H., *see* Jorissen, M., et al. 117:123
Van Der Goot, F., Corman, B., Ripoche, P.: Evidence for Per-

manent Water Channels in the Basolateral Membrane of an ADH-Sensitive Epithelium 120:59
van der Hijden, H.T.W.M., Grell, E., de Pont, J.J.H.H.M., Bamberg, E.: Demonstration of the Electrogenicity of Proton Translocation During the Phosphorylation Step in Gastric H^+K^+ ATPase 114:245
Van Houten, J.L., Cote, B.L., Zhang, J., Baez, J., Gagnon, M.L.: Studies of the Cyclic Adenosine Monophosphate Chemoreceptor of *Paramecium* 119:15
van Kleef, R.G.D.M., *see* Oortgiesen, M., et al. 113:261
van Os, C.H., *see* Flik, G., et al. 113:13
Vasilets, L.A., Schmalzing, G., Mädefessel, K., Haase, W., Schwarz, W.: Activation of Protein Kinase C by Phorbol Ester Induces Downregulation of the Na^+/K^+-ATPase in Oocytes of *Xenopus laevis* 118:131
Veenstra, R.D.: Developmental Changes in Regulation of Embryonic Chick Heart Gap Junctions 119:253
Vemuri, R., Haberland, M.E., Fong, D., Philipson, K.D.: Identification of the Cardiac Sarcolemmal Na^+-Ca^{2+} Exchanger Using Monoclonal Antibodies 118:279
Venema, K., *see* Simon-Plas, F., et al. 120:51
Venosa, R.A.: Hypo-osmotic Stimulation of Active Na^+ Transport in Frog Muscle: Apparent Upregulation of Na^+ Pumps 120:97
Vereecke, J., *see* Jorissen, M., et al. 117:123
Verkman, A.S., *see* Chao, A.C., et al. 113:193
Verkman, A.S., *see* Zhang, R. 117:253
Vestergaard-Bogind, B., *see* Stampe, P. 112:9
Vijverberg, H.P.M., *see* Oortgiesen, M., et al. 113:261
Villalobo, A., *see* Wang, K.K.W., et al. 112:233
Vogel, U., *see* Oberleithner, H., et al. 111:49
Völkl, H., Lang, F.: Effect of Potassium on Cell Volume Regulation in Renal Straight Proximal Tubules 117:113
von Heijne, G.: The Signal Peptide 115:195
Vučelić, D., *see* Andjus, P.R. 115:123
Wakui, M., *see* Petersen, O.H. 118:93
Walker, N.A., *see* Laver, D.R. 120:131
Walker, N.A., *see* McCulloch, S.R., et al. 115:129
Wallen-Friedman, M.A., *see* Preston, R.R., et al. 115:51
Wang, K.K.W., Roufogalis, B.D., Villalobo, A.: Calpain I Activates Ca^{2+} Transport by the Reconstituted Erythrocyte Ca^{2+} Pump 112:233
Wang, T., Chan, Y.L.: Time- and Dose-Dependent Effects of Protein Kinase C on Proximal Bicarbonate Transport 117:131
Wang, W., Henderson, R.M., Geibel, J., White, S., Giebisch, G.: Mechanism of Aldosterone-Induced Increase of K^+ Conductance in Early Distal Renal Tubule Cells of the Frog 111:277
Watanabe, K., *see* Nomura, K., et al. 115:241
Watkins, J.A., Nunez, M.-T., Gaete, V., Alvarez, O., Glass, J.: Kinetics of Iron Passage through Subcellular Compartments of Rabbit Reticulocytes 119:141
Wayne, R., Tazawa, M.: Nature of the Water Channels in the Internodal Cells of *Nitellopsis* 116:31
Weber, W.-M., Schwarz, W., Passow, H.: Endogenous D-Glucose Transport in Oocytes of *Xenopus laevis* 111:93
Wehrle, J.P., Pedersen, P.L.: Phosphate Transport Processes in Eukaryotic Cells 111:199
Wen, S.-R., *see* Brandt, N.R., et al. 113:237
Wheeler, L.A., Goodrum, D.D., Sachs, G.: Role of Protein Kinase C in the Regulation of Cytosolic Ca^{2+} in A431 Cells: Separation of Growth Factor and Bradykinin Pathways 118:77
White, M.M., *see* Buller, A.L. 115:179
White, S., *see* Wang, W., et al. 111:277
White, S.H., Jacobs, R.E.: Observations Concerning Topology and Locations of Helix Ends of Membrane Proteins of Known Structure 115:145
Widdicombe, J.H., *see* Chao, A.C., et al. 113:193
Wiener, H., Klaerke, D.A., Jørgensen, P.L.: Rabbit Distal Colon Epithelium: III. Ca^{2+}-Activated K^+ Channels in Basolateral Plasma Membrane Vesicles of Surface and Crypt Cells 117:275
Wierzbicki, W., Berteloot, A., Roy, G.: Presteady-State Kinetics and Carrier-Mediated Transport: A Theoretical Analysis 117:11
Williams, A.J., Holmberg, S.R.M.: Sulmazole (AR-L 115BS) Activates the Sheep Cardiac Muscle Sarcoplasmic Reticulum Calcium-Release Channel in the Presence and Absence of Calcium 115:167
Wilmsen, H.U., Pattus, F., Buckley, J.T.: Aerolysin, a Hemolysin from *Aeromonas hydrophila*, Forms Voltage-Gated Channels in Planar Lipid Bilayers 115:71
Wilson, J.X., Dixon, S.J.: High-Affinity Sodium-Dependent Uptake of Ascorbic Acid by Rat Osteoblasts 111:83
Winters, C.J., Reeves, W.B., Andreoli, T.E.: Cl^- Channels in Basolateral Renal Medullary Membranes: III. Determinants of Single-Channel Activity 118:269
Wu, X., *see* He, X., et al. 115:159
Yada, T., Oiki, S., Ueda, S., Okada, Y.: Intestinal Secretagogues Increase Cytosolic Free Ca^{2+} Concentration and K^+ Conductance in a Human Intestinal Epithelial Cell Line 112:159
Yamato, I., Anraku, Y.: Mechanism of Na^+/Proline Symport in *Escherichia coli*: Reappraisal of the Effect of Cation Binding to the Na^+/Proline Symport Carrier 114:143
Yoda, A., Yoda, S.: CCCP Activation of the Reconstituted NaK-Pump 117:153
Yoda, S., *see* Yoda, A. 117:153
Young, J.A., *see* Cook, D.I., et al. 114:37
Yudilevich, D.L., *see* Barros, L.F., et al. 119:151
Yule, D.I., *see* Dunne, M.J., et al. 113:131
Yule, D.I., *see* Dunne, M.J., et al. 114:53
Zaafrani, M., *see* Bergman, J., et al. 111:241
Zade-Oppen, A.M.M., Lauf, P.K.: Thiol-Dependent Passive K : Cl Transport in Sheep Red Blood Cells: IX. Modulation by pH in the Presence and Absence of DIDS and the Effect of NEM 118:143
Zeuzem, S., *see* Dehlinger-Kremer, M., et al. 119:85
Zhang, G.H., *see* Jong, Y.-J., et al. 118:49
Zhang, J., *see* Van Houten, J.L., et al. 119:15
Zhang, R., Verkman, A.S.: Urea Transport in Freshly Isolated and Cultured Cells from Rat Inner Medullary Collecting Duct 117:253
Zorec, R., Tester, M., Macek, P., Mason, W.T.: Cytotoxicity of Equinatoxin II from the Sea Anemone *Actinia equina* Involves Ion Channel Formation and an Increase in Intracellular Calcium Activity 118:243

Subject Index—Volumes 111–120

A23187
—, membrane potential, anion and cation conductances in Ehrlich ascites tumor cells, Lambert, I.H., Hoffmann, E.K., Jørgensen, F. 111:113
—, sulfate self-exchange and amino acid transport in calcium loaded human erythrocytes, Joshi, R., Gupta, C.M. 117:233
A431 cells
—, role of protein kinase C in the regulation of cytosolic Ca^{2+} in A431 cells: separation of growth factor and bradykinin pathways, Wheller, L.A., Goodrum, D.D., Sachs, G. 118:77
—, temperature-dependent lateral and transverse distribution of the epidermal growth factor receptor in A431 plasma membranes, Azevedo, J.R., Johnson, D.A. 118:215
Acetylcholine receptor channels
—, structure and function of channels and channelogs as studied by computational chemistry, Eisenman, G., Alvarez, O. 119:109
Acetylcholine receptors
—, altered patterns of *N*-linked glycosylation of the *Torpedo* aceytylcholine receptor expressed in *Xenopus* oocytes, Buller, A.L., White, M.M. 115:179
—, characterization of a 25-pS nonselective cation channel in a cultured secretory epithelial cell line, Cook, D.I., Poronnik, P., Young, J.A. 114:37
Acetylcholinesterase (AChE)
—, association of acetylcholinesterase with the cell surface, Inestrosa, N.C., Perelman, A. 118:1
Acidification
—, cytoplasmic acidification and activation of Na^+/H^+ exchange during regulatory volume decrease in Ehrlich ascites tumor cells, Livne, A., Hoffmann, E.K. 114:153
—, effect of cytoplasmic acidification on the membrane potential of T-lymphocytes: role of trace metals, Mason, M.J., Grinstein, S. 116:139
—, effects of caffeine and ryanodine on low pH_i-induced changes in gap junction conductance and calcium concentration in crayfish septate axons, Peracchia, C. 117:79
—, increase in gap junction resistance with acidification in crayfish septate axons is closely related to changes in intracellular calcium but not hydrogen ion concentration, Peracchia, C. 113:75
—, pH-stat experiments in proximal renal tubules, Malnic, G., Lopes, A.G., Cassola, A.C., Berardi, A.L., Aires, M.M., Giebisch, G. 118:121
—, single chloride channels in endosomal vesicle preparations from rat kidney cortex, Schmid, A., Burckhardt, G., Gögelein, H. 111:265
Acinar cells
—, agonist-induced activation of Na^+/H^+ exchange in rat parotid acinar cells, Manganel, M., Turner, R.J. 111:191
—, inactivation of the rabbit parotid Na/K/Cl contransporter by N-ethylmaleimide, George, J.N., Turner, R.J. 112:51
—, oscillating intracellular Ca^{2+} signals evoked by activation of receptors linked to inositol lipid hydrolysis: mechanism of generation, Petersen, O.H., Wakui, M. 118:93
—, solubilization and partial purification of the rabbit parotid $Na/K/Cl^-$dependent bumetanide binding site, Turner, R.J., George, J.N. 113:203
Acridine orange
—, fusion of cultured dog kidney (MDCK) cells: I. technique, fate of plasma membranes and of cell nuclei, Kersting, U., Joha, H., Steigner, W., Gassner, B., Gstraunthaler, G., Pfaller, W., Oberleithner, H. 111:37
Actinia equina
—, cytotoxicity of equinatoxin II from the sea anemone *Actinia equina* involves ion channel formation and an increase in intracellular calcium activity, Zorec, R., Tester, M., Macek, P., Mason, W.T. 118:243
Action potential
—, Ca modulates outward current through I_{K1} channels, Mazzanti, M., DeFelice, L.J. 116:41
—, D_2O-induced cell excitation, Andjus, P.R., Vucelia, D. 115:123
—, sodium channels contribute to action potential generation in canine and human pancreatic islet B cells, Pressel, D.M., Misler, S. 116:273
—, structural and developmental differences between three types of Na channels in dorsal root ganglion cells of newborn rats, Schwartz, A., Palti, Y., Meiri, H. 116:117
—, transmembrane currents in frog olfactory cilia, Kleene, S.J., Gesteland, R.C. 120:75
Active transport
—, expression of substrate specificity in facilitated transport systems, Krupka, R.M. 117:69
Addressing peptide
—, blockade of a mitochondrial cationic channel by an addressing peptide: an electrophysiological study, Henry, J.-P., Chich, J.-F., Goldschmidt, D., Thieffry, M. 112:139
Adenine
—, Na^+ channel blockade by cyclic AMP and other 6-aminopurines in neonatal rat heart, Herzig, J.W., Kohlhardt, M. 119:163
Adenosine transport
—, adenosine transport and nitrobenzylthioinosine binding in human placental membrane vesicles from brush-border and basal sides of the trophoblast, Barros, L.F., Bustamante, J.C., Yudilevich, D.L., Jarvis, S.M. 119:151
Adherence
—, effect of adherence, cell morphology, and lipopolysaccharide on potassium conductance and passive membrane properties of murine macrophage J774.1 cells, McKinney, L.C., Gallin, E.K. 116:47
ADP
—, reversible activation of the ATP-dependent potassium current with dialysis of frog atrial cells by micromolar concentrations of GDP, Pilsudski, R., Rougier, O., Tourneur, Y. 117:223
Aerolysin
—, aerolysin, a hemolysin from *Aeromonas hydrophila*, forms voltage-gated channels in planar lipid bilayers, Wilmsen, H.U., Pattus, F., Buckley, J.T. 115:71
Aeromonas hydrophila
—, aerolysin, a hemolysin from *Aeromonas hydrophila*, forms voltage-gated channels in planar lipid bilayers, Wilmsen, H.U., Pattus, F., Buckley, J.T. 115:71
Affinity chromatography
—, molecular interactions of the junctional foot protein and dihydropyridine receptor in skeletal muscle triads, Brandt, N.R., Caswell, A.H., Wen, S.-R., Talvenheimo, J.A. 113:237
—, studies of the cyclic adenosine monophosphate chemoreceptor of *Paramecium*, Van Houten, J.L., Cote, B.L., Zhang, J., Baez, J., Gagnon, M.L. 119:15
Agonists
—, agonist-induced activation of Na^+/H^+ exchange in rat parotid acinar cells, Manganel, M., Turner, R.J. 111:191

Alanine
—, regulation of basolateral membrane potential after stimulation of Na^+ transport in proximal tubules, Lapointe, J.-Y., Duplain, M. 120:165
Aldolase
—, molecular interactions of the junctional foot protein and dihydropyridine receptor in skeletal muscle triads, Brandt, N.R., Caswell, A.H., Wen, S.-R., Talvenheimo, J.A. 113:237
Aldose reductase
—, role of organic osmolytes in adaptation of renal cells to high osmolality, Garcia-Perez, A., Burg, M.B. 119:1
Aldosterone
—, fusion of cultured dog kidney (MDCK) cells: II. relationship between cell pH and K^+ conductance in response to aldosterone, Oberleithner, H., Kersting, U., Silbernagl, S., Steigner, W., Vogel, U. 111:49
—, mechanism of aldosterone-induced increase of K^+ conductance in early distal renal tubule cells of the frog, Wang, W., Henderson, R.M., Geibel, J., White, S., Giebisch, G. 111:277
Algae
—, calcium ion and turgor regulation in plant cells, Okazaki, Y., Tazawa, M. 114:189
Alkylamine
—, aminoglycoside blockade of Ca^{2+}-activated K^+ channel from rat brain synaptosomal membranes incorporated into planar bilayers, Nomura, K., Naruse, K., Watanabe, K., Sokabe, M. 115:241
α-adrenergic receptors
—, specific binding sites for corticosterone in isolated cells and plasma membrane from rat liver, Trueba, M., Ibarrola, I., Ogiza, K., Marino, A., Marcarulla, J.M. 120:115
α-helix topology
—, major myelin proteolipid: the α-4-helix topology, Popot, J.L., Dinh, D.P., Dautigny, A. 120:233
α-toxin
—, chemical modification of *Staphylococcus aureus* α-toxin by diethylpyrocarbonate: role of histidines in its membrane-damaging properties, Pederzolli, C., Cescatti, L., Menestrina, G. 119:41
—, modification of lysine residues of *Staphylococcus aureus* toxin: effects on its channel-forming properties, Cescatti, L., Pederzolli, C., Menestrina, G. 119:53
Aluminum
—, novel type of ion channel activated by Pb^{2+}, Cd^{2+}, and Al^{3+} in cultured mouse neuroblastoma cells, Oortgiesen, M., van Kleef, R.G.D.M., Vijverberg, H.P.M. 113:261
Aluminum fluoride
—, stimulation of olfactory receptors alters regulation of $[Ca_i]$ in olfactory neurons of the catfish (*Ictalurus punctatus*), Restrepo, D., Boyle A.G. 120:223
Alveolar macrophages
—, whole-cell currents in macrophages: II. alveolar macrophages, Nelson, D.J., Jow, B., Popovich, K.J. 117:45
Amiloride
—, electrogenic 2 Na^+/1 H^+ exchange in crustaceans, Ahearn, G.A., Franco, P., Clay, L.P. 116:215
—, intracellular potassium activity and the role of potassium in transepithelial salt transport in the human reabsorptive sweat duct, Reddy, M.M., Quinton, P.M. 119:199
—, Na^+/Na^+ exchange and Na^+/H^+ antiport in rabbit erythrocytes: two distinct transport systems, Escobales, N., Figueroa, J. 120:41
—, ontogeny of the Na^+-H^+ exchanger in rat ileal brush-border membrane vesicles, Kikuchi, K., Kikuchi, T., Ghishan, F.K. 114:257
—, studies on the kinetics of Na^+/H^+ exchange in OK cells: introduction of a new device for the analysis of polarized transport in cultured epithelia, Krayer-Pawlowska, D., Helmle-Kolb, C., Montrose, M.H., Krapf, R., Murer, H. 120:173
Amino acid modification
—, functional characteristics of the cardiac sarcolemmal monocarboxylate transporter, Trosper, T.L., Philipson, K.D. 112:15
Amino acid sequence
—, observations concerning topology and locations of helix ends of membrane proteins of known structure, White, S.H., Jacobs, R.E. 115:145
—, recent advances in the molecular characterization of plasma membrane Ca^{2+} pumps, Strehler, E.E. 120:1
Amino acid transport
—, electrophysiological investigation of the amino acid carrier selectivity in epithelial cells from *Xenopus* embryo, Bergman, J., Zaafrani, M., Bergman, C. 111:241
—, sulfate self-exchange and amino acid transport in calcium loaded human erythrocytes, Joshi, R., Gupta, C.M. 117:233
—, transport of glutamine in *Xenopus laevis* oocytes: relationship with transport of other amino acids, Taylor, P.M., Hundal, H.S., Rennie, M.J. 112:149
Amino acids
—, stimulation of olfactory receptors alters regulation of $[Ca_i]$ in olfactory neurons of the catfish (*Ictalurus punctatus*), Restrepo, D., Boyle A.G. 120:223
Aminoglycoside antibiotics
—, aminoglycoside blockade of Ca^{2+}-activated K^+ channel from rat brain synaptosomal membranes incorporated into planar bilayers, Nomura, K., Naruse, K., Watanabe, K., Sokabe, M. 115:241
Amphotericin B
—, evidence for permanent water channels in the basolateral membrane of an ADH-sensitive epithelium, Van Der Goot, F., Corman, B., Ripoche, P. 120:59
Anchored proteins
—, emerging functional roles for the glycosyl phosphatidylinositol membrane protein anchor, Lisanti, M.P., Rodriguez-Boulan, E., Saltiel, A.R. 117:1
—, preferred apical distribution of glycosyl-phosphatidylinositol (GPI) anchored proteins: a highly conserved feature of the polarized epithelial cell phenotype, Lisanti, M.P., Le Bivic, A., Saltiel, A.R., Rodriguez-Boulan, E. 113:155
Anion antiport
—, evidence for involvement of protein kinase C in regulation of intracellular pH by Cl^-/HCO_3^- antiport, Ludt, J., Tønnessen, T.I., Sandvig, K., Olsnes, S. 119:179
Anion channels
—, bicarbonate permeability of the outwardly rectifying anion channel, Tabcharani, J.A., Jensen, T.J., Riordan, J.R., Hanrahan, J.W. 112:109
—, inhibition of an outwardly rectifying anion channel by HEPES and related buffers, Hanrahan, J.W., Tabcharani, J.A. 116:65
Anion conductance
—, salicylates and proton transport through lipid bilayer membranes: a model for salicylate-induced uncoupling and swelling in mitochondria, Gutknecht, J. 115:253
Anion exchange proteins
—, interaction among anion, cation and glucose transport pro-

teins in the human red cell, Janoshazi, A., Solomon, A.K. 112:25
—, interactions between anion exchange and other membrane proteins in rabbit kidney medullary collecting duct cells, Janoshazi, A., Seifter, J.L., Solomon, A.K. 112:39
—, transport domain of the erythrocyte anion exchange protein, Bar-Noy, S., Cabantchik, Z.I. 115:217
Anion permeability
—, nitrate and chloride ions have different permeation pathways in skeletal muscle fibers of *Rana pipiens*, Kotsias, B.A., Horowicz, P. 115:95
Anion-selective channels
—, cAMP-activated chloride channel in the basolateral membrane of the thick ascending limb of the mouse kidney, Paulais, M., Teulon, J. 113:253
Anion selectivity
—, Cl^- channels in basolateral renal medullary membranes: III. determinants of single-channel activity, Winters, C.J., Reeves, W.B., Andreoli, T.E. 118:269
—, Cl^- transport in basolateral renal medullary vesicles: I. Cl^- transport in intact vesicles, Bayliss, J.M., Reeves, W.B., Andreoli, T.E. 113:49
—, electrically silent anion transport through bilayer lipid membrane induced by tributyltin and triethyllead, Antonenko, Y.N. 113:109
—, modification of lysine residues of *Staphylococcus aureus* toxin: effects on its channel-forming properties, Cescatti, L., Pederzolli, C., Menestrina, G. 119:53
Anion transport
—, electrically silent anion transport through bilayer lipid membrane induced by tributyltin and triethyllead, Antonenko, Y.N. 113:109
—, electrogenic bicarbonate secretion in the turtle bladder: apical membrane conductance characteristics, Rich, A., Dixon, T.E., Clausen, C. 119:241
—, inhibition of chloride binding to the anion transport site by diethylpyrocarbonate modification of band 3, Hamasaki, N., Izuhara, K., Okubo, K., Kanazawa, Y., Omachi, A., Kleps, R.A. 116:87
—, transport domain of the erythrocyte anion exchange protein, Bar-Noy, S., Cabantchik, Z.I. 115:217
Anion transport inhibitors
—, inhibition of the phosphate self-exchange flux in human erythrocytes and erythrocyte ghosts, Stadler, F., Schnell, K.F. 118:19
Anions
—, potassium channel in rabbit corneal endothelium activated by external anions, Rae, J.L., Dewey, J., Cooper, K., Gates, P. 114:29
Annexins
—, synexin (annexin VII): a cytosolic calcium-binding protein which promotes membrane fusion and forms calcium channels in artificial bilayer and natural membranes, Pollard, H.B., Burns, A.L., Rojas, E. 117:101
Anthracene-9-carboxylic acid
—, electrogenic bicarbonate secretion in the turtle bladder: apical membrane conductance characteristics, Rich, A., Dixon, T.E., Clausen, C. 119:241
Antibodies
—, conservation of a cytoplasmic carboxy-terminal domain of connexin43, a gap junctional protein in mammal heart and brain, El Aoumari, A., Fromaget, C., Dupont, E., Reggio, H., Durbec, P., Briand, J.-P., Böller, K., Kreitman, B., Gros, D. 115:229
—, structural and developmental differences between three types of Na channels in dorsal root ganglion cells of newborn rats, Schwartz, A., Palti, Y., Meiri, H. 116:117
—, transport domain of the erythrocyte anion exchange protein, Bar-Noy, S., Cabantchik, Z.I. 115:217
Anticalmodulin drugs
—, anticalmodulin drugs block the sodium gating current of squid giant axons, Ichikawa, M., Urayama, M., Matsumoto, G. 120:211
Antipeptide antibodies
—, antipeptide antibodies to the β_2-adrenergic receptor confirm the extracellular orientation of the amino-terminus and the putative first extraceilular loop, Théveniau, M.A., Raymond, J.R., Rougon, G.N. 111:141
Apamin
—, oscillating activity of a calcium-activated K^+ channel in normal and cancerous mammary cells in culture, Enomoto, K.I., Furuya, K., Maeno, T., Edwards, C., Oka, T. 119:133
—, rabbit distal colon epithelium: III. Ca^{2+}-activated K^+ channels in basolateral plasma membrane vesicles of surface and crypt cells, Wiener, H., Klaerke, D.A., Jørgensen, P.L. 117:275
Apical membrane
—, cAMP-dependent protein kinase inhibits the chloride conductance in apical membrane vesicles of human placenta, Placchi, P., Lombardo, R., Tamanini, A., Brusa, P., Berton, G., Cabrini, G. 119:25
—, changes in membrane conductance and areas associated with bicarbonate secretion in turtle bladder, Rich, A., Dixon, T.E., Clausen, C. 113:211
—, effects of PCMBS on the water and small solute permeabilities in frog urinary bladder, Ibarra, C., Ripoche, P., Parisi, M., Bourguet, J. 116:57
—, electrogenic bicarbonate secretion in the turtle bladder: apical membrane conductance characteristics, Rich, A., Dixon, T.E., Clausen, C. 119:241
—, evidence for permanent water channels in the basolateral membrane of an ADH-sensitive epithelium, Van Der Goot, F., Corman, B., Ripoche, P. 120:59
—, immunohistochemical study of a rat membrane protein which induces a selective potassium permeation: its localization in the apical membrane portion of epithelial cells, Sugimoto, T., Tanabe, Y., Shigemoto, R., Iwai, M., Takumi, T., Ohkubo, H., Nakanishi, S. 113:39
—, intracellular potassium activity and the role of potassium in transepithelial salt transport in the human reabsorptive sweat duct, Reddy, M.M., Quinton, P.M. 119:199
—, outward-rectifying chloride channels in cultured adult and fetal human nasal epithelial cells, Jorissen, M., Vereecke, J., Carmeliet, E., Van den Berghe, H., Cassiman, J.-J. 117:123
—, phosphate transport processes in eukaryotic cells, Wehrle, J.P., Pedersen, P.L. 111:199
—, the nature of the neutral Na^+-Cl^- coupled entry at the apical membrane of rabbit gallbladder epithelium: III. analysis of transports on membrane vesicles, Meyer, G., Bottà, G., Rossetti, C., Gremaschi, D. 118:107
—, vasopressin alters the mechanism of apical Cl^- entry from $Na^+:Cl^-$ to $Na^+:2Cl^-$ cotransport in mouse medullary thick ascending limb, Sun, A., Grossman, E.B., Lombardi, M., Hebert, S.C. 120:83
Aplysia nervous system
—, constant turnover of arachidonic acid and inhibition of a potassium current in *Aplysia* giant neurons, Carlson, R.O., Levitan, I.B. 116:261

—, regulation of intracellular arachidonic acid in *Aplysia* nervous system, Carlson, R.O., Levitan, I.B. 116:249
Arachidonic acid
—, constant turnover of arachidonic acid and inhibition of a potassium current in *Aplysia* giant neurons, Carlson, R.O., Levitan, I.B. 116:261
—, regulation of intracellular arachidonic acid in *Aplysia* nervous system, Carlson, R.O., Levitan, I.B. 116:249
Arginine vasopressin
—, vasopressin alters the mechanism of apical Cl^- entry from $Na^+:Cl^-$ to $Na^+:2Cl^-$ cotransport in mouse medullary thick ascending limb, Sun, A., Grossman, E.B., Lombardi, M., Hebert, S.C. 120:83
Ascorbic acid
—, high-affinity sodium-dependent uptake of ascorbic acid by rat osteoblasts, Wilson, J.X., Dixon, S.J. 111:83
Aspirin
—, salicylates and proton transport through lipid bilayer membranes: a model for salicylate-induced uncoupling and swelling in mitochondria, Gutknecht, J. 115:253
ATP
—, activation and conductance properties of ryanodine-sensitive calcium channels from brain microsomal membranes incorporated into planar lipid bilayers, Ashley, R.H. 111:179
—, metabolic control of the K^+ channel of human red cells, Romero, P.J., Ortíz, C.E., Melitto, C. 116:19
—, Na^+ channel blockade by cyclic AMP and other 6-aminopurines in neonatal rat heart, Herzig, J.W., Kohlhardt, M. 119:163
—, reversible activation of the ATP-dependent potassium current with dialysis of frog atrial cells by micromolar concentrations of GDP, Pilsudski, R., Rougier, O., Tourneur, Y. 117:223
—, voltage dependence of the *Chara* proton pump revealed by current-voltage measurement during rapid metabolic blockade with cyanide, Blatt, M.R., Beilby, M.J., Tester, M. 114:205
ATP-dependent currents
—, demonstration of the electrogenicity of proton translocation during the phosphorylation step in gastric H^+K^+-ATPase, vander Hijden, H.T.W.M., Grell, E., de Pont, J.J.H.H.M., Bamberg, E. 114:245
ATP-dependent H^+ uptake
—, single chloride channels in endosomal vesicle preparations from rat kidney cortex, Schmid, A., Burckhardt, G., Gögelein, H. 111:265
ATP-dependent Na/congener exchange
—, electrogenic and electroneutral transport modes of renal Na/K ATPase reconstituted into proteoliposomes, Goldshleger, R., Shahak, Y., Karlish, S.J.D. 113:139
ATP-dependent Na/K exchange
—, electrogenic and electroneutral transport modes of renal Na/K ATPase reconstituted into proteoliposomes, Goldshleger, R., Shahak, Y., Karlish, S.J.D. 113:139
ATP-dependent transport
—, Ca^{2+} pump and Ca^{2+}/H^+ antiporter in plasma membrane vesicles isolated by aqueous two-phase partitioning from corn leaves, Kasai, M., Muto, S. 114:133
—, calcium absorption by fish intestine: the involvement of ATP and sodium-dependent calcium extrusion mechanisms, Flik, G., Schoenmakers, T.J.M., Groot, J.A., van Os, C.H., Bonga, S.E.W. 113:13
ATP-driven H^+ uptake
—, characterization of inside-out oriented H^+-ATPases in cholate pretreated renal brush-border membrane vesicles, Simon, B.J., Burckhardt, G. 117:141
ATP-gamma-S
—, cAMP-dependent protein kinase inhibits the chloride conductance in apical membrane vesicles of human placenta, Placchi, P., Lombardo, R., Tamanini, A., Brusa, P., Berton, G., Cabrini, G. 119:25
ATP-sensitive K channels
—, specificity of tetraethylammonium and quinine for three K channels in insulin-secreting cells, Fatherazi, S., Cook, D.L. 120:105
ATP-sensitive K^+ channels
—, comparative study of the effects of cromakalim (BRL 34915) and diazoxide on membrane potential, $[Ca^{2+}]_i$ and ATP-sensitive potassium currents in insulin-secreting cells, Dunne, M.J., Yule, D.I., Gallacher, D.V., Petersen, O.H. 114:53
B cells
—, sodium channels contribute to action potential generation in canine and human pancreatic islet B cells, Pressel, D.M., Misler, S. 116:273
B lymphocytes
—, patch-clamp profile of ion channels in resting murine B lymphocytes, McCann, F.V., McCarthy, D.C., Noelle, R.J. 114:175
Bacteriorhodopsin
—, observations concerning topology and locations of helix ends of membrane proteins of known structure, White, S.H., Jacobs, R.E. 115:145
—, synthetic retinals as probes for the binding site and photoreactions in rhodopsins, Ottolenghi, M., Sheves, M. 112:193
Band 3
—, inhibition of chloride binding to the anion transport site by diethylpyrocarbonate modification of band 3, Hamasaki, N., Izuhara, K., Okubo, K., Kanazawa, Y., Omachi, A., Kleps, R.A. 116:87
—, inhibition of the phosphate self-exchange flux in human erythrocytes and erythrocyte ghosts, Stadler, F., Schnell, K.F. 118:19
—, interaction among anion, cation and glucose transport proteins in the human red cell, Janoshazi, A., Solomon, A.K. 112:25
—, interactions between anion exchange and other membrane proteins in rabbit kidney medullary collecting duct cells, Janoshazi, A., Seifter, J.L., Solomon, A.K. 112:39
—, transport domain of the erythrocyte anion exchange protein, Bar-Noy, S., Cabantchik, Z.I. 115:217
Barium
—, effect of potassium on cell volume regulation in renal straight proximal tubules, Völkl, H., Lang, F. 117:113
Barium ions
—, barium- and calcium-permeable channels open at negative membrane potentials in rat ventricular myocytes, Coulombe, A., Lefèvre, I.A., Baro, I., Coraboeuf, E. 111:57
—, intracellular potassium activity and the role of potassium in transepithelial salt transport in the human reabsorptive sweat duct, Reddy, M.M., Quinton, P.M. 119:199
—, reconstitution of a calcium-activated potassium channel in basolateral membranes of rabbit colonocytes into planar lipid bilayers, Turnheim, K., Costantin, J., Chan, S., Schultz, S.G. 112:247
—, regulation of basolateral membrane potential after stimulation of Na^+ transport in proximal tubules, Lapointe, J.-Y., Duplain, M. 120:165

—, regulation of maxi-K^+ channels on pancreatic duct cells by cyclic AMP-dependent phosphorylation, Gray, M.A., Greenwell, J.R., Garton, A.J., Argent, B.E. 115:203
Basal membrane
—, adenosine transport and nitrobenzylthioinosine binding in human placental membrane vesicles from brush-border and basal sides of the trophoblast, Barros, L.F., Bustamante, J.C., Yudilevich, D.L., Jarvis, S.M. 119:151
Basolateral membrane
—, cAMP-activated chloride channel in the basolateral membrane of the thick ascending limb of the mouse kidney, Paulais, M., Teulon, J. 113:253
—, evidence for permanent water channels in the basolateral membrane of an ADH-sensitive epithelium, Van Der Goot, F., Corman, B., Ripoche, P. 120:59
—, intracellular potassium activity and the role of potassium in transepithelial salt transport in the human reabsorptive sweat duct, Reddy, M.M., Quinton, P.M. 119:199
—, rabbit distal colon epithelium: III. Ca^{2+}-activated K^+ channels in basolateral plasma membrane vesicles of surface and crypt cells, Wiener, H., Klaerke, D.A., Jørgensen, P.L. 117:275
—, reconstitution of a calcium-activated potassium channel in basolateral membranes of rabbit colonocytes into planar lipid bilayers, Turnheim, K., Costantin, J., Chan, S., Schultz, S.G. 112:247
—, regulation of basolateral membrane potential after stimulation of Na^+ transport in proximal tubules, Lapointe, J.-Y., Duplain, M. 120:165
—, regulation of maxi-K^+ channels on pancreatic duct cells by cyclic AMP-dependent phosphorylation, Gray, M.A., Greenwell, J.R., Garton, A.J., Argent, B.E. 115:203
—, role of phospholipids in the binding of bumetanide to the rabbit parotid Na/K/Cl cotransporter, Corcelli, A., Turner, R.J. 120:125
—, roles of external and cellular Cl^- ions on the activation of an apical electrodiffusional Cl^- pathway in toad skin, Procopio, J., Lacaz-Vieira, F. 117:57
—, solubilization and partial purification of the rabbit parotid Na/K/Cl^-dependent bumetanide binding site, Turner, R.J., George, J.N. 113:203
Batrachotoxin
—, isolation of two saxitoxin-sensitive sodium channel subtypes from rat brain with distinct biochemical and functional properties, Corbett, A.M., Krueger, B.K. 117:163
Bay K-8644
—, effects of calcium and Bay K-8644 on calcium currents in adrenal medullary chromaffin cells, Ceña, V., Stutzin, A., Rojas, E. 112:255
—, multiple conductance levels of the dihydropyridine-sensitive calcium channel in GH_3 cells, Kunze, D.L., Ritchie, A.K. 118:171
Beat-rate synchronization
—, gap junction formation and functional interaction between neonatal rat cardiocytes in culture: a correlative physiological and ultrastructural study, Rook, M.B., de Jonge, B., Jongsma, H.J., Masson-Pévet, M.A. 118:179
Bee venom
—, rabbit distal colon epithelium: III. Ca^{2+}-activated K^+ channels in basolateral plasma membrane vesicles of surface and crypt cells, Wiener, H., Klaerke, D.A., Jørgensen, P.L. 117:275
Benzoates
—, salicylates and proton transport through lipid bilayer membranes: a model for salicylate-induced uncoupling and swelling in mitochondria, Gutknecht, J. 115:253
Bepridil
—, calcium absorption by fish intestine: the involvement of ATP and sodium-dependent calcium extrusion mechanisms, Flik, G., Schoenmakers, T.J.M., Groot, J.A., van Os, C.H., Bonga, S.E.W. 113:13
β-adrenergic receptors
—, antipeptide antibodies to the β_2-adrenergic receptor confirm the extracellular orientation of the amino-terminus and the putative first extracellular loop, Théveniau, M.A., Raymond, J.R., Rougon, G.N. 111:141
—, beta-adrenergic modulation of K^+ current in human T lymphocytes, Soliven, B., Nelson, D.J. 117:263
—, large-conductance ion channel measured by whole-cell voltage clamp in single cardiac cells: modulation by β-adrenergic stimulation and inhibition by octanol, Pott, L., Mechmann, S. 117:189
—, specific binding sites for corticosterone in isolated cells and plasma membrane from rat liver, Trueba, M., Ibarrola, I., Ogiza, K., Marino, A., Marcarulla, J.M. 120:115
Beta vulgaris
—, characterization of Cl^- transport in vacuolar membrane vesicles using a Cl^--sensitive fluorescent probe: reaction kinetic models for voltage- and concentration-dependence of Cl^- flux, Pope, A.J., Jennings, I.R., Sanders, D., Leigh, R.A. 116:129
Betaine
—, role of organic osmolytes in adaptation of renal cells to high osmolality, Garcia-Perez, A., Burg, M.B. 119:1
Bicarbonate
—, evidence for involvement of protein kinase C in regulation of intracellular pH by Cl^-/HCO_3^- antiport, Ludt, J., Tønnesen, T.I., Sandvig, K., Olsnes, S. 119:179
—, potassium channel in rabbit corneal endothelium activated by external anions, Rae, J.L., Dewey, J., Cooper, K., Gates, P. 114:29
Bicarbonate permeability
—, bicarbonate permeability of the outwardly rectifying anion channel, Tabcharani, J.A., Jensen, T.J., Riordan, J.R., Hanrahan, J.W. 112:109
Bicarbonate secretion
—, bicarbonate permeability of the outwardly rectifying anion channel, Tabcharani, J.A., Jensen, T.J., Riordan, J.R., Hanrahan, J.W. 112:109
—, regulation of maxi-K^+ channels on pancreatic duct cells by cyclic AMP-dependent phosphorylation, Gray, M.A., Greenwell, J.R., Garton, A.J., Argent, B.E. 115:203
Bicarbonate transport
—, changes in membrane conductance and areas associated with bicarbonate secretion in turtle bladder, Rich, A., Dixon, T.E., Clausen, C. 113:211
—, electrogenic bicarbonate secretion in the turtle bladder: apical membrane conductance characteristics, Rich, A., Dixon, T.E., Clausen, C. 119:241
—, regulation of basolateral membrane potential after stimulation of Na^+ transport in proximal tubules, Lapointe, J.-Y., Duplain, M. 120:165
—, time- and dose-dependent effects of protein kinase C on proximal bicarbonate transport, Wang, T., Chan, Y.L. 117:131
Bilayer assembly
—, membrane bilayer assembly in neural tissue of rat and squid as a critical phenomenon: influence of temperature and membrane proteins, Ginsberg, L., Gilbert, D.L., Gershfeld, N.L. 119:65
Bilayer lipid membranes
—, electrically silent anion transport through bilayer lipid

membrane induced by tributyltin and triethyllead, Antonenko, Y.N. 113:109
Bilayers
—, membrane bilayer assembly in neural tissue of rat and squid as a critical phenomenon: influence of temperature and membrane proteins, Ginsberg, L., Gilbert, D.L., Gershfeld, N.L. 119:65
Binding
—, coupling of catalytic and channel function in the Ca^{2+} transport ATPase, Inesi, G., Kirtley, M.E. 116:1
—, reassociation of cortical secretory vesicles with sea urchin egg plasma membrane: assessment of binding specificity, Jackson, R.C., Modern, P.A. 115:83
Binding kinetics
—, interaction among anion, cation and glucose transport proteins in the human red cell, Janoshazi, A., Solomon, A.K. 112:25
—, interactions between anion exchange and other membrane proteins in rabbit kidney medullary collecting duct cells, Janoshazi, A., Seifter, J.L., Solomon, A.K. 112:39
Binding sites
—, aminoglycoside blockade of Ca^{2+}-activated K^+ channel from rat brain synaptosomal membranes incorporated into planar bilayers, Nomura, K., Naruse, K., Watanabe, K., Sokabe, M. 115:241
—, competitive action of divalent cations and D600 in frog slow muscle fibers, Krippeit-Drews, P., Schmidt, H. 112:185
—, electrogenic 2 Na^+/1 H^+ exchange in crustaceans, Ahearn, G.A., Franco, P., Clay, L.P. 116:215
—, inhibition of chloride binding to the anion transport site by diethylpyrocarbonate modification of band 3, Hamasaki, N., Izuhara, K., Okubo, K., Kanazawa, Y., Omachi, A., Kleps, R.A. 116:87
—, inhibition of the phosphate self-exchange flux in human erythrocytes and erythrocyte ghosts, Stadler, F., Schnell, K.F. 118:19
—, role of phospholipids in the binding of bumetanide to the rabbit parotid Na/K/Cl cotransporter, Corcelli, A., Turner, R.J. 120:125
—, solubilization and partial purification of the rabbit parotid Na/K/Cl^--dependent bumetanide binding site, Turner, R.J., George, J.N. 113:203
—, specific binding sites for corticosterone in isolated cells and plasma membrane from rat liver, Trueba, M., Ibarrola, I., Ogiza, K., Marino, A., Marcarulla, J.M. 120:115
—, two substrate sites in the renal Na^+-D-glucose cotransporter studied by model analysis of phlorizin binding and D-glucose transport measurements, Koepsell, H., Fritzsch, G., Korn, K., Madrala, A. 114:113
Biosynthesis
—, altered patterns of *N*-linked glycosylation of the *Torpedo* aceytylcholine receptor expressed in *Xenopus* oocytes, Buller, A.L., White, M.M. 115:179
—, association of acetylcholinesterase with the cell surface, Inestrosa, N.C., Perelman, A. 118:1
—, expression of the gap junction protein connexin43 in embryonic chick lens: molecular cloning, ultrastructural localization, and post-translational phosphorylation, Musil, L.S., Beyer, E.C., Goodenough, D.A. 116:163
—, subunit assembly and functional maturation of Na,K-ATPase, Geering, K. 115:109
Biotin labeling
—, preferred apical distribution of glycosyl-phosphatidylinositol (GPI) anchored proteins: a highly conserved feature of the polarized epithelial cell phenotype, Lisanti, M.P., Le Bivic, A., Saltiel, A.R., Rodriguez-Boulan, E. 113:155
Birefringence
—, chloramine-T alters the nerve membrane birefringence response, Landowne, D. 113:123
Bitter taste
—, perspectives of taste reception, Avenet, P., Lindemann, B. 112:1
Bovine aortic endothelial cells (BAECs)
—, bradykinin-induced potassium current in cultured bovine aortic endothelial cells, Colden-Stanfield, M., Schilling, W.P., Possani, L.D., Kunze, D.L. 116:227
Bovine blood platelets
—, asymmetry of membrane fluidity in the lipid bilayer of blood platelets: fluorescence study with diphenylhexatriene and analogs, Kitagawa, S., Matsubayashi, M., Kotani, K., Usui, K., Kametani, F. 119:221
Bovine cardiac muscle
—, sulmazole (AR-L 115BS) activates the sheep cardiac muscle sarcoplasmic reticulum calcium-release channel in the presence and absence of calcium, Williams, A.J., Holmberg, S.R.M. 115:167
Bovine chromaffin cells
—, effects of calcium and Bay K-8644 on calcium currents in adrenal medullary chromaffin cells, Ceña, V., Stutzin, A., Rojas, E. 112:255
Bovine kidney
—, electrogenic and electroneutral transport modes of renal Na/K ATPase reconstituted into proteoliposomes, Goldshleger, R., Shahak, Y., Karlish, S.J.D. 113:139
Bovine lactotrophs
—, cytotoxicity of equinatoxin II from the sea anemone *Actinia equina* involves ion channel formation and an increase in intracellular calcium activity, Zorec, R., Tester, M., Macek, P., Mason, W.T. 118:243
Bovine red blood cells
—, thiol-dependent passive K : Cl transport in sheep red blood cells: IX. modulation by pH in the presence and absence of DIDS and the effect of NEM, Zade-Oppen, A.M.M., Lauf, P.K. 118:143
—, thiol-dependent passive K : Cl transport in sheep red blood cells: X. a hydroxylamine-oxidation induced K : Cl flux blocked by diethylpyrocarbonate, Lauf, P.K. 118:153
Bovine trachea
—, cAMP-dependent protein kinase inhibits the chloride conductance in apical membrane vesicles of human placenta, Placchi, P., Lombardo, R., Tamanini, A., Brusa, P., Berton, G., Cabrini, G. 119:25
Bradykinin
—, bradykinin-induced potassium current in cultured bovine aortic endothelial cells, Colden-Stanfield, M., Schilling, W.P., Possani, L.D., Kunze, D.L. 116:227
—, role of protein kinase C in the regulation of cytosolic Ca^{2+} in A431 cells: separation of growth factor and bradykinin pathways, Wheller, L.A., Goodrum, D.D., Sachs, G. 118:77
Branched reaction mechanisms
—, branched reaction mechanism for the Na/K pump as an alternative explanation for a nonmonotonic current *vs.* membrane potential response, Milanick, M.A. 119:33
Breakdown potential
—, electrical tolerance (breakdown) of the *Chara coralina* plasmalemma: II. inductive property of membrane and effects of pH_o and impermeable monovalent cations on breakdown phenomenon, Ohkawa, T., Tsutsui, I. 114:159

Bromate
—, gating in iodate-modified single cardiac Na^+ channels, Kohlhardt, M., Fichtner, H., Fröbe, U. 112:67
4-Bromophenacylbromide (BPB)
—, constant turnover of arachidonic acid and inhibition of a potassium current in *Aplysia* giant neurons, Carlson, R.O., Levitan, I.B. 116:261
—, regulation of intracellular arachidonic acid in *Aplysia* nervous system, Carlson, R.O., Levitan, I.B. 116:249
Brush border membrane
—, activation of Cl^-/OH^- exchange by parachloromercuribenzoic acid in rabbit renal brush-border membranes, Karniski, L.P. 112:59
—, adenosine transport and nitrobenzylthioinosine binding in human placental membrane vesicles from brush-border and basal sides of the trophoblast, Barros, L.F., Bustamante, J.C., Yudilevich, D.L., Jarvis, S.M. 119:151
—, characterization of inside-out oriented H^+-ATPases in cholate pretreated renal brush-border membrane vesicles, Simon, B.J., Burckhardt, G. 117:141
—, electrogenic 2 Na^+/1 H^+ exchange in crustaceans, Ahearn, G.A., Franco, P., Clay, L.P. 116:215
—, ontogeny of the Na^+-H^+ exchanger in rat ileal brush-border membrane vesicles, Kikuchi, K., Kikuchi, T., Ghishan, F.K. 114:257
—, pH modulation of the kinetics of rabbit jejunal, brush border folate transport, Schron, C.M. 120:192
—, studies on the kinetics of Na^+/H^+ exchange in OK cells: introduction of a new device for the analysis of polarized transport in cultured epithelia, Krayer-Pawlowska, D., Helmle-Kolb, C., Montrose, M.H., Krapf, R., Murer, H. 120:173
—, two substrate sites in the renal Na^+-D-glucose cotransporter studied by model analysis of phlorizin binding and D-glucose transport measurements, Koepsell, H., Fritzsch, G., Korn, K., Madrala, A. 114:113
Bumetanide
—, inactivation of the rabbit parotid Na/K/Cl contransporter by N-ethylmaleimide, George, J.N., Turner, R.J. 112:51
—, intracellular potassium activity and the role of potassium in transepithelial salt transport in the human reabsorptive sweat duct, Reddy, M.M., Quinton, P.M. 119:199
—, role of phospholipids in the binding of bumetanide to the rabbit parotid Na/K/Cl cotransporter, Corcelli, A., Turner, R.J. 120:125
—, solubilization and partial purification of the rabbit parotid Na/K/Cl^-dependent bumetanide binding site, Turner, R.J., George, J.N. 113:203
—, the nature of the neutral Na^+-Cl^- coupled entry at the apical membrane of rabbit gallbladder epithelium: III. analysis of transports on membrane vesicles, Meyer, G., Bottà, G., Rossetti, C., Gremaschi, D. 118:107
C9 monomer
—, pore formation by complement in the outer membrane of gram negative bacteria studied with asymmetric planar lipopolysaccharide/phospholipid bilayers, Schröder, G., Brandenburg, K., Brade, L., Seydel, U. 118:161
Ca-activated K channels
—, expression of a rapid, low-voltage threshold K current in insulin-secreting cells is dependent on intracellular calcium buffering, Satin, L.S., Hopkins, W.F., Fatherazi, S., Cook D.L. 112:213
—, specificity of tetraethylammonium and quinine for three K channels in insulin-secreting cells, Fatherazi, S., Cook, D.L. 120:105
Ca-activated K^+ channels
—, identification of electrophysiologically distinct subpopulations of rat taste cells, Akabas, M., Dodd, J., Al-Awqati, Q. 114:71
Ca-dependent Na currents
—, calcium-dependent sodium current in the marine ciliate *Euplotes vannus*, Krüppel, T., Lueken, W. 116:79
Ca^{2+}-activated K channels
—, patch-clamp profile of ion channels in resting murine B lymphocytes, McCann, F.V., McCarthy, D.C., Noelle, R.J. 114:175
Ca^{2+}-activated K^+ channels
—, activation by Ca^{2+} and block by divalent ions of the K^+ channel in the membrane of cytoplasmic drops from *Chara australis*, Laver, D.R., Walker, N.A. 120:131
—, aminoglycoside blockade of Ca^{2+}-activated K^+ channel from rat brain synaptosomal membranes incorporated into planar bilayers, Nomura, K., Naruse, K., Watanabe, K., Sokabe, M. 115:241
—, Ca^{2+}-activated K^+ channel from human erythrocyte membranes: single channel rectification and selectivity, Christophersen, P. 119:75
—, charybdotoxin-sensitive $K_{(Ca)}$ channel is not involved in glucose-induced electrical activity in pancreatic β-cells, Kukuljan, M., Goncalves, A.A., Atwater, I. 119:187
—, chloride and potassium channels in U937 human monocytes, Kanno, T., Takishima, T. 116:149
—, coupling of K^+-gating and permeation with Ca^{2+} block in the Ca^{2+}-activated K^+ channel in *Chara australis*, Laver, D.R. 118:55
—, oscillating activity of a calcium-activated K^+ channel in normal and cancerous mammary cells in culture, Enomoto, K.I., Furuya, K., Maeno, T., Edwards, C., Oka, T. 119:133
—, rabbit distal colon epithelium: III. Ca^{2+}-activated K^+ channels in basolateral plasma membrane vesicles of surface and crypt cells, Wiener, H., Klaerke, D.A., Jørgensen, P.L. 117:275
—, reconstitution of a calcium-activated potassium channel in basolateral membranes of rabbit colonocytes into planar lipid bilayers, Turnheim, K., Costantin, J., Chan, S., Schultz, S.G. 112:247
—, regulation of maxi-K^+ channels on pancreatic duct cells by cyclic AMP-dependent phosphorylation, Gray, M.A., Greenwell, J.R., Garton, A.J., Argent, B.E. 115:203
Ca^{2+}-activated K^+ conductance
—, Ca^{2+}-activated K^+ conductance of the human red cell membrane: voltage-dependent Na^+ block of outward-going currents, Stampe, P., Vestergaard-Bogind, B. 112:9
Ca^{2+}-activated K^+ currents
—, bradykinin-induced potassium current in cultured bovine aortic endothelial cells, Colden-Stanfield, M., Schilling, W.P., Possani, L.D., Kunze, D.L. 116:227
—, cytosolic calcium regulates a potassium current in corn (*Zea mays*) protoplasts, Ketchum, K.A., Poole, R.J. 119:277
Ca^{2+}-ATPase
—, Ca^{2+} pumping ATPase of cardiac sarcolemma is insensitive to membrane potential produced by K^+ and Cl^- gradients but requires a source of counter-transportable H^+, Dixon, D.A., Haynes, D.H. 112:169
—, calpain I activates Ca^{2+} transport by the reconstituted erythrocyte Ca^{2+} pump, Wang, K.K.W., Roufogalis, B.D., Villalobo, A. 112:233
—, coupling of catalytic and channel function in the Ca^{2+} transport ATPase, Inesi, G., Kirtley, M.E. 116:1

—, purification of the microsomal Ca^{2+}-ATPase from rat liver, Jong, Y.-J., Sheldon, A., Zhang, G.H., Kraus-Friedmann, N. 118:49
—, recent advances in the molecular characterization of plasma membrane Ca^{2+} pumps, Strehler, E.E. 120:1
Ca^{2+}-binding proteins
—, synexin (annexin VII): a cytosolic calcium-binding protein which promotes membrane fusion and forms calcium channels in artificial bilayer and natural membranes, Pollard, H.B., Burns, A.L., Rojas, E. 117:101
Ca^{2+} channels
—, activation and conductance properties of ryanodine-sensitive calcium channels from brain microsomal membranes incorporated into planar lipid bilayers, Ashley, R.H. 111:179
—, effects of calcium and Bay K-8644 on calcium currents in adrenal medullary chromaffin cells, Ceña, V., Stutzin, A., Rojas, E. 112:255
—, macroscopic and single-channel studies of two Ca^{2+} channel types in oocytes of the ascidian *Ciona intestinalis*, Bosma, M.M., Moody, W.J. 114:231
Ca^{2+} currents
—, effects of calcium and Bay K-8644 on calcium currents in adrenal medullary chromaffin cells, Ceña, V., Stutzin, A., Rojas, E. 112:255
Ca^{2+} dependence
—, epithelial cell adhesion mechanisms, Boyer, B., Thiery, J.P. 112:97
Ca^{2+}-dependent K channels
—, calcium-dependent potassium channel in *Paramecium* studied under patch clamp, Saimi, Y., Martinac, B. 112:79
—, proteolytic activation of a hyperpolarization- and calcium dependent potassium channel in *Paramecium*, Kubalski, A., Martinac, B., Saimi, Y. 112:91
Ca^{2+}-dependent K^+ channels
—, interactions between mutants with defects in two Ca^{2+} dependent K^+ currents of *Paramecium tetraurelia*, Preston, R.R., Saimi, Y., Amberger, E., Kung, C. 115:61
—, metabolic control of the K^+ channel of human red cells, Romero, P.J., Ortíz, C.E., Melitto, C. 116:19
Ca^{2+}-dependent K^+ currents
—, calmodulin defects cause the loss of Ca^{2+}-dependent K^+ currents in two pantophobiac mutants of *Paramecium tetraurelia*, Preston, R.R., Wallen-Friedman, M.A., Saimi, Y., Kung, C. 115:51
—, evidence for two K^+ currents activated upon hyperpolarization of *Paramecium tetraurelia*, Preston, R.R., Saimi, Y., Kung, C. 115:41
—, interactions between mutants with defects in two Ca^{2+} dependent K^+ currents of *Paramecium tetraurelia*, Preston, R.R., Saimi, Y., Amberger, E., Kung, C. 115:61
Ca^{2+} entry
—, evidence for two modes of Ca^{2+} entry following muscarinic stimulation of a human salivary epithelial cell line, He, X., Wu, X., Turner, R.J., Baum, B.J. 115:159
—, role of protein kinase C in the regulation of cytosolic Ca^{2+} in A431 cells: separation of growth factor and bradykinin pathways, Wheller, L.A., Goodrum, D.D., Sachs, G. 118:77
Ca^{2+} loading
—, sulfate self-exchange and amino acid transport in calcium loaded human erythrocytes, Joshi, R., Gupta, C.M. 117:233
Ca^{2+} oscillation
—, oscillating activity of a calcium-activated K^+ channel in normal and cancerous mammary cells in culture, Enomoto, K.I., Furuya, K., Maeno, T., Edwards, C., Oka, T. 119:133
Ca^{2+}-permeable channels
—, cytotoxicity of equinatoxin II from the sea anemone *Actinia equina* involves ion channel formation and an increase in intracellular calcium activity, Zorec, R., Tester, M., Macek, P., Mason, W.T. 118:243
Ca^{2+} pump
—, Ca^{2+} pump and Ca^{2+}/H^+ antiporter in plasma membrane vesicles isolated by aqueous two-phase partitioning from corn leaves, Kasai, M., Muto, S. 114:133
—, Ca^{2+} pumping ATPase of cardiac sarcolemma is insensitive to membrane potential produced by K^+ and Cl^- gradients but requires a source of counter-transportable H^+, Dixon, D.A., Haynes, D.H. 112:169
—, calpain I activates Ca^{2+} transport by the reconstituted erythrocyte Ca^{2+} pump, Wang, K.K.W., Roufogalis, B.D., Villalobo, A. 112:233
—, recent advances in the molecular characterization of plasma membrane Ca^{2+} pumps, Strehler, E.E. 120:1
Ca^{2+} release
—, interaction of caffeine-, IP_3- and vanadate-sensitive Ca^{2+} pools in acinar cells of the exocrine pancreas, Dehlinger-Kremer, M., Zeuzem, S., Schulz, I. 119:85
—, role of protein kinase C in the regulation of cytosolic Ca^{2+} in A431 cells: separation of growth factor and bradykinin pathways, Wheller, L.A., Goodrum, D.D., Sachs, G. 118:77
Ca^{2+} signals
—, oscillating intracellular Ca^{2+} signals evoked by activation of receptors linked to inositol lipid hydrolysis: mechanism of generation, Petersen, O.H., Wakui, M. 118:93
Ca^{2+} transport
—, Ca^{2+} pump and Ca^{2+}/H^+ antiporter in plasma membrane vesicles isolated by aqueous two-phase partitioning from corn leaves, Kasai, M., Muto, S. 114:133
—, calpain I activates Ca^{2+} transport by the reconstituted erythrocyte Ca^{2+} pump, Wang, K.K.W., Roufogalis, B.D., Villalobo, A. 112:233
—, coupling of catalytic and channel function in the Ca^{2+} transport ATPase, Inesi, G., Kirtley, M.E. 116:1
—, electrogenic properties of the Na : Ca exchange, Lagnado, L., McNaughton, P.A. 113:177
—, sulfhydryl-reactive heavy metals increase cell membrane K^+ and Ca^{2+} transport in renal proximal tubule, Kone, B.C., Brenner, R.M., Gullans, S.R. 113:1
Ca^{2+} uptake
—, Ca^{2+} pumping ATPase of cardiac sarcolemma is insensitive to membrane potential produced by K^+ and Cl^- gradients but requires a source of counter-transportable H^+, Dixon, D.A., Haynes, D.H. 112:169
—, H^+/Ca^{2+} exchange in rabbit renal cortical endosomes, Hilden, S.A., Madias, N.E. 112:131
—, interaction of caffeine-, IP_3- and vanadate-sensitive Ca^{2+} pools in acinar cells of the exocrine pancreas, Dehlinger-Kremer, M., Zeuzem, S., Schulz, I. 119:85
Ca^{2+}/H^+ antiporter
—, Ca^{2+} pump and Ca^{2+}/H^+ antiporter in plasma membrane vesicles isolated by aqueous two-phase partitioning from corn leaves, Kasai, M., Muto, S. 114:133
Ca^{2+}/Mg^{2+}-ATPase
—, calcium absorption by fish intestine: the involvement of ATP and sodium-dependent calcium extrusion mechanisms, Flik, G., Schoenmakers, T.J.M., Groot, J.A., van Os, C.H., Bonga, S.E.W. 113:13
Cadherins
—, epithelial cell adhesion mechanisms, Boyer, B., Thiery, J.P. 112:97

Cadmium
—, novel type of ion channel activated by Pb^{2+}, Cd^{2+}, and Al^{3+} in cultured mouse neuroblastoma cells, Oortgiesen, M., van Kleef, R.G.D.M., Vijverberg, H.P.M. 113:261
Cadmium ions
—, action of diphtheria toxin does not depend on the induction of large, stable pores across biological membranes, Alder, G.M., Bashford, C.L., Pasternak, C.A. 113:67
Caffeine
—, effects of caffeine and ryanodine on low pH_i-induced changes in gap junction conductance and calcium concentration in crayfish septate axons, Peracchia, C. 117:79
—, interaction of caffeine-, IP_3- and vanadate-sensitive Ca^{2+} pools in acinar cells of the exocrine pancreas, Dehlinger-Kremer, M., Zeuzem, S., Schulz, I. 119:85
—, oscillating intracellular Ca^{2+} signals evoked by activation of receptors linked to inositol lipid hydrolysis: mechanism of generation, Petersen, O.H., Wakui, M. 118:93
"Caged" ATP
—, demonstration of the electrogenicity of proton translocation during the phosphorylation step in gastric H^+K^+-ATPase, vander Hijden, H.T.W.M., Grell, E., de Pont, J.J.H.H.M., Bamberg, E. 114:245
Calcein leakage
—, action of diphtheria toxin does not depend on the induction of large, stable pores across biological membranes, Alder, G.M., Bashford, C.L., Pasternak, C.A. 113:67
Calcium-activated channels
—, sulmazole (AR-L 115BS) activates the sheep cardiac muscle sarcoplasmic reticulum calcium-release channel in the presence and absence of calcium, Williams, A.J., Holmberg, S.R.M. 115:167
Calcium background channels
—, barium- and calcium-permeable channels open at negative membrane potentials in rat ventricular myocytes, Coulombe, A., Lefèvre, I.A., Baro, I., Coraboeuf, E. 111:57
Calcium binding
—, coupling of catalytic and channel function in the Ca^{2+} transport ATPase, Inesi, G., Kirtley, M.E. 116:1
Calcium channels
—, synexin (annexin VII): a cytosolic calcium-binding protein which promotes membrane fusion and forms calcium channels in artificial bilayer and natural membranes, Pollard, H.B., Burns, A.L., Rojas, E. 117:101
Calcium chelators
—, direct inhibitory action of EGTA-Ca complex on reverse-mode Na/Ca exchange in *Myxicola* giant axons, Sjodin, R.A., Mahmoud, A.A., Montes, J.G. 114:225
Calcium currents
—, developmental changes in the calcium currents in embryonic chick ventricular myocytes, Kawano, S., DeHaan, R.L. 120:17
—, inactivation kinetics and pharmacology distinguish two calcium currents in mouse pancreatic B-cells, Hopkins, W.F., Satin, L.S., Cook, D.L. 119:229
Calcium-dependent membrane-binding proteins
—, synexin (annexin VII): a cytosolic calcium-binding protein which promotes membrane fusion and forms calcium channels in artificial bilayer and natural membranes, Pollard, H.B., Burns, A.L., Rojas, E. 117:101
Calcium homeostasis
—, recent advances in the molecular characterization of plasma membrane Ca^{2+} pumps, Strehler, E.E. 120:1
Calcium ion channels
—, multiple conductance levels of the dihydropyridine-sensitive calcium channel in GH_3 cells, Kunze, D.L., Ritchie, A.K. 118:171
Calcium ion currents
—, macroscopic and single-channel studies of two Ca^{2+} channel types in oocytes of the ascidian *Ciona intestinalis*, Bosma, M.M., Moody, W.J. 114:231
Calcium ions
—, barium- and calcium-permeable channels open at negative membrane potentials in rat ventricular myocytes, Coulombe, A., Lefèvre, I.A., Baro, I., Coraboeuf, E. 111:57
—, Ca modulates outward current through I_{K1} channels, Mazzanti, M., DeFelice, L.J. 116:41
—, calcium ion and turgor regulation in plant cells, Okazaki, Y., Tazawa, M. 114:189
—, chloride channels in human platelets: evidence for activation by internal calcium, Mahaut-Smith, M.P. 118:69
—, fusion of liposomes and rat brain microsomes examined by two assays, Corazzi, L., Fratto, G., Pistolesi, R., Arienti, G. 112:123
Calcium release channels
—, sulmazole (AR-L 115BS) activates the sheep cardiac muscle sarcoplasmic reticulum calcium-release channel in the presence and absence of calcium, Williams, A.J., Holmberg, S.R.M. 115:167
Calcium-sensitive microelectrodes
—, effects of caffeine and ryanodine on low pH_i-induced changes in gap junction conductance and calcium concentration in crayfish septate axons, Peracchia, C. 117:79
—, increase in gap junction resistance with acidification in crayfish septate axons is closely related to changes in intracellular calcium but not hydrogen ion concentration, Peracchia, C. 113:75
Calcium stores
—, effects of caffeine and ryanodine on low pH_i-induced changes in gap junction conductance and calcium concentration in crayfish septate axons, Peracchia, C. 117:79
—, oscillating intracellular Ca^{2+} signals evoked by activation of receptors linked to inositol lipid hydrolysis: mechanism of generation, Petersen, O.H., Wakui, M. 118:93
—, role of protein kinase C in the regulation of cytosolic Ca^{2+} in A431 cells: separation of growth factor and bradykinin pathways, Wheller, L.A., Goodrum, D.D., Sachs, G. 118:77
Calmodulin
—, calmodulin defects cause the loss of Ca^{2+}-dependent K^+ currents in two pantophobiac mutants of *Paramecium tetraurelia*, Preston, R.R., Wallen-Friedman, M.A., Saimi, Y., Kung, C. 115:51
—, calpain I activates Ca^{2+} transport by the reconstituted erythrocyte Ca^{2+} pump, Wang, K.K.W., Roufogalis, B.D., Villalobo, A. 112:233
—, recent advances in the molecular characterization of plasma membrane Ca^{2+} pumps, Strehler, E.E. 120:1
Calpain
—, calpain I activates Ca^{2+} transport by the reconstituted erythrocyte Ca^{2+} pump, Wang, K.K.W., Roufogalis, B.D., Villalobo, A. 112:233
—, identification of a new subpopulation of triad junctions isolated from skeletal muscle; morphological correlations with intact muscle, Kim, K.C., Caswell, A.H., Brunschwig, J.-P., Brandt, N.R. 113:221

cAMP
—, beta-adrenergic modulation of K^+ current in human T lymphocytes, Soliven, B., Nelson, D.J. 117:263
—, cAMP-activated chloride channel in the basolateral membrane of the thick ascending limb of the mouse kidney, Paulais, M., Teulon, J. 113:253
—, cAMP-dependent protein kinase inhibits the chloride conductance in apical membrane vesicles of human placenta, Placchi, P., Lombardo, R., Tamanini, A., Brusa, P., Berton, G., Cabrini, G. 119:25
—, electrogenic bicarbonate secretion in the turtle bladder: apical membrane conductance characteristics, Rich, A., Dixon, T.E., Clausen, C. 119:241
—, further evidence for the regulation of the tight junction ion selectivity by cAMP in goldfish intestinal mucosa, Bakker, R., Groot, J.A. 111:25
—, metabolic control of the K^+ channel of human red cells, Romero, P.J., Ortíz, C.E., Melitto, C. 116:19
—, Na^+ channel blockade by cyclic AMP and other 6-aminopurines in neonatal rat heart, Herzig, J.W., Kohlhardt, M. 119:163
—, studies of the cyclic adenosine monophosphate chemoreceptor of *Paramecium*, Van Houten, J.L., Cote, B.L., Zhang, J., Baez, J., Gagnon, M.L. 119:15
—, urea transport in freshly isolated and cultured cells from rat inner medullary collecting duct, Zhang, R., Verkman, A.S. 117:253
cAMP-activated Cl^- channels
—, cAMP-activated chloride channel in the basolateral membrane of the thick ascending limb of the mouse kidney, Paulais, M., Teulon, J. 113:253
cAMP-dependent phosphorylation
—, regulation of maxi-K^+ channels on pancreatic duct cells by cyclic AMP-dependent phosphorylation, Gray, M.A., Greenwell, J.R., Garton, A.J., Argent, B.E. 115:203
Cancerous mammary cells
—, oscillating activity of a calcium-activated K^+ channel in normal and cancerous mammary cells in culture, Enomoto, K.I., Furuya, K., Maeno, T., Edwards, C., Oka, T. 119:133
Capacitance
—, changes in membrane conductance and areas associated with bicarbonate secretion in turtle bladder, Rich, A., Dixon, T.E., Clausen, C. 113:211
Carbachol
—, agonist-induced activation of Na^+/H^+ exchange in rat parotid acinar cells, Manganel, M., Turner, R.J. 111:191
—, evidence for two modes of Ca^{2+} entry following muscarinic stimulation of a human salivary epithelial cell line, He, X., Wu, X., Turner, R.J., Baum, B.J. 115:159
Carbethoxylation
—, thiol-dependent passive K : Cl transport in sheep red blood cells: X. a hydroxylamine-oxidation induced K : Cl flux blocked by diethylpyrocarbonate, Lauf, P.K. 118:153
Carbonic anhydrase
—, changes in membrane conductance and areas associated with bicarbonate secretion in turtle bladder, Rich, A., Dixon, T.E., Clausen, C. 113:211
Cardiac channels
—, gating in iodate-modified single cardiac Na^+ channels, Kohlhardt, M., Fichtner, H., Fröbe, U. 112:67
Cardiac development
—, developmental changes in the calcium currents in embryonic chick ventricular myocytes, Kawano, S., DeHaan, R.L. 120:17
—, developmental changes in regulation of embryonic chick heart gap junctions, Veenstra, R.D. 119:253
Cardiac myocytes
—, barium- and calcium-permeable channels open at negative membrane potentials in rat ventricular myocytes, Coulombe, A., Lefèvre, I.A., Baro, I., Coraboeuf, E. 111:57
—, developmental changes in regulation of embryonic chick heart gap junctions, Veenstra, R.D. 119:253
—, large-conductance ion channel measured by whole-cell voltage clamp in single cardiac cells: modulation by β-adrenergic stimulation and inhibition by octanol, Pott, L., Mechmann, S. 117:189
Cardiac Na^+ channels
—, Na^+ channel blockade by cyclic AMP and other 6-aminopurines in neonatal rat heart, Herzig, J.W., Kohlhardt, M. 119:163
Cardiac sarcolemma
—, Ca^{2+} pumping ATPase of cardiac sarcolemma is insensitive to membrane potential produced by K^+ and Cl^- gradients but requires a source of counter-transportable H^+, Dixon, D.A., Haynes, D.H. 112:169
—, functional characteristics of the cardiac sarcolemmal monocarboxylate transporter, Trosper, T.L., Philipson, K.D. 112:15
—, identification of the cardiac sarcolemmal Na^+-Ca^{2+} exchanger using monoclonal antibodies, Vemuri, R., Haberland, M.E., Fong, D., Philipson, K.D. 118:279
Carrier conformational change
—, expression of substrate specificity in facilitated transport systems, Krupka, R.M. 117:69
Carrier-mediated transport
—, presteady-state kinetics and carrier-mediated transport: a theoretical analysis, Wierzbicki, W., Berteloot, A., Roy, G. 117:11
Catalysis
—, coupling of catalytic and channel function in the Ca^{2+} transport ATPase, Inesi, G., Kirtley, M.E. 116:1
Catecholamine secretion
—, effects of calcium and Bay K-8644 on calcium currents in adrenal medullary chromaffin cells, Ceña, V., Stutzin, A., Rojas, E. 112:255
Catfish
—, stimulation of olfactory receptors alters regulation of $[Ca_i]$ in olfactory neurons of the catfish (*Ictalurus punctatus*), Restrepo, D., Boyle A.G. 120:223
Cation binding
—, mechanism of Na^+/proline symport in *Escherichia coli*: reappraisal of the effect of cation binding to the Na^+/proline-symport carrier, Yamato, I., Anraku, Y. 114:143
Cation channels
—, blockade of a mitochondrial cationic channel by an addressing peptide: an electrophysiological study, Henry, J.-P., Chich, J.-F., Goldschmidt, D., Thieffry, M. 112:139
Cation-selective channels
—, a single amino acid substitution alters conductance and gating of OmpC porin of *Escherichia coli*, Delcour, A.H., Alder, J., Kung, C. 119:267
Cation transport
—, Na^+/H^+ exchange is increased in sickle cell anemia and young normal red cells, Canessa, M., Fabry, M.E., Suzuka, S.M., Morgan, K., Nagel, R.L. 116:107
Cations
—, surface dielectric constant, surface hydrophobicity and membrane fusion, Ohki, S., Arnold, K. 114:195

CCCP
—, CCCP activation of the reconstituted NaK-pump, Yoda, A., Yoda, S. 117:153
CD8$^+$ cells
—, beta-adrenergic modulation of K^+ current in human T lymphocytes, Soliven, B., Nelson, D.J. 117:263
cDNA
—, use of *Xenopus* oocytes for the functional expression of plasma membrane proteins, Sigel, E. 117:201
Cell adhesion molecules
—, epithelial cell adhesion mechanisms, Boyer, B., Thiery, J.P. 112:97
Cell culture
—, chloride conductive and cotransport mechanisms in cultures of canine tracheal epithelial cells measured by an entrapped fluorescent indicator, Chao, A.C., Widdicombe, J.H., Verkman, A.S. 113:193
—, electrophysiology of cultured human lens epithelial cells, Cooper, K., Gates, P., Rae, J.L., Dewey, J. 117:285
—, fusion of cultured dog kidney (MDCK) cells: I. technique, fate of plasma membranes and of cell nuclei, Kersting, U., Joha, H., Steigner, W., Gassner, B., Gstraunthaler, G., Pfaller, W., Oberleithner, H. 111:37
—, outward-rectifying chloride channels in cultured adult and fetal human nasal epithelial cells, Jorissen, M., Vereecke, J., Carmeliet, E., Van den Berghe, H., Cassiman, J.-J. 117:123
—, urea transport in freshly isolated and cultured cells from rat inner medullary collecting duct, Zhang, R., Verkman, A.S. 117:253
Cell extrusion
—, maintenance of the macromolecular barrier at cell extrusion sites in intestinal epithelium: Physiological rearrangement of tight junctions, Madara, J.L. 116:177
Cell nuclei fusion
—, fusion of cultured dog kidney (MDCK) cells: I. technique, fate of plasma membranes and of cell nuclei, Kersting, U., Joha, H., Steigner, W., Gassner, B., Gstraunthaler, G., Pfaller, W., Oberleithner, H. 111:37
Cell surface
—, association of acetylcholinesterase with the cell surface, Inestrosa, N.C., Perelman, A. 118:1
Cell surface polarity
—, emerging functional roles for the glycosyl phosphatidylinositol membrane protein anchor, Lisanti, M.P., Rodriguez-Boulan, E., Saltiel, A.R. 117:1
Cell tissue
—, studies on the kinetics of Na^+/H^+ exchange in OK cells: introduction of a new device for the analysis of polarized transport in cultured epithelia, Krayer-Pawlowska, D., Helmle-Kolb, C., Montrose, M.H., Krapf, R., Murer, H. 120:173
Cell volume
—, characteristics of the volume- and chloride-dependent K transport in human erythrocytes homozygous for hemoglobin C, Brugnara, C. 111:69
—, intracellular ion concentrations and cell volume during cholinergic stimulation of eccrine secretory coil cells, Takemura, T., Sato, F., Saga, K., Suzuki, Y., Sato, K. 119:211
—, membrane potential, anion and cation conductances in Ehrlich ascites tumor cells, Lambert, I.H., Hoffmann, E.K., Jørgensen, F. 111:113
Cell volume regulation
—, characteristics of the volume- and chloride-dependent K transport in human erythrocytes homozygous for hemoglobin C, Brugnara, C. 111:69
—, cytoplasmic acidification and activation of Na^+/H^+ exchange during regulatory volume decrease in Ehrlich ascites tumor cells, Livne, A., Hoffmann, E.K. 114:153
—, effect of potassium on cell volume regulation in renal straight proximal tubules, Völkl, H., Lang, F. 117:113
—, K-Cl cotransport in LK sheep erythrocytes: kinetics of stimulation by cell swelling, Bergh, C., Kelley, S.J., Dunham, P.B. 117:177
—, membrane potential, anion and cation conductances in Ehrlich ascites tumor cells, Lambert, I.H., Hoffmann, E.K., Jørgensen, F. 111:113
—, Na^+/H^+ exchange is increased in sickle cell anemia and young normal red cells, Canessa, M., Fabry, M.E., Suzuka, S.M., Morgan, K., Nagel, R.L. 116:107
Cell-cell coupling
—, inhibition of voltage-dependent Na^+ current in cell-fusion hybrids containing activated c-Ha-*ras*, Estacion, M. 113:169
Cellular distribution
—, association of acetylcholinesterase with the cell surface, Inestrosa, N.C., Perelman, A. 118:1
Cellular sodium ions
—, Ca^{2+}-activated K^+ conductance of the human red cell membrane: voltage-dependent Na^+ block of outward-going currents, Stampe, P., Vestergaard-Bogind, B. 112:9
Channel activation
—, chloride channels in human platelets: evidence for activation by internal calcium, Mahaut-Smith, M.P. 118:69
—, roles of external and cellular Cl^- ions on the activation of an apical electrodiffusional Cl^- pathway in toad skin, Procopio, J., Lacaz-Vieira, F. 117:57
—, sulmazole (AR-L 115BS) activates the sheep cardiac muscle sarcoplasmic reticulum calcium-release channel in the presence and absence of calcium, Williams, A.J., Holmberg, S.R.M. 115:167
Channel block kinetics
—, coupling of K^+-gating and permeation with Ca^{2+} block in the Ca^{2+}-activated K^+ channel in *Chara australis*, Laver, D.R. 118:55
Channel blockers
—, aminoglycoside blockade of Ca^{2+}-activated K^+ channel from rat brain synaptosomal membranes incorporated into planar bilayers, Nomura, K., Naruse, K., Watanabe, K., Sokabe, M. 115:241
—, nonselective cation channel activated by patch excision from lobster olfactory receptor neurons, McClintock, T.S., Ache, B.W. 113:115
—, regulation of basolateral membrane potential after stimulation of Na^+ transport in proximal tubules, Lapointe, J.-Y., Duplain, M. 120:165
Channel development
—, characterization of sodium currents in mammalian sensory neurons cultured in serum-free defined medium with and without nerve growth factor, Omri, G., Meiri, H. 115:13
Channel gating
—, coupling of K^+-gating and permeation with Ca^{2+} block in the Ca^{2+}-activated K^+ channel in *Chara australis*, Laver, D.R. 118:55
—, effects of calcium and Bay K-8644 on calcium currents in adrenal medullary chromaffin cells, Ceña, V., Stutzin, A., Rojas, E. 112:255
—, increase in gap junction resistance with acidification in crayfish septate axons is closely related to changes in intracellular calcium but not hydrogen ion concentration, Peracchia, C. 113:75
—, potassium channel in rabbit corneal endothelium activated

by external anions, Rae, J.L., Dewey, J., Cooper, K., Gates, P. 114:29
Channel inactivation
—, aerolysin, a hemolysin from *Aeromonas hydrophila*, forms voltage-gated channels in planar lipid bilayers, Wilmsen, H.U., Pattus, F., Buckley, J.T. 115:71
Channel pore size
—, characterization of a 25-pS nonselective cation channel in a cultured secretory epithelial cell line, Cook, D.I., Poronnik, P., Young, J.A. 114:37
Channel structure
—, structure and function of channels and channelogs as studied by computational chemistry, Eisenman, G., Alvarez, O. 119:109
Channel structure model
—, modification of lysine residues of *Staphylococcus aureus* toxin: effects on its channel-forming properties, Cescatti, L., Pederzolli, C., Menestrina, G. 119:53
Channel subtypes
—, isolation of two saxitoxin-sensitive sodium channel subtypes from rat brain with distinct biochemical and functional properties, Corbett, A.M., Krueger, B.K. 117:163
Channels
—, channels as enzymes, Eisenberg, R.S. 115:1
Chara australis
—, activation by Ca^{2+} and block by divalent ions of the K^+ channel in the membrane of cytoplasmic drops from *Chara australis*, Laver, D.R., Walker, N.A. 120:131
—, coupling of K^+-gating and permeation with Ca^{2+} block in the Ca^{2+}-activated K^+ channel in *Chara australis*, Laver, D.R. 118:55
—, transport of potassium in *Chara australis*: II. kinetics of a symport with sodium, McCulloch, S.R., Beilby, M.J., Walker, N.A. 115:129
Chara corallina
—, electrical tolerance (breakdown) of the *Chara corallina* plasmalemma: II. inductive property of membrane and effects of pH_o and impermeable monovalent cations on breakdown phenomenon, Ohkawa, T., Tsutsui, I. 114:159
—, inversion of extracellular current and axial voltage profile in *Chara* and *Nitella*, Fisahn, J., Lucas, W.J. 113:23
—, voltage dependence of the *Chara* proton pump revealed by current-voltage measurement during rapid metabolic blockade with cyanide, Blatt, M.R., Beilby, M.J., Tester, M. 114:205
Chara gymnophylla
—, D_2O-induced cell excitation, Andjus, P.R., Vucelia, D. 115:123
Characeae
—, nature of the water channels in the internodal cells of *Nitellopsis*, Wayne, R., Tazawa, M. 116:31
Charge movement
—, branched reaction mechanism for the Na/K pump as an alternative explanation for a nonmonotonic current *vs.* membrane potential response, Milanick, M.A. 119:33
Charybdotoxin
—, charybdotoxin-sensitive $K_{(Ca)}$ channel is not involved in glucose-induced electrical activity in pancreatic β-cells, Kukuljan, M., Goncalves, A.A., Atwater, I. 119:187
—, oscillating activity of a calcium-activated K^+ channel in normal and cancerous mammary cells in culture, Enomoto, K.I., Furuya, K., Maeno, T., Edwards, C., Oka, T. 119:133
—, rabbit distal colon epithelium: III. Ca^{2+}-activated K^+ channels in basolateral plasma membrane vesicles of surface and crypt cells, Wiener, H., Klaerke, D.A., Jørgensen, P.L. 117:275
Chelators
—, effect of cytoplasmic acidification on the membrane potential of T-lymphocytes: role of trace metals, Mason, M.J., Grinstein, S. 116:139
Chemical modification
—, chemical modification of *Staphylococcus aureus* α-toxin by diethylpyrocarbonate: role of histidines in its membrane-damaging properties, Pederzolli, C., Cescatti, L., Menestrina, G. 119:41
—, gating in iodate-modified single cardiac Na^+ channels, Kohlhardt, M., Fichtner, H., Fröbe, U. 112:67
—, modification of lysine residues of *Staphylococcus aureus* toxin: effects on its channel-forming properties, Cescatti, L., Pederzolli, C., Menestrina, G. 119:53
—, reconstituted voltage-sensitive sodium channels from eel electroplax: activation of permeability by quaternary lidocaine, N-bromoacetamide, and N-bromosuccinimide, Cooper, E.C., Agnew, W.S. 111:253
Chemoreception
—, perspectives of taste reception, Avenet, P., Lindemann, B. 112:1
Chemoreceptors
—, studies of the cyclic adenosine monophosphate chemoreceptor of *Paramecium*, Van Houten, J.L., Cote, B.L., Zhang, J., Baez, J., Gagnon, M.L. 119:15
Chick heart
—, developmental changes in regulation of embryonic chick heart gap junctions, Veenstra, R.D. 119:253
—, developmental changes in the calcium currents in embryonic chick ventricular myocytes, Kawano, S., DeHaan, R.L. 120:17
Chloramine-T
—, chloramine-T alters the nerve membrane birefringence response, Landowne, D. 113:123
—, Na activation delays and their relation to inactivation in frog skeletal muscle, Hahin, R. 118:233
Chloride
—, inhibition of the phosphate self-exchange flux in human erythrocytes and erythrocyte ghosts, Stadler, F., Schnell, K.F. 118:19
Chloride binding
—, inhibition of chloride binding to the anion transport site by diethylpyrocarbonate modification of band 3, Hamasaki, N., Izuhara, K., Okubo, K., Kanazawa, Y., Omachi, A., Kleps, R.A. 116:87
Chloride channels
—, bicarbonate permeability of the outwardly rectifying anion channel, Tabcharani, J.A., Jensen, T.J., Riordan, J.R., Hanrahan, J.W. 112:109
—, inhibition of an outwardly rectifying anion channel by HEPES and related buffers, Hanrahan, J.W., Tabcharani, J.A. 116:65
—, roles of external and cellular Cl^- ions on the activation of an apical electrodiffusional Cl^- pathway in toad skin, Procopio, J., Lacaz-Vieira, F. 117:57
Chloride conductance
—, chloride conductive and cotransport mechanisms in cultures of canine tracheal epithelial cells measured by an entrapped fluorescent indicator, Chao, A.C., Widdicombe, J.H., Verkman, A.S. 113:193
Chloride cotransport
—, chloride conductive and cotransport mechanisms in cultures of canine tracheal epithelial cells measured by an entrapped fluorescent indicator, Chao, A.C., Widdicombe, J.H., Verkman, A.S. 113:193

Chloride cotransporters
—, application of membrane potential equations to tight epithelia, Gordon, L.G.M., Macknight, A.D.C. 120:155
—, contributions of secondary active transport processes to membrane potentials, Gordon, L.G.M., Macknight, A.D.C. 120:141
Chloride exchange
—, responses of γ-aminobutyrate receptor from rat brain: similarity of different preparation methods; muscimol induced desensitization and chloride exchange, Cash, D.J., Subbarao, K. 111:229
Chloride ion channels
—, cAMP-activated chloride channel in the basolateral membrane of the thick ascending limb of the mouse kidney, Paulais, M., Teulon, J. 113:253
—, chloride and potassium channels in U937 human monocytes, Kanno, T., Takishima, T. 116:149
—, chloride channels in human platelets: evidence for activation by internal calcium, Mahaut-Smith, M.P. 118:69
—, Cl^- channels in basolateral renal medullary membranes: III. determinants of single-channel activity, Winters, C.J., Reeves, W.B., Andreoli, T.E. 118:269
—, Cl^- transport in basolateral renal medullary vesicles: II. Cl channels in planar lipid bilayers, Reeves, W.B., Andreoli, T.E. 113:57
—, electrical tolerance (breakdown) of the *Chara corallina* plasmalemma: II. inductive property of membrane and effects of pH_o and impermeable monovalent cations on breakdown phenomenon, Ohkawa, T., Tsutsui, I. 114:159
—, patch-clamp profile of ion channels in resting murine B lymphocytes, McCann, F.V., McCarthy, D.C., Noelle, R.J. 114:175
—, potassium channel in rabbit corneal endothelium activated by external anions, Rae, J.L., Dewey, J., Cooper, K., Gates, P. 114:29
—, single chloride channels in endosomal vesicle preparations from rat kidney cortex, Schmid, A., Burckhardt, G., Gögelein, H. 111:265
—, zinc inhibition of chloride efflux from skeletal muscle of *Rana pipiens* and its modification by external pH and chloride activity, Spalding, B.C., Taber, P., Swift, J.G., Horowicz, P. 116:195
Chloride ion conductance
—, cAMP-dependent protein kinase inhibits the chloride conductance in apical membrane vesicles of human placenta, Placchi, P., Lombardo, R., Tamanini, A., Brusa, P., Berton, G., Cabrini, G. 119:25
—, Cl^- transport in basolateral renal medullary vesicles: I. Cl^- transport in intact vesicles, Bayliss, J.M., Reeves, W.B., Andreoli, T.E. 113:49
—, Cl^- transport in basolateral renal medullary vesicles: II. Cl channels in planar lipid bilayers, Reeves, W.B., Andreoli, T.E. 113:57
—, electrogenic bicarbonate secretion in the turtle bladder: apical membrane conductance characteristics, Rich, A., Dixon, T.E., Clausen, C. 119:241
—, further evidence for the regulation of the tight junction ion selectivity by cAMP in goldfish intestinal mucosa, Bakker, R., Groot, J.A. 111:25
—, membrane potential, anion and cation conductances in Ehrlich ascites tumor cells, Lambert, I.H., Hoffmann, E.K., Jørgensen, F. 111:113
—, whole-cell currents in macrophages: I. human monocyte-derived macrophages, Nelson, D.J., Jow, B., Jow, F. 117:29
Chloride ion currents
—, nitrate and chloride ions have different permeation pathways in skeletal muscle fibers of *Rana pipiens*, Kotsias, B.A., Horowicz, P. 115:95
Chloride ion flux
—, zinc inhibition of chloride efflux from skeletal muscle of *Rana pipiens* and its modification by external pH and chloride activity, Spalding, B.C., Taber, P., Swift, J.G., Horowicz, P. 116:195
Chloride ion transport
—, characterization of Cl^- transport in vacuolar membrane vesicles using a Cl^--sensitive fluorescent probe: reaction kinetic models for voltage- and concentration-dependence of Cl^- flux, Pope, A.J., Jennings, I.R., Sanders, D., Leigh, R.A. 116:129
—, Cl^- transport in basolateral renal medullary vesicles: I. Cl^- transport in intact vesicles, Bayliss, J.M., Reeves, W.B., Andreoli, T.E. 113:49
—, Cl^- transport in basolateral renal medullary vesicles: II. Cl channels in planar lipid bilayers, Reeves, W.B., Andreoli, T.E. 113:57
Chloride ions
—, Ca^{2+} pump and Ca^{2+}/H^+ antiporter in plasma membrane vesicles isolated by aqueous two-phase partitioning from corn leaves, Kasai, M., Muto, S. 114:133
—, the nature of the neutral Na^+-Cl^- coupled entry at the apical membrane of rabbit gallbladder epithelium: III. analysis of transports on membrane vesicles, Meyer, G., Bottà, G., Rossetti, C., Cremaschi, D. 118:107
Chloride transport
—, activation of Cl^-/OH^- exchange by parachloromercuribenzoic acid in rabbit renal brush-border membranes, Karniski, L.P. 112:59
—, roles of external and cellular Cl^- ions on the activation of an apical electrodiffusional Cl^- pathway in toad skin, Procopio, J., Lacaz-Vieira, F. 117:57
—, solubilization and partial purification of the rabbit parotid Na/K/Cl^-dependent bumetanide binding site, Turner, R.J., George, J.N. 113:203
Chloroform
—, chloramine-T alters the nerve membrane birefringence response, Landowne, D. 113:123
Choline transport
—, expression of substrate specificity in facilitated transport systems, Krupka, R.M. 117:69
Cholinergic system
—, association of acetylcholinesterase with the cell surface, Inestrosa, N.C., Perelman, A. 118:1
Chromaffin
—, synexin (annexin VII): a cytosolic calcium-binding protein which promotes membrane fusion and forms calcium channels in artificial bilayer and natural membranes, Pollard, H.B., Burns, A.L., Rojas, E. 117:101
Ciliary patch
—, transmembrane currents in frog olfactory cilia, Kleene, S.J., Gesteland, R.C. 120:75
Ciona intestinalis
—, macroscopic and single-channel studies of two Ca^{2+} channel types in oocytes of the ascidian *Ciona intestinalis*, Bosma, M.M., Moody, W.J. 114:231
Cl^--dependent K^+ influx
—, K-Cl cotransport in LK sheep erythrocytes: kinetics of stimulation by cell swelling, Bergh, C., Kelley, S.J., Dunham, P.B. 117:177

Clathrin
—, genetic analysis of clathrin function in yeast, Payne, G.S. 116:93
Cl^-/HCO_3^- antiport
—, evidence for involvement of protein kinase C in regulation of intracellular pH by Cl^-/HCO_3^- antiport, Ludt, J., Tønnesen, T.I., Sandvig, K., Olsnes, S. 119:179
Cl/OH exchange
—, activation of Cl^-/OH^- exchange by parachloromercuribenzoic acid in rabbit renal brush-border membranes, Karniski, L.P. 112:59
Cl^-/OH^- exchange
—, activation of Cl^-/OH^- exchange by parachloromercuribenzoic acid in rabbit renal brush-border membranes, Karniski, L.P. 112:59
—, the nature of the neutral Na^+-Cl^- coupled entry at the apical membrane of rabbit gallbladder epithelium: III. analysis of transports on membrane vesicles, Meyer, G., Bottà, G., Rossetti, C., Gremaschi, D. 118:107
Clone 9
—, enhancement of glucose transport in Clone 9 cells by exposure to alkaline pH: studies on potential mechanisms, Hakimian, J., Ismail-Beigi, F. 120:29
Colchicine
—, changes in membrane conductance and areas associated with bicarbonate secretion in turtle bladder, Rich, A., Dixon, T.E., Clausen, C. 113:211
Colicin B
—, formation of ion channels by colicin B in planar lipid bilayers, Bullock, J.O., Armstrong, S.K., Shear, J.L., Lies, D.P., McIntosh, M.A. 114:79
Collecting ducts
—, urea transport in freshly isolated and cultured cells from rat inner medullary collecting duct, Zhang, R., Verkman, A.S. 117:253
Complement
—, pore formation by complement in the outer membrane of gram negative bacteria studied with asymmetric planar lipopolysaccharide/phospholipid bilayers, Schröder, G., Brandenburg, K., Brade, L., Seydel, U. 118:161
Computational chemistry
—, structure and function of channels and channelogs as studied by computational chemistry, Eisenman, G., Alvarez, O. 119:109
Computer programs
—, structure and function of channels and channelogs as studied by computational chemistry, Eisenman, G., Alvarez, O. 119:109
Concentration dependence
—, inhibition of the phosphate self-exchange flux in human erythrocytes and erythrocyte ghosts, Stadler, F., Schnell, K.F. 118:19
Conductance
—, activation and conductance properties of ryanodine-sensitive calcium channels from brain microsomal membranes incorporated into planar lipid bilayers, Ashley, R.H. 111:179
—, analysis of the T-type calcium channel in embryonic chick ventricular myocytes, Kawano, S., DeHaan, R.L. 116:9
—, inhibition of an outwardly rectifying anion channel by HEPES and related buffers, Hanrahan, J.W., Tabcharani, J.A. 116:65
—, multiple conductance levels of the dihydropyridine-sensitive calcium channel in GH_3 cells, Kunze, D.L., Ritchie, A.K. 118:171
Connexin
—, connexin family of gap junction proteins, Beyer, E.C., Paul, D.L., Goodenough, D.A. 116:187
Connexin 43
—, conservation of a cytoplasmic carboxy-terminal domain of connexin 43, a gap junctional protein in mammal heart and brain, El Aoumari, A., Fromaget, C., Dupont, E., Reggio, H., Durbec, P., Briand, J.-P., Böller, K., Kreitman, B., Gros, D. 115:229
—, expression of the gap junction protein connexin43 in embryonic chick lens: molecular cloning, ultrastructural localization, and post-translational phosphorylation, Musil, L.S., Beyer, E.C., Goodenough, D.A. 116:163
Copper
—, novel type of ion channel activated by Pb^{2+}, Cd^{2+}, and Al^{3+} in cultured mouse neuroblastoma cells, Oortgiesen, M., van Kleef, R.G.D.M., Vijverberg, H.P.M. 113:261
Corn protoplasts
—, cytosolic calcium regulates a potassium current in corn (*Zea mays*) protoplasts, Ketchum, K.A., Poole, R.J. 119:277
Corn root
—, spontaneous insertion of plant plasma membrane (H^+)ATPase into a preformed bilayer, Simon-Plas, F., Venema, K., Grouzis, J.P., Gibrat, R., Rigaud, J., Grignon, C. 120:51
Corneal endothelium
—, potassium channel in rabbit corneal endothelium activated by external anions, Rae, J.L., Dewey, J., Cooper, K., Gates, P. 114:29
Cortical granules
—, hyperosmolality inhibits exocytosis in sea urchin eggs by formation of a granule-free zone and arrest of pore widening, Merkle, C.J., Chandler, D.E. 112:223
Cortical secretory vesicles
—, reassociation of cortical secretory vesicles with sea urchin egg plasma membrane: assessment of binding specificity, Jackson, R.C., Modern, P.A. 115:83
Corticosteroids
—, Na,K-ATPase and the development of Na^+ transport in rat distal colon, Pácha, J., Teisinger, J., Popp, M., Capek, K. 120:201
Corticosterone
—, specific binding sites for corticosterone in isolated cells and plasma membrane from rat liver, Trueba, M., Ibarrola, I., Ogiza, K., Marino, A., Marcarulla, J.M. 120:115
Cotransport
—, electrogenic properties of the Na:Ca exchange, Lagnado, L., McNaughton, P.A. 113:177
—, endogenous D-glucose transport in oocytes of *Xenopus laevis*, Weber, W.-M., Schwarz, W., Passow, H. 111:93
—, high-affinity sodium-dependent uptake of ascorbic acid by rat osteoblasts, Wilson, J.X., Dixon, S.J. 111:83
—, transport of potassium in *Chara australis:* II. kinetics of a symport with sodium, McCulloch, S.R., Beilby, M.J., Walker, N.A. 115:129
—, vasopressin alters the mechanism of apical Cl^- entry from $Na^+:Cl^-$ to $Na^+:2Cl^-$ cotransport in mouse medullary thick ascending limb, Sun, A., Grossman, E.B., Lombardi, M., Hebert, S.C. 120:83
Cotransport kinetics
—, presteady-state kinetics and carrier-mediated transport: a theoretical analysis, Wierzbicki, W., Berteloot, A., Roy, G. 117:11

Countertransport
—, contributions of secondary active transport processes to membrane potentials, Gordon, L.G.M., Macknight, A.D.C. 120:141
—, electrogenic 2 Na^+/1 H^+ exchange in crustaceans, Ahearn, G.A., Franco, P., Clay, L.P. 116:215
Coupled transport
—, electrophysiological investigation of the amino acid carrier selectivity in epithelial cells from *Xenopus* embryo, Bergman, J., Zaafrani, M., Bergman, C. 111:241
—, expression of substrate specificity in facilitated transport systems, Krupka, R.M. 117:69
—, two substrate sites in the renal Na^+-D-glucose cotransporter studied by model analysis of phlorizin binding and D-glucose transport measurements, Koepsell, H., Fritzsch, G., Korn, K., Madrala, A. 114:113
Coupling membranes
—, power transmission along biological membranes, Skulachev, V.P. 114:97
Crayfish septate axons
—, increase in gap junction resistance with acidification in crayfish septate axons is closely related to changes in intracellular calcium but not hydrogen ion concentration, Peracchia, C. 113:75
Critical temperature
—, membrane bilayer assembly in neural tissue of rat and squid as a critical phenomenon: influence of temperature and membrane proteins, Ginsberg, L., Gilbert, D.L., Gershfeld, N.L. 119:65
Cromakalim (BRL 34915)
—, comparative study of the effects of cromakalim (BRL 34915) and diazoxide on membrane potential, $[Ca^{2+}]_i$ and ATP-sensitive potassium currents in insulin-secreting cells, Dunne, M.J., Yule, D.I., Gallacher, D.V., Petersen, O.H. 114:53
Crustaceans
—, electrogenic 2 Na^+/1 H^+ exchange in crustaceans, Ahearn, G.A., Franco, P., Clay, L.P. 116:215
Crypt cells
—, rabbit distal colon epithelium: III. Ca^{2+}-activated K^+ channels in basolateral plasma membrane vesicles of surface and crypt cells, Wiener, H., Klaerke, D.A., Jørgensen, P.L. 117:275
Current activation
—, beta-adrenergic modulation of K^+ current in human T lymphocytes, Soliven, B., Nelson, D.J. 117:263
—, Na activation delays and their relation to inactivation in frog skeletal muscle, Hahin, R. 118:233
—, whole-cell currents in macrophages: I. human monocyte-derived macrophages, Nelson, D.J., Jow, B., Jow, F. 117:29
—, whole-cell currents in macrophages: II. alveolar macrophages, Nelson, D.J., Jow, B., Popovich, K.J. 117:45
Current activation
—, cytosolic calcium regulates a potassium current in corn (*Zea mays*) protoplasts, Ketchum, K.A., Poole, R.J. 119:277
—, developmental changes in the calcium currents in embryonic chick ventricular myocytes, Kawano, S., DeHaan, R.L. 120:17
Current inactivation
—, beta-adrenergic modulation of K^+ current in human T lymphocytes, Soliven, B., Nelson, D.J. 117:263
—, developmental changes in the calcium currents in embryonic chick ventricular myocytes, Kawano, S., DeHaan, R.L. 120:17
—, inactivation kinetics and pharmacology distinguish two calcium currents in mouse pancreatic B-cells, Hopkins, W.F., Satin, L.S., Cook, D.L. 119:229
—, Na activation delays and their relation to inactivation in frog skeletal muscle, Hahin, R. 118:233
—, whole-cell currents in macrophages: I. human monocyte-derived macrophages, Nelson, D.J., Jow, B., Jow, F. 117:29
—, whole-cell currents in macrophages: II. alveolar macrophages, Nelson, D.J., Jow, B., Popovich, K.J. 117:45
Current-voltage relationship
—, branched reaction mechanism for the Na/K pump as an alternative explanation for a nonmonotonic current *vs.* membrane potential response, Milanick, M.A. 119:33
—, Ca^{2+}-activated K^+ channel from human erythrocyte membranes: single channel rectification and selectivity, Christophersen, P. 119:75
—, membrane and junctional properties of dissociated frog lens epithelial cells, Cooper, K., Rae, J.L., Gates, P. 111:215
—, transport of potassium in *Chara australis:* II. kinetics of a symport with sodium, McCulloch, S.R., Beilby, M.J., Walker, N.A. 115:129
—, voltage dependence of the *Chara* proton pump revealed by current-voltage measurement during rapid metabolic blockade with cyanide, Blatt, M.R., Beilby, M.J., Tester, M. 114:205
Cyanide
—, voltage dependence of the *Chara* proton pump revealed by current-voltage measurement during rapid metabolic blockade with cyanide, Blatt, M.R., Beilby, M.J., Tester, M. 114:205
Cyanobacterial membranes
—, power transmission along biological membranes, Skulachev, V.P. 114:97
Cystic fibrosis
—, bicarbonate permeability of the outwardly rectifying anion channel, Tabcharani, J.A., Jensen, T.J., Riordan, J.R., Hanrahan, J.W. 112:109
Cytochalasin B
—, enhancement of glucose transport in Clone 9 cells by exposure to alkaline pH: studies on potential mechanisms, Hakimian, J., Ismail-Beigi, F. 120:29
—, interaction among anion, cation and glucose transport proteins in the human red cell, Janoshazi, A., Solomon, A.K. 112:25
Cytochalasin D
—, further evidence for the regulation of the tight junction ion selectivity by cAMP in goldfish intestinal mucosa, Bakker, R., Groot, J.A. 111:25
Cytoplasmic Ca^{2+} concentration
—, oscillating intracellular Ca^{2+} signals evoked by activation of receptors linked to inositol lipid hydrolysis: mechanism of generation, Petersen, O.H., Wakui, M. 118:93
Cytoplasmic calcium ions
—, effect of cytoplasmic acidification on the membrane potential of T-lymphocytes: role of trace metals, Mason, M.J., Grinstein, S. 116:139
Cytoplasmic pH
—, fusion of cultured dog kidney (MDCK) cells: II. relationship between cell pH and K^+ conductance in response to aldosterone, Oberleithner, H., Kersting, U., Silbernagl, S., Steigner, W., Vogel, U. 111:49
Cytoskeleton
—, interactions between anion exchange and other membrane

proteins in rabbit kidney medullary collecting duct cells, Janoshazi, A., Seifter, J.L., Solomon, A.K. 112:39
Cytosolic calcium
—, intestinal secretagogues increase cytosolic free Ca^{2+} concentration and K^+ conductance in a human intestinal epithelial cell line, Yada, T., Oiki, S., Ueda, S., Okada, Y. 112:159
—, role of protein kinase C in the regulation of cytosolic Ca^{2+} in A431 cells: separation of growth factor and bradykinin pathways, Wheller, L.A., Goodrum, D.D., Sachs, G. 118:77
Cytosolic-free Ca^{2+}
—, bradykinin-induced potassium current in cultured bovine aortic endothelial cells, Colden-Stanfield, M., Schilling, W.P., Possani, L.D., Kunze, D.L. 116:227
Cytotoxicity
—, cytotoxicity of equinatoxin II from the sea anemone *Actinia equina* involves ion channel formation and an increase in intracellular calcium activity, Zorec, R., Tester, M., Macek, P., Mason, W.T. 118:243
D600
—, analysis of the T-type calcium channel in embryonic chick ventricular myocytes, Kawano, S., DeHaan, R.L. 116:9
—, competitive action of divalent cations and D600 in frog slow muscle fibers, Krippeit-Drews, P., Schmidt, H. 112:185
—, developmental changes in the calcium currents in embryonic chick ventricular myocytes, Kawano, S., DeHaan, R.L. 120:17
D-glucose uptake
—, two substrate sites in the renal Na^+-D-glucose cotransporter studied by model analysis of phlorizin binding and D-glucose transport measurements, Koepsell, H., Fritzsch, G., Korn, K., Madrala, A. 114:113
D-glyceraldehyde
—, stimulant-evoked depolarization and increase in $[Ca^{2+}]_i$ in insulin-secreting cells is dependent on external Na^+, Dunne, M.J., Yule, D.I., Gallacher, D.V., Petersen, O.H. 113:131
DBDS
—, interaction among anion, cation and glucose transport proteins in the human red cell, Janoshazi, A., Solomon, A.K. 112:25
—, interactions between anion exchange and other membrane proteins in rabbit kidney medullary collecting duct cells, Janoshazi, A., Seifter, J.L., Solomon, A.K. 112:39
Debye-Hückel theory
—, inhibition of the phosphate self-exchange flux in human erythrocytes and erythrocyte ghosts, Stadler, F., Schnell, K.F. 118:19
Deciliation
—, calcium-dependent sodium current in the marine ciliate *Euplotes vannus*, Krüppel, T., Lueken, W. 116:79
Dehydration/rehydration method
—, single chloride channels in endosomal vesicle preparations from rat kidney cortex, Schmid, A., Burckhardt, G., Gögelein, H. 111:265
Delayed rectifier
—, expression of a rapid, low-voltage threshold K current in insulin-secreting cells is dependent on intracellular calcium buffering, Satin, L.S., Hopkins, W.F., Fatherazi, S., Cook D.L. 112:213
—, specificity of tetraethylammonium and quinine for three K channels in insulin-secreting cells, Fatherazi, S., Cook, D.L. 120:105
Depolarization
—, calmodulin defects cause the loss of Ca^{2+}-dependent K^+ currents in two pantophobiac mutants of *Paramecium tetraurelia*, Preston, R.R., Wallen-Friedman, M.A., Saimi, Y., Kung, C. 115:51
—, cytosolic calcium regulates a potassium current in corn (*Zea mays*) protoplasts, Ketchum, K.A., Poole, R.J. 119:277
—, effect of cytoplasmic acidification on the membrane potential of T-lymphocytes: role of trace metals, Mason, M.J., Grinstein, S. 116:139
—, stimulant-evoked depolarization and increase in $[Ca^{2+}]_i$ in insulin-secreting cells is dependent on external Na^+, Dunne, M.J., Yule, D.I., Gallacher, D.V., Petersen, O.H. 113:131
Desensitization
—, modulation of membrane K^+ conductance in T-lymphocytes by substance P via a GTP-binding protein, Schumann, M.A., Gardner, P. 111:133
—, responses of γ-aminobutyrate receptor from rat brain: similarity of different preparation methods; muscimol induced desensitization and chloride exchange, Cash, D.J., Subbarao, K. 111:229
Desmosomes
—, epithelial cell adhesion mechanisms, Boyer, B., Thiery, J.P. 112:97
Detergent
—, role of phospholipids in the binding of bumetanide to the rabbit parotid Na/K/Cl cotransporter, Corcelli, A., Turner, R.J. 120:125
—, solubilization and partial purification of the rabbit parotid Na/K/Cl-dependent bumetanide binding site, Turner, R.J., George, J.N. 113:203
Deuterium oxide
—, D_2O-induced cell excitation, Andjus, P.R., Vucelia, D. 115:123
Diazoxide
—, comparative study of the effects of cromakalim (BRL 34915) and diazoxide on membrane potential, $[Ca^{2+}]_i$ and ATP-sensitive potassium currents in insulin-secreting cells, Dunne, M.J., Yule, D.I., Gallacher, D.V., Petersen, O.H. 114:53
DIDS
—, activation of Cl^-/OH^- exchange by parachloromercuribenzoic acid in rabbit renal brush-border membranes, Karniski, L.P. 112:59
—, chloride and potassium channels in U937 human monocytes, Kanno, T., Takishima, T. 116:149
—, thiol-dependent passive K : Cl transport in sheep red blood cells: IX. modulation by pH in the presence and absence of DIDS and the effect of NEM, Zade-Oppen, A.M.M., Lauf, P.K. 118:143
Dielectric constant
—, surface dielectric constant, surface hydrophobicity and membrane fusion, Ohki, S., Arnold, K. 114:195
Diethylpyrocarbonate (DEPC)
—, chemical modification of *Staphylococcus aureus* α-toxin by diethylpyrocarbonate: role of histidines in its membrane-damaging properties, Pederzolli, C., Cescatti, L., Menestrina, G. 119:41
—, inhibition of chloride binding to the anion transport site by diethylpyrocarbonate modification of band 3, Hamasaki, N., Izuhara, K., Okubo, K., Kanazawa, Y., Omachi, A., Kleps, R.A. 116:87
—, modification of lysine residues of *Staphylococcus aureus* toxin: effects on its channel-forming properties, Cescatti, L., Pederzolli, C., Menestrina, G. 119:53
—, thiol-dependent passive K : Cl transport in sheep red blood

cells: X. a hydroxylamine-oxidation induced K:Cl flux blocked by diethylpyrocarbonate, Lauf, P.K. 118:153
Differentiation
—, whole-cell currents in macrophages: I. human monocyte-derived macrophages, Nelson, D.J., Jow, B., Jow, F. 117:29
Diffusion limitation
—, coupling of K^+-gating and permeation with Ca^{2+} block in the Ca^{2+}-activated K^+ channel in *Chara australis*, Laver, D.R. 118:55
1,4-Dihydropyridine
—, cytosolic calcium regulates a potassium current in corn (*Zea mays*) protoplasts, Ketchum, K.A., Poole, R.J. 119:277
Dihydropyridine receptor
—, identification of a new subpopulation of triad junctions isolated from skeletal muscle; morphological correlations with intact muscle, Kim, K.C., Caswell, A.H., Brunschwig, J.-P., Brandt, N.R. 113:221
—, molecular interactions of the junctional foot protein and dihydropyridine receptor in skeletal muscle triads, Brandt, N.R., Caswell, A.H., Wen, S.-R., Talvenheimo, J.A. 113:237
Dihydropyridines (DHP)
—, barium- and calcium-permeable channels open at negative membrane potentials in rat ventricular myocytes, Coulombe, A., Lefèvre, I.A., Baro, I., Coraboeuf, E. 111:57
—, multiple conductance levels of the dihydropyridine-sensitive calcium channel in GH_3 cells, Kunze, D.L., Ritchie, A.K. 118:171
Dimethonium
—, sialic acid and the surface charge associated with hyperpolarization-activated, inward rectifying channels, Fermini, B., Nathan, R.D. 114:61
Dinitrophenol
—, charybdotoxin-sensitive $K_{(Ca)}$ channel is not involved in glucose-induced electrical activity in pancreatic β-cells, Kukuljan, M., Goncalves, A.A., Atwater, I. 119:187
Diphenylamine-2-carboxylate (DPC)
—, characterization of a 25-pS nonselective cation channel in a cultured secretory epithelial cell line, Cook, D.I., Poronnik, P., Young, J.A. 114:37
—, chloride conductive and cotransport mechanisms in cultures of canine tracheal epithelial cells measured by an entrapped fluorescent indicator, Chao, A.C., Widdicombe, J.H., Verkman, A.S. 113:193
—, Cl^- transport in basolateral renal medullary vesicles: I. Cl^- transport in intact vesicles, Bayliss, J.M., Reeves, W.B., Andreoli, T.E. 113:49
Diphenylhexatriene (DPH)
—, asymmetry of membrane fluidity in the lipid bilayer of blood platelets: fluorescence study with diphenylhexatriene and analogs, Kitagawa, S., Matsubayashi, M., Kotani, K., Usui, K., Kametani, F. 119:221
Diphtheria toxin
—, action of diphtheria toxin does not depend on the induction of large, stable pores across biological membranes, Alder, G.M., Bashford, C.L., Pasternak, C.A. 113:67
Dipyridamole
—, inhibition of the phosphate self-exchange flux in human erythrocytes and erythrocyte ghosts, Stadler, F., Schnell, K.F. 118:19
Dissociation dynamics
—, proton dissociation dynamics in the aqueous layer of multilamellar phospholipid vesicle, Rochel, S., Nachliel, E., Huppert, D., Gutman, M. 118:225
Dithiothreitol (DTT)
—, K-Cl cotransport in LK sheep erythrocytes: kinetics of stimulation by cell swelling, Bergh, C., Kelley, S.J., Dunham, P.B. 117:177
Divalent cations
—, competitive action of divalent cations and D600 in frog slow muscle fibers, Krippeit-Drews, P., Schmidt, H. 112:185
—, nonselective cation channel activated by patch excision from lobster olfactory receptor neurons, McClintock, T.S., Ache, B.W. 113:115
DM20
—, major myelin proteolipid: the 4-α-helix topology, Popot, J.L., Dinh, D.P., Dautigny, A. 120:233
DNDS
—, inhibition of the phosphate self-exchange flux in human erythrocytes and erythrocyte ghosts, Stadler, F., Schnell, K.F. 118:19
Dorsal root ganglia
—, characterization of sodium currents in mammalian sensory neurons cultured in serum-free defined medium with and without nerve growth factor, Omri, G., Meiri, H. 115:13
—, structural and developmental differences between three types of Na channels in dorsal root ganglion cells of newborn rats, Schwartz, A., Palti, Y., Meiri, H. 116:117
Dose dependence
—, time- and dose-dependent effects of protein kinase C on proximal bicarbonate transport, Wang, T., Chan, Y.L. 117:131
Double reciprocal Hill plots
—, inhibition of the phosphate self-exchange flux in human erythrocytes and erythrocyte ghosts, Stadler, F., Schnell, K.F. 118:19
Doublet proteins
—, studies of the cyclic adenosine monophosphate chemoreceptor of *Paramecium*, Van Houten, J.L., Cote, B.L., Zhang, J., Baez, J., Gagnon, M.L. 119:15
DPI 201-206
—, gating in iodate-modified single cardiac Na^+ channels, Kohlhardt, M., Fichtner, H., Fröbe, U. 112:67
Dye transfer
—, membrane and junctional properties of dissociated frog lens epithelial cells, Cooper, K., Rae, J.L., Gates, P. 111:215
Eccrine sweat secretory coil cells
—, intracellular ion concentrations and cell volume during cholinergic stimulation of eccrine secretory coil cells, Takemura, T., Sato, F., Saga, K., Suzuki, Y., Sato, K. 119:211
Eel electroplax
—, reconstituted voltage-sensitive sodium channels from eel electroplax: activation of permeability by quaternary lidocaine, N-bromoacetamide, and N-bromosuccinimide, Cooper, E.C., Agnew, W.S. 111:253
EGT
—, enhancement of glucose transport in Clone 9 cells by exposure to alkaline pH: studies on potential mechanisms, Hakimian, J., Ismail-Beigi, F. 120:29
EGTA
—, calcium-dependent sodium current in the marine ciliate *Euplotes vannus*, Krüppel, T., Lueken, W. 116:79
—, evidence for two K^+ currents activated upon hyperpolarization of *Paramecium tetraurelia*, Preston, R.R., Saimi, Y., Kung, C. 115:41
—, direct inhibitory action of EGTA-Ca complex on reverse-mode Na/Ca exchange in *Myxicola* giant axons, Sjodin R.A., Mahmoud, A.A., Montes, J.G. 114:225

Ehrlich ascites tumor cells
—, cytoplasmic acidification and activation of Na^+/H^+ exchange during regulatory volume decrease in Ehrlich ascites tumor cells, Livne, A., Hoffmann, E.K. 114:153
—, membrane potential, anion and cation conductances in Ehrlich ascites tumor cells, Lambert, I.H., Hoffmann, E.K., Jørgensen, F. 111:113
Eicosanoids
—, constant turnover of arachidonic acid and inhibition of a potassium current in *Aplysia* giant neurons, Carlson, R.O., Levitan, I.B. 116:261
—, regulation of intracellular arachidonic acid in *Aplysia* nervous system, Carlson, R.O., Levitan, I.B. 116:249
EJ cells
—, inhibition of voltage-dependent Na^+ current in cell-fusion hybrids containing activated c-Ha-*ras*, Estacion, M. 113:169
Electrical activity
—, charybdotoxin-sensitive $K_{(Ca)}$ channel is not involved in glucose-induced electrical activity in pancreatic β-cells, Kukuljan, M., Goncalves, A.A., Atwater, I. 119:187
Electrical properties
—, effect of adherence, cell morphology, and lipopolysaccharide on potassium conductance and passive membrane properties of murine macrophage J774.1 cells, McKinney, L.C., Gallin, E.K. 116:47
—, electrical tolerance (breakdown) of the *Chara corallina* plasmalemma: II. inductive property of membrane and effects of pH_o and impermeable monovalent cations on breakdown phenomenon, Ohkawa, T., Tsutsui, I. 114:159
—, modification of lysine residues of *Staphylococcus aureus* toxin: effects on its channel-forming properties, Cescatti, L., Pederzolli, C., Menestrina, G. 119:53
Electrical tolerance
—, electrical tolerance (breakdown) of the *Chara corallina* plasmalemma: II. inductive property of membrane and effects of pH_o and impermeable monovalent cations on breakdown phenomenon, Ohkawa, T., Tsutsui, I. 114:159
Electro-osmosis
—, prostaglandin E_2 enhances the sodium conductance of exocrine glands in isolated frog skin (*Rana esculenta*), Nielsen, R. 113:31
Electrodiffusion
—, roles of external and cellular Cl^- ions on the activation of an apical electrodiffusional Cl^- pathway in toad skin, Procopio, J., Lacaz-Vieira, F. 117:57
Electrogenic secretion
—, electrogenic bicarbonate secretion in the turtle bladder: apical membrane conductance characteristics, Rich, A., Dixon, T.E., Clausen, C. 119:241
Electrogenic transport
—, contributions of secondary active transport processes to membrane potentials, Gordon, L.G.M., Macknight, A.D.C. 120:141
—, electrophysiological investigation of the amino acid carrier selectivity in epithelial cells from *Xenopus* embryo, Bergman, J., Zaafrani, M., Bergman, C. 111:241
Electrogenicity
—, demonstration of the electrogenicity of proton translocation during the phosphorylation step in gastric H^+K^+-ATPase, vander Hijden, H.T.W.M., Grell, E., de Pont, J.J.H.H.M., Bamberg, E. 114:245
—, electrogenic 2 Na^+/1 H^+ exchange in crustaceans, Ahearn, G.A., Franco, P., Clay, L.P. 116:215
—, electrogenic and electroneutral transport modes of renal Na/K ATPase reconstituted into proteoliposomes, Goldshleger, R., Shahak, Y., Karlish, S.J.D. 113:139
—, electrogenic properties of the Na : Ca exchange, Lagnado, L., McNaughton, P.A. 113:177
—, transport of potassium in *Chara australis*: II. kinetics of a symport with sodium, McCulloch, S.R., Beilby, M.J., Walker, N.A. 115:129
Electromotive force (E_m)
—, electrical tolerance (breakdown) of the *Chara corallina* plasmalemma: II. inductive property of membrane and effects of pH_o and impermeable monovalent cations on breakdown phenomenon, Ohkawa, T., Tsutsui, I. 114:159
Electron microscopy
—, activation of protein kinase C by phorbol ester induces downregulation of the Na^+/K^+-ATPase in oocytes of *Xenopus laevis*, Vasilets, L.A., Schmalzing, G., Mädefessel, K., Haase, W., Schwarz, W. 118:131
Electron spin resonance
—, ESR measurement of time-dependent and equilibrium volumes in red cells, Moronne, M.M., Mehlhorn, R.J., Miller, M.P., Ackerson, L.C., Macey, R.I. 115:31
—, fatty-acid spin probe interactions with erythrocyte ghosts and liposomes prepared from erythrocyte ghosts, Gordon, L.M., Looney, F.D., Curtain, C.C. 111:155
Electroneutral transport
—, contributions of secondary active transport processes to membrane potentials, Gordon, L.G.M., Macknight, A.D.C. 120:141
Electrophysiology
—, electrophysiology of cultured human lens epithelial cells, Cooper, K., Gates, P., Rae, J.L., Dewey, J. 117:285
—, gap junction formation and functional interaction between neonatal rat cardiocytes in culture: a correlative physiological and ultrastructural study, Rook, M.B., de Jonge, B., Jongsma, H.J., Masson-Pévet, M.A. 118:179
—, Na activation delays and their relation to inactivation in frog skeletal muscle, Hahin, R. 118:233
—, regulation of basolateral membrane potential after stimulation of Na^+ transport in proximal tubules, Lapointe, J.-Y., Duplain, M. 120:165
—, transmembrane currents in frog olfactory cilia, Kleene, S.J., Gesteland, R.C. 120:75
Embryonic heart
—, analysis of the T-type calcium channel in embryonic chick ventricular myocytes, Kawano, S., DeHaan, R.L. 116:9
Endocytosis
—, activation of protein kinase C by phorbol ester induces downregulation of the Na^+/K^+-ATPase in oocytes of *Xenopus laevis*, Vasilets, L.A., Schmalzing, G., Mädefessel, K., Haase, W., Schwarz, W. 118:131
—, changes in membrane conductance and areas associated with bicarbonate secretion in turtle bladder, Rich, A., Dixon, T.E., Clausen, C. 113:211
—, genetic analysis of clathrin function in yeast, Payne, G.S. 116:93
Endocytotic vesicles
—, single chloride channels in endosomal vesicle preparations from rat kidney cortex, Schmid, A., Burckhardt, G., Gögelein, H. 111:265
Endoplasmic reticulum
—, activation and conductance properties of ryanodine-sensitive calcium channels from brain microsomal membranes incorporated into planar lipid bilayers, Ashley, R.H. 111:179
—, interaction of caffeine-, IP_3- and vanadate-sensitive Ca^{2+} pools in acinar cells of the exocrine pancreas, Dehlinger-Kremer, M., Zeuzem, S., Schulz, I. 119:85
—, purification of the microsomal Ca^{2+}-ATPase from rat liver,

Jong, Y.-J., Sheldon, A., Zhang, G.H., Kraus-Friedmann, N. 118:49
Endothelial cells
—, bradykinin-induced potassium current in cultured bovine aortic endothelial cells, Colden-Stanfield, M., Schilling, W.P., Possani, L.D., Kunze, D.L. 116:227
Energy profiles
—, structure and function of channels and channelogs as studied by computational chemistry, Eisenman, G., Alvarez, O. 119:109
Enterocytes
—, calcium absorption by fish intestine: the involvement of ATP and sodium-dependent calcium extrusion mechanisms, Flik, G., Schoenmakers, T.J.M., Groot, J.A., van Os, C.H., Bonga, S.E.W. 113:13
Enzyme purification
—, purification of the microsomal Ca^{2+}-ATPase from rat liver, Jong, Y.-J., Sheldon, A., Zhang, G.H., Kraus-Friedmann, N. 118:49
Enzymes
—, channels as enzymes, Eisenberg, R.S. 115:1
EP conversion
—, CCCP activation of the reconstituted NaK-pump, Yoda, A., Yoda, S. 117:153
Epidermal growth factor (EGF)
—, role of protein kinase C in the regulation of cytosolic Ca^{2+} in A431 cells: separation of growth factor and bradykinin pathways, Wheller, L.A., Goodrum, D.D., Sachs, G. 118:77
—, temperature-dependent lateral and transverse distribution of the epidermal growth factor receptor in A431 plasma membranes, Azevedo, J.R., Johnson, D.A. 118:215
Epithelial cells
—, bicarbonate permeability of the outwardly rectifying anion channel, Tabcharani, J.A., Jensen, T.J., Riordan, J.R., Hanrahan, J.W. 112:109
—, characterization of a 25-pS nonselective cation channel in a cultured secretory epithelial cell line, Cook, D.I., Poronnik, P., Young, J.A. 114:37
—, electrophysiological investigation of the amino acid carrier selectivity in epithelial cells from *Xenopus* embryo, Bergman, J., Zaafrani, M., Bergman, C. 111:241
—, epithelial cell adhesion mechanisms, Boyer, B., Thiery, J.P. 112:97
—, evidence for two modes of Ca^{2+} entry following muscarinic stimulation of a human salivary epithelial cell line, He, X., Wu, X., Turner, R.J., Baum, B.J. 115:159
—, further evidence for the regulation of the tight junction ion selectivity by cAMP in goldfish intestinal mucosa, Bakker, R., Groot, J.A. 111:25
—, fusion of cultured dog kidney (MDCK) cells: I. technique, fate of plasma membranes and of cell nuclei, Kersting, U., Joha, H., Steigner, W., Gassner, B., Gstraunthaler, G., Pfaller, W., Oberleithner, H. 111:37
—, identification of electrophysiologically distinct subpopulations of rat taste cells, Akabas, M., Dodd, J., Al-Awqati, Q. 114:71
—, immunohistochemical study of a rat membrane protein which induces a selective potassium permeation: its localization in the apical membrane portion of epithelial cells, Sugimoto, T., Tanabe, Y., Shigemoto, R., Iwai, M., Takumi, T., Ohkubo, H., Nakanishi, S. 113:39
—, inhibition of an outwardly rectifying anion channel by HEPES and related buffers, Hanrahan, J.W., Tabcharani, J.A. 116:65
—, intestinal secretagogues increase cytosolic free Ca^{2+} concentration and K^+ conductance in a human intestinal epithelial cell line, Yada, T., Oiki, S., Ueda, S., Okada, Y. 112:159
—, membrane and junctional properties of dissociated frog lens epithelial cells, Cooper, K., Rae, J.L., Gates, P. 111:215
—, preferred apical distribution of glycosyl-phosphatidylinositol (GPI) anchored proteins: a highly conserved feature of the polarized epithelial cell phenotype, Lisanti, M.P., Le Bivic, A., Saltiel, A.R., Rodriguez-Boulan, E. 113:155
Epithelial transport
—, vasopressin alters the mechanism of apical Cl^- entry from $Na^+:Cl^-$ to $Na^+:2Cl^-$ cotransport in mouse medullary thick ascending limb, Sun, A., Grossman, E.B., Lombardi, M., Hebert, S.C. 120:83
Epithelium
—, application of membrane potential equations to tight epithelia, Gordon, L.G.M., Macknight, A.D.C. 120:155
—, evidence for permanent water channels in the basolateral membrane of an ADH-sensitive epithelium, Van Der Goot, F., Corman, B., Ripoche, P. 120:59
Equinatoxin
—, cytotoxicity of equinatoxin II from the sea anemone *Actinia equina* involves ion channel formation and an increase in intracellular calcium activity, Zorec, R., Tester, M., Macek, P., Mason, W.T. 118:243
Equivalent circuit analysis
—, changes in membrane conductance and areas associated with bicarbonate secretion in turtle bladder, Rich, A., Dixon, T.E., Clausen, C. 113:211
—, electrical tolerance (breakdown) of the *Chara corallina* plasmalemma: II. inductive property of membrane and effects of pH_o and impermeable monovalent cations on breakdown phenomenon, Ohkawa, T., Tsutsui, I. 114:159
—, electrogenic bicarbonate secretion in the turtle bladder: apical membrane conductance characteristics, Rich, A., Dixon, T.E., Clausen, C. 119:241
Erratum
—, *The Journal of Membrane Biology* 114:79–95 (1990), Bullock, J.O., Armstrong, S.K., Shear, J.L., Lies, D.P., McIntosh, M.A. 116:185
Erythrocyte ghosts
—, fatty-acid spin probe interactions with erythrocyte ghosts and liposomes prepared from erythrocyte ghosts, Gordon, L.M., Looney, F.D., Curtain, C.C. 111:155
—, inhibition of the phosphate self-exchange flux in human erythrocytes and erythrocyte ghosts, Stadler, F., Schnell, K.F. 118:19
—, thiamin transport by human erythrocytes and ghosts, Casirola, D., Patrini, C., Ferrari, G., Rindi, G. 118:11
Erythrocytes
—, Ca^{2+}-activated K^+ channel from human erythrocyte membranes: single channel rectification and selectivity, Christophersen, P. 119:75
—, calpain I activates Ca^{2+} transport by the reconstituted erythrocyte Ca^{2+} pump, Wang, K.K.W., Roufogalis, B.D., Villalobo, A. 112:233
—, characteristics of the volume- and chloride-dependent K transport in human erythrocytes homozygous for hemoglobin C, Brugnara, C. 111:69
—, effect of magnesium ions on red cell membrane properties, Beaven, G.H., Parmar, J., Nash, G.B., Bennett, P.M., Gratzer, W.B. 118:251
—, ESR measurement of time-dependent and equilibrium vol-

umes in red cells, Moronne, M.M., Mehlhorn, R.J., Miller, M.P., Ackerson, L.C., Macey, R.I. 115:31
—, inhibition of chloride binding to the anion transport site by diethylpyrocarbonate modification of band 3, Hamasaki, N., Izuhara, K., Okubo, K., Kanazawa, Y., Omachi, A., Kleps, R.A. 116:87
—, inhibition of the phosphate self-exchange flux in human erythrocytes and erythrocyte ghosts, Stadler, F., Schnell, K.F. 118:19
—, K-Cl cotransport in LK sheep erythrocytes: kinetics of stimulation by cell swelling, Bergh, C., Kelley, S.J., Dunham, P.B. 117:177
—, Na^+/H^+ exchange is increased in sickle cell anemia and young normal red cells, Canessa, M., Fabry, M.E., Suzuka, S.M., Morgan, K., Nagel, R.L. 116:107
—, Na^+/Na^+ exchange and Na^+/H^+ antiport in rabbit erythrocytes: two distinct transport systems, Escobales, N., Figueroa, J. 120:41
—, nonmediated flip-flop of phospholipid analogues in the erythrocyte membrane as probed by palmitoylcarnitine: basic properties and influence of membrane modification, Classen, J., Deuticke, B., Haest, C.W.M. 111:169
—, sulfate self-exchange and amino acid transport in calcium loaded human erythrocytes, Joshi, R., Gupta, C.M. 117:233
—, thiamin transport by human erythrocytes and ghosts, Casirola, D., Patrini, C., Ferrari, G., Rindi, G. 118:11
—, thiol-dependent passive K : Cl transport in sheep red blood cells: IX. modulation by pH in the presence and absence of DIDS and the effect of NEM, Zade-Oppen, A.M.M., Lauf, P.K. 118:143
—, transport domain of the erythrocyte anion exchange protein, Bar-Noy, S., Cabantchik, Z.I. 115:217

Escherichia coli
—, a single amino acid substitution alters conductance and gating of OmpC porin of *Escherichia coli*, Delcour, A.H., Alder, J., Kung, C. 119:267
—, mechanism of Na^+/proline symport in *Escherichia coli*: reappraisal of the effect of cation binding to the Na^+/proline-symport carrier, Yamato, I., Anraku, Y. 114:143
—, voltage-sensitive ion channel of *Escherichia coli*, Delcour, A.H., Martinac, B., Adler, J., Kung, C. 112:267

Ethylisopropylamiloride (EIPA)
—, Na^+/Na^+ exchange and Na^+/H^+ antiport in rabbit erythrocytes: two distinct transport systems, Escobales, N., Figueroa, J. 120:41
—, studies on the kinetics of Na^+/H^+ exchange in OK cells: introduction of a new device for the analysis of polarized transport in cultured epithelia, Krayer-Pawlowska, D., Helmle-Kolb, C., Montrose, M.H., Krapf, R., Murer, H. 120:173

Euplotes vannus
—, calcium-dependent sodium current in the marine ciliate *Euplotes vannus*, Krüppel, T., Lueken, W. 116:79

Excitation-contraction coupling
—, identification of a new subpopulation of triad junctions isolated from skeletal muscle; morphological correlations with intact muscle, Kim, K.C., Caswell, A.H., Brunschwig, J.-P., Brandt, N.R. 113:221
—, molecular interactions of the junctional foot protein and dihydropyridine receptor in skeletal muscle triads, Brandt, N.R., Caswell, A.H., Wen, S.-R., Talvenheimo, J.A. 113:237

Exocrine gland
—, agonist-induced activation of Na^+/H^+ exchange in rat parotid acinar cells, Manganel, M., Turner, R.J. 111:191
—, interaction of caffeine-, IP_3- and vanadate-sensitive Ca^{2+} pools in acinar cells of the exocrine pancreas, Dehlinger-Kremer, M., Zeuzem, S., Schulz, I. 119:85
—, prostaglandin E2 enhances the sodium conductance of exocrine glands in isolated frog skin (*Rana esculenta*), Nielsen, R. 113:31
—, role of phospholipids in the binding of bumetanide to the rabbit parotid Na/K/Cl cotransporter, Corcelli, A., Turner, R.J. 120:125

Exocytosis
—, changes in membrane conductance and areas associated with bicarbonate secretion in turtle bladder, Rich, A., Dixon, T.E., Clausen, C. 113:211
—, genetic analysis of clathrin function in yeast, Payne, G.S. 116:93
—, hyperosmolality inhibits exocytosis in sea urchin eggs by formation of a granule-free zone and arrest of pore widening, Merkle, C.J., Chandler, D.E. 112:223
—, reassociation of cortical secretory vesicles with sea urchin egg plasma membrane: assessment of binding specificity, Jackson, R.C., Modern, P.A. 115:83

Extracellular calcium
—, stimulation of olfactory receptors alters regulation of $[Ca_i]$ in olfactory neurons of the catfish (*Ictalurus punctatus*), Restrepo, D., Boyle A.G. 120:223

Extracellular calcium ions
—, direct inhibitory action of EGTA-Ca complex on reverse-mode Na/Ca exchange in *Myxicola* giant axons, Sjodin, R.A., Mahmoud, A.A., Montes, J.G. 114:225

Extracellular chloride ions
—, roles of external and cellular Cl^- ions on the activation of an apical electrodiffusional Cl^- pathway in toad skin, Procopio, J., Lacaz-Vieira, F. 117:57

Extracellular current inversion
—, inversion of extracellular current and axial voltage profile in *Chara* and *Nitella*, Fisahn, J., Lucas, W.J. 113:23

Extracellular pH
—, effects of pH on acetylcholine receptor function, Palma, A., Li, L., Chen, X., Pappone, P., NcNamee, M. 120:67
—, thiol-dependent passive K : Cl transport in sheep red blood cells: IX. modulation by pH in the presence and absence of DIDS and the effect of NEM, Zade-Oppen, A.M.M., Lauf, P.K. 118:143
—, voltage dependence of the *Chara* proton pump revealed by current-voltage measurement during rapid metabolic blockade with cyanide, Blatt, M.R., Beilby, M.J., Tester, M. 114:205

Extracellular potassium ions
—, effect of potassium on cell volume regulation in renal straight proximal tubules, Völkl, H., Lang, F. 117:113

Extracellular sodium
—, lowering extracellular sodium or pH raises intracellular calcium in gastric cells, Negulescu, P.A., Machen, T.E. 116:239

Extracellular sodium ions
—, stimulant-evoked depolarization and increase in $[Ca^{2+}]_i$ in insulin-secreting cells is dependent on external Na^+, Dunne, M.J., Yule, D.I., Gallacher, D.V., Petersen, O.H. 113:131

Facilitated transport system
—, expression of substrate specificity in facilitated transport systems, Krupka, R.M. 117:69

FDC-P2
—, voltage-gated K^+ channels in the mouse interleukin 3-dependent cell line, FDC-P2, Tanaka, H., Ohta, Y., Sugimoto, T., Kurachi, Y. 120:185

Fibroblasts
—, inhibition of voltage-dependent Na^+ current in cell-fusion hybrids containing activated c-Ha-*ras*, Estacion, M. 113:169
Fish intestine
—, calcium absorption by fish intestine: the involvement of ATP and sodium-dependent calcium extrusion mechanisms, Flik, G., Schoenmakers, T.J.M., Groot, J.A., van Os, C.H., Bonga, S.E.W. 113:13
Flip-flop
—, nonmediated flip-flop of phospholipid analogues in the erythrocyte membrane as probed by palmitoylcarnitine: basic properties and influence of membrane modification, Classen, J., Deuticke, B., Haest, C.W.M. 111:169
Fluid secretion
—, agonist-induced activation of Na^+/H^+ exchange in rat parotid acinar cells, Manganel, M., Turner, R.J. 111:191
—, solubilization and partial purification of the rabbit parotid Na/K/Cl-dependent bumetanide binding site, Turner, R.J., George, J.N. 113:203
Fluid transport
—, time- and dose-dependent effects of protein kinase C on proximal bicarbonate transport, Wang, T., Chan, Y.L. 117:131
Fluorescein
—, temperature-dependent lateral and transverse distribution of the epidermal growth factor receptor in A431 plasma membranes, Azevedo, J.R., Johnson, D.A. 118:215
Fluorescence
—, asymmetry of membrane fluidity in the lipid bilayer of blood platelets: fluorescence study with diphenylhexatriene and analogs, Kitagawa, S., Matsubayashi, M., Kotani, K., Usui, K., Kametani, F. 119:221
—, chloride conductive and cotransport mechanisms in cultures of canine tracheal epithelial cells measured by an entrapped fluorescent indicator, Chao, A.C., Widdicombe, J.H., Verkman, A.S. 113:193
—, studies on the kinetics of Na^+/H^+ exchange in OK cells: introduction of a new device for the analysis of polarized transport in cultured epithelia, Krayer-Pawlowska, D., Helmle-Kolb, C., Montrose, M.H., Krapf, R., Murer, H. 120:173
—, transport domain of the erythrocyte anion exchange protein, Bar-Noy, S., Cabantchik, Z.I. 115:217
Fluorescence energy transfer
—, temperature-dependent lateral and transverse distribution of the epidermal growth factor receptor in A431 plasma membranes, Azevedo, J.R., Johnson, D.A. 118:215
Fluorescence microscopy
—, identification of riboflavin transport by MDCK cells using quantitative fluorescence video microscopy, Lowy, R.J., Spring, K.R. 117:91
Fluorescent probe
—, membrane potential, anion and cation conductances in Ehrlich ascites tumor cells, Lambert, I.H., Hoffmann, E.K., Jørgensen, F. 111:113
Folate transport
—, pH modulation of the kinetics of rabbit jejunal, brush border folate transport, Schron, C.M. 120:192
Forskolin
—, Na^+ channel blockade by cyclic AMP and other 6-aminopurines in neonatal rat heart, Herzig, J.W., Kohlhardt, M. 119:163
Freeze fracture
—, hyperosmolality inhibits exocytosis in sea urchin eggs by formation of a granule-free zone and arrest of pore widening, Merkle, C.J., Chandler, D.E. 112:223
Freezing
—, water transport and estimated transmembrane potential during freezing of mouse oocytes, Toner, M., Cravalho, E.G., Armant, D.R. 115:261
Friction
—, channels as enzymes, Eisenberg, R.S. 115:1
Frog atrial cells
—, reversible activation of the ATP-dependent potassium current with dialysis of frog atrial cells by micromolar concentrations of GDP, Pilsudski, R., Rougier, O., Tourneur, Y. 117:223
Frog kidney
—, mechanism of aldosterone-induced increase of K^+ conductance in early distal renal tubule cells of the frog, Wang, W., Henderson, R.M., Geibel, J., White, S., Giebisch, G. 111:277
Frog lens
—, membrane and junctional properties of dissociated frog lens epithelial cells, Cooper, K., Rae, J.L., Gates, P. 111:215
Frog muscle
—, hypo-osmotic stimulation of active Na^+ transport in frog muscle: apparent upregulation of Na^+ pumps, Venosa, R.A. 120:97
Frog olfactory receptor neurons
—, transmembrane currents in frog olfactory cilia, Kleene, S.J., Gesteland, R.C. 120:75
Frog skin
—, prostaglandin E_2 enhances the sodium conductance of exocrine glands in isolated frog skin (*Rana esculenta*), Nielsen, R. 113:31
Frog slow muscle fibers
—, competitive action of divalent cations and D600 in frog slow muscle fibers, Krippeit-Drews, P., Schmidt, H. 112:185
Frog urinary bladder
—, effects of PCMBS on the water and small solute permeabilities in frog urinary bladder, Ibarra, C., Ripoche, P., Parisi, M., Bourguet, J. 116:57
—, evidence for permanent water channels in the basolateral membrane of an ADH-sensitive epithelium, Van Der Goot, F., Corman, B., Ripoche, P. 120:59
Functional expression
—, use of *Xenopus* oocytes for the functional expression of plasma membrane proteins, Sigel, E. 117:201
Fura-2
—, cytotoxicity of equinatoxin II from the sea anemone *Actinia equina* involves ion channel formation and an increase in intracellular calcium activity, Zorec, R., Tester, M., Macek, P., Mason, W.T. 118:243
—, lowering extracellular sodium or pH raises intracellular calcium in gastric cells, Negulescu, P.A., Machen, T.E. 116:239
—, stimulation of olfactory receptors alters regulation of $[Ca_i]$ in olfactory neurons of the catfish (*Ictalurus punctatus*), Restrepo, D., Boyle A.G. 120:223
Furosemide
—, chloride conductive and cotransport mechanisms in cultures of canine tracheal epithelial cells measured by an entrapped fluorescent indicator, Chao, A.C., Widdicombe, J.H., Verkman, A.S. 113:193
—, the nature of the neutral Na^+-Cl^- coupled entry at the apical membrane of rabbit gallbladder epithelium: III. analy-

sis of transports on membrane vesicles, Meyer, G., Bottà, G., Rossetti, C., Gremaschi, D. 118:107
Fusion
—, fusion of cultured dog kidney (MDCK) cells: I. technique, fate of plasma membranes and of cell nuclei, Kersting, U., Joha, H., Steigner, W., Gassner, B., Gstraunthaler, G., Pfaller, W., Oberleithner, H. 111:37
—, fusion of cultured dog kidney (MDCK) cells: II. relationship between cell pH and K^+ conductance in response to aldosterone, Oberleithner, H., Kersting, U., Silbernagl, S., Steigner, W., Vogel, U. 111:49
—, fusion of liposomes and rat brain microsomes examined by two assays, Corazzi, L., Fratto, G., Pistolesi, R., Arienti, G. 112:123
—, inhibition of voltage-dependent Na^+ current in cell-fusion hybrids containing activated c-Ha-*ras*, Estacion, M. 113:169
—, surface dielectric constant, surface hydrophobicity and membrane fusion, Ohki, S., Arnold, K. 114:195
G protein stimulation
—, stimulation of olfactory receptors alters regulation of $[Ca_i]$ in olfactory neurons of the catfish (*Ictalurus punctatus*), Restrepo, D., Boyle A.G. 120:223
G proteins
—, beta-adrenergic modulation of K^+ current in human T lymphocytes, Soliven, B., Nelson, D.J. 117:263
Gallbladder epithelium
—, the nature of the neutral Na^+-Cl^- coupled entry at the apical membrane of rabbit gallbladder epithelium: III. analysis of transports on membrane vesicles, Meyer, G., Bottà, G., Rossetti, C., Gremaschi, D. 118:107
Gamma-aminobutyric acid (GABA) receptor
—, responses of γ-aminobutyrate receptor from rat brain: similarity of different preparation methods; muscimol induced desensitization and chloride exchange, Cash, D.J., Subbarao, K. 111:229
Gap junction proteins
—, connexin family of gap junction proteins, Beyer, E.C., Paul, D.L., Goodenough, D.A. 116:187
—, conservation of a cytoplasmic carboxy-terminal domain of connexin43, a gap junctional protein in mammal heart and brain, El Aoumari, A., Fromaget, C., Dupont, E., Reggio, H., Durbec, P., Briand, J.-P., Böller, K., Kreitman, B., Gros, D. 115:229
—, expression of the gap junction protein connexin43 in embryonic chick lens: molecular cloning, ultrastructural localization, and post-translational phosphorylation, Musil, L.S., Beyer, E.C., Goodenough, D.A. 116:163
Gap junctions
—, connexin family of gap junction proteins, Beyer, E.C., Paul, D.L., Goodenough, D.A. 116:187
—, conservation of a cytoplasmic carboxy-terminal domain of connexin43, a gap junctional protein in mammal heart and brain, El Aoumari, A., Fromaget, C., Dupont, E., Reggio, H., Durbec, P., Briand, J.-P., Böller, K., Kreitman, B., Gros, D. 115:229
—, developmental changes in regulation of embryonic chick heart gap junctions, Veenstra, R.D. 119:253
—, effects of caffeine and ryanodine on low pH_i-induced changes in gap junction conductance and calcium concentration in crayfish septate axons, Peracchia, C. 117:79
—, expression of the gap junction protein connexin43 in embryonic chick lens: molecular cloning, ultrastructural localization, and post-translational phosphorylation, Musil, L.S., Beyer, E.C., Goodenough, D.A. 116:163
—, gap junction formation and functional interaction between neonatal rat cardiocytes in culture: a correlative physiological and ultrastructural study, Rook, M.B., de Jonge, B., Jongsma, H.J., Masson-Pévet, M.A. 118:179
—, increase in gap junction resistance with acidification in crayfish septate axons is closely related to changes in intracellular calcium but not hydrogen ion concentration, Peracchia, C. 113:75
—, large-conductance ion channel measured by whole-cell voltage clamp in single cardiac cells: modulation by β-adrenergic stimulation and inhibition by octanol, Pott, L., Mechmann, S. 117:189
—, membrane and junctional properties of dissociated frog lens epithelial cells, Cooper, K., Rae, J.L., Gates, P. 111:215
Gastric glands
—, lowering extracellular sodium or pH raises intracellular calcium in gastric cells, Negulescu, P.A., Machen, T.E. 116:239
Gating currents
—, temperature dependence of gating current in myelinated nerve fibers, Jonas, P. 112:277
Gating kinetics
—, a single amino acid substitution alters conductance and gating of OmpC porin of *Escherichia coli*, Delcour, A.H., Alder, J., Kung, C. 119:267
GDP
—, reversible activation of the ATP-dependent potassium current with dialysis of frog atrial cells by micromolar concentrations of GDP, Pilsudski, R., Rougier, O., Tourneur, Y. 117:223
Genetics
—, genetic analysis of clathrin function in yeast, Payne, G.S. 116:93
GH_3 cells
—, multiple conductance levels of the dihydropyridine-sensitive calcium channel in GH_3 cells, Kunze, D.L., Ritchie, A.K. 118:171
Ghost K^+ permeability
—, metabolic control of the K^+ channel of human red cells, Romero, P.J., Ortíz, C.E., Melitto, C. 116:19
Giant axons
—, direct inhibitory action of EGTA-Ca complex on reverse-mode Na/Ca exchange in *Myxicola* giant axons, Sjodin, R.A., Mahmoud, A.A., Montes, J.G. 114:225
Giant mitochondria
—, power transmission along biological membranes, Skulachev, V.P. 114:97
Glibenclamide
—, reversible activation of the ATP-dependent potassium current with dialysis of frog atrial cells by micromolar concentrations of GDP, Pilsudski, R., Rougier, O., Tourneur, Y. 117:223
Glucocorticoids
—, specific binding sites for corticosterone in isolated cells and plasma membrane from rat liver, Trueba, M., Ibarrola, I., Ogiza, K., Marino, A., Marcarulla, J.M. 120:115
Glucose
—, reversible activation of the ATP-dependent potassium current with dialysis of frog atrial cells by micromolar concentrations of GDP, Pilsudski, R., Rougier, O., Tourneur, Y. 117:223
—, stimulant-evoked depolarization and increase in $[Ca^{2+}]_i$ in insulin-secreting cells is dependent on external Na^+, Dunne, M.J., Yule, D.I., Gallacher, D.V., Petersen, O.H. 113:131

Glucose-evoked electrical activity
—, charybdotoxin-sensitive $K_{(Ca)}$ channel is not involved in glucose-induced electrical activity in pancreatic β-cells, Kukuljan, M., Goncalves, A.A., Atwater, I. 119:187
Glucose transport
—, endogenous D-glucose transport in oocytes of *Xenopus laevis*, Weber, W.-M., Schwarz, W., Passow, H. 111:93
—, role of kinases in insulin stimulation of glucose transport, Klip, A., Douen, A.G. 111:1
—, enhancement of glucose transport in Clone 9 cells by exposure to alkaline pH: studies on potential mechanisms, Hakimian, J., Ismail-Beigi, F. 120:29
—, expression of substrate specificity in facilitated transport systems, Krupka, R.M. 117:69
—, two substrate sites in the renal Na^+-D-glucose cotransporter studied by model analysis of phlorizin binding and D-glucose transport measurements, Koepsell, H., Fritzsch, G., Korn, K., Madrala, A. 114:113
Glucose transport protein
—, interaction among anion, cation and glucose transport proteins in the human red cell, Janoshazi, A., Solomon, A.K. 112:25
Glutamine
—, transport of glutamine in *Xenopus laevis* oocytes: relationship with transport of other amino acids, Taylor, P.M., Hundal, H.S., Rennie, M.J. 112:149
Glutaraldehyde
—, gating in iodate-modified single cardiac Na^+ channels, Kohlhardt, M., Fichtner, H., Fröbe, U. 112:67
Glyceraldehyde 3-phosphate dehydrogenase (GAPDH)
—, molecular interactions of the junctional foot protein and dihydropyridine receptor in skeletal muscle triads, Brandt, N.R., Caswell, A.H., Wen, S.-R., Talvenheimo, J.A. 113:237
Glycerophosphorylcholine (GPC)
—, role of organic osmolytes in adaptation of renal cells to high osmolality, Garcia-Perez, A., Burg, M.B. 119:1
Glycolipids
—, preferred apical distribution of glycosyl-phosphatidylinositol (GPI) anchored proteins: a highly conserved feature of the polarized epithelial cell phenotype, Lisanti, M.P., Le Bivic, A., Saltiel, A.R., Rodriguez-Boulan, E. 113:155
Glycoproteins
—, subunit assembly and functional maturation of Na,K-ATPase, Geering, K. 115:109
Glycosyl-phosphatidylinositol (GPI)
—, emerging functional roles for the glycosyl phosphatidylinositol membrane protein anchor, Lisanti, M.P., Rodriguez-Boulan, E., Saltiel, A.R. 117:1
—, preferred apical distribution of glycosyl-phosphatidylinositol (GPI) anchored proteins: a highly conserved feature of the polarized epithelial cell phenotype, Lisanti, M.P., Le Bivic, A., Saltiel, A.R., Rodriguez-Boulan, E. 113:155
Glycosylation
—, altered patterns of *N*-linked glycosylation of the *Torpedo* aceytylcholine receptor expressed in *Xenopus* oocytes, Buller, A.L., White, M.M. 115:179
Goldfish intestine
—, further evidence for the regulation of the tight junction ion selectivity by cAMP in goldfish intestinal mucosa, Bakker, R., Groot, J.A. 111:25
Goldman-Hodgkin-Katz equation
—, Ca^{2+} pumping ATPase of cardiac sarcolemma is insensitive to membrane potential produced by K^+ and Cl^- gradients but requires a source of counter-transportable H^+, Dixon, D.A., Haynes, D.H. 112:169
—, Cl^- transport in basolateral renal medullary vesicles: II. Cl channels in planar lipid bilayers, Reeves, W.B., Andreoli, T.E. 113:57
Gram-negative bacteria
—, pore formation by complement in the outer membrane of gram negative bacteria studied with asymmetric planar lipopolysaccharide/phospholipid bilayers, Schröder, G., Brandenburg, K., Brade, L., Seydel, U. 118:161
GTP
—, interaction of caffeine-, IP_3- and vanadate-sensitive Ca^{2+} pools in acinar cells of the exocrine pancreas, Dehlinger-Kremer, M., Zeuzem, S., Schulz, I. 119:85
—, metabolic control of the K^+ channel of human red cells, Romero, P.J., Ortíz, C.E., Melitto, C. 116:19
—, reversible activation of the ATP-dependent potassium current with dialysis of frog atrial cells by micromolar concentrations of GDP, Pilsudski, R., Rougier, O., Tourneur, Y. 117:223
GTP-binding protein
—, modulation of membrane K^+ conductance in T-lymphocytes by substance P via a GTP-binding protein, Schumann, M.A., Gardner, P. 111:133
Gustatory senses
—, perspectives of taste reception, Avenet, P., Lindemann, B. 112:1
Gustatory transduction
—, identification of electrophysiologically distinct subpopulations of rat taste cells, Akabas, M., Dodd, J., Al-Awqati, Q. 114:71
H^+ pump
—, characterization of inside-out oriented H^+-ATPases in cholate pretreated renal brush-border membrane vesicles, Simon, B.J., Burckhardt, G. 117:141
—, voltage dependence of the *Chara* proton pump revealed by current-voltage measurement during rapid metabolic blockade with cyanide, Blatt, M.R., Beilby, M.J., Tester, M. 114:205
H^+-ATPase
—, characterization of inside-out oriented H^+-ATPases in cholate pretreated renal brush-border membrane vesicles, Simon, B.J., Burckhardt, G. 117:141
—, H^+/Ca^{2+} exchange in rabbit renal cortical endosomes, Hilden, S.A., Madias, N.E. 112:131
—, single chloride channels in endosomal vesicle preparations from rat kidney cortex, Schmid, A., Burckhardt, G., Gögelein, H. 111:265
—, spontaneous insertion of plant plasma membrane (H^+)ATPase into a preformed bilayer, Simon-Plas, F., Venema, K., Grouzis, J.P., Gibrat, R., Rigaud, J., Grignon, C. 120:51
—, voltage dependence of the *Chara* proton pump revealed by current-voltage measurement during rapid metabolic blockade with cyanide, Blatt, M.R., Beilby, M.J., Tester, M. 114:205
H^+/Ca^{2+} exchange
—, H^+/Ca^{2+} exchange in rabbit renal cortical endosomes, Hilden, S.A., Madias, N.E. 112:131
H^+/K^+-ATPase
—, demonstration of the electrogenicity of proton translocation during the phosphorylation step in gastric H^+K^+-ATPase, vander Hijden, H.T.W.M., Grell, E., de Pont, J.J.H.H.M., Bamberg, E. 114:245

H^+/P_i cotransport
—, phosphate transport processes in eukaryotic cells, Wehrle, J.P., Pedersen, P.L. 111:199
3H-saxitoxin-binding proteins
—, isolation of two saxitoxin-sensitive sodium channel subtypes from rat brain with distinct biochemical and functional properties, Corbett, A.M., Krueger, B.K. 117:163
HbA cells
—, Na^+/H^+ exchange is increased in sickle cell anemia and young normal red cells, Canessa, M., Fabry, M.E., Suzuka, S.M., Morgan, K., Nagel, R.L. 116:107
HbS cells
—, Na^+/H^+ exchange is increased in sickle cell anemia and young normal red cells, Canessa, M., Fabry, M.E., Suzuka, S.M., Morgan, K., Nagel, R.L. 116:107
Heart cells
—, Ca modulates outward current through I_{K1} channels, Mazzanti, M., DeFelice, L.J. 116:41
Heart muscle
—, electrogenic properties of the Na : Ca exchange, Lagnado, L., McNaughton, P.A. 113:177
Heavy metals
—, novel type of ion channel activated by Pb^{2+}, Cd^{2+}, and Al^{3+} in cultured mouse neuroblastoma cells, Oortgiesen, M., van Kleef, R.G.D.M., Vijverberg, H.P.M. 113:261
—, sulfhydryl-reactive heavy metals increase cell membrane K^+ and Ca^{2+} transport in renal proximal tubule, Kone, B.C., Brenner, R.M., Gullans, S.R. 113:1
Hemoglobin C
—, characteristics of the volume- and chloride-dependent K transport in human erythrocytes homozygous for hemoglobin C, Brugnara, C. 111:69
Hemolysis
—, chemical modification of *Staphylococcus aureus* α-toxin by diethylpyrocarbonate: role of histidines in its membrane-damaging properties, Pederzolli, C., Cescatti, L., Menestrina, G. 119:41
Heparin
—, interaction of caffeine-, IP_3- and vanadate-sensitive Ca^{2+} pools in acinar cells of the exocrine pancreas, Dehlinger-Kremer, M., Zeuzem, S., Schulz, I. 119:85
—, oscillating intracellular Ca^{2+} signals evoked by activation of receptors linked to inositol lipid hydrolysis: mechanism of generation, Petersen, O.H., Wakui, M. 118:93
Heparin sulfate proteoglycans
—, association of acetylcholinesterase with the cell surface, Inestrosa, N.C., Perelman, A. 118:1
Hepatocytes
—, specific binding sites for corticosterone in isolated cells and plasma membrane from rat liver, Trueba, M., Ibarrola, I., Ogiza, K., Marino, A., Marcarulla, J.M. 120:115
Hepatopancreas
—, electrogenic 2 Na^+/1 H^+ exchange in crustaceans, Ahearn, G.A., Franco, P., Clay, L.P. 116:215
Hill coefficients
—, inhibition of the phosphate self-exchange flux in human erythrocytes and erythrocyte ghosts, Stadler, F., Schnell, K.F. 118:19
Histidine
—, chemical modification of *Staphylococcus aureus* α-toxin by diethylpyrocarbonate: role of histidines in its membrane-damaging properties, Pederzolli, C., Cescatti, L., Menestrina, G. 119:41
—, thiol-dependent passive K : Cl transport in sheep red blood cells: X. a hydroxylamine-oxidation induced K : Cl flux blocked by diethylpyrocarbonate, Lauf, P.K. 118:153
Histidyl residues
—, functional characteristics of the cardiac sarcolemmal monocarboxylate transporter, Trosper, T.L., Philipson, K.D. 112:15
HIT cells
—, expression of a rapid, low-voltage threshold K current in insulin-secreting cells is dependent on intracellular calcium buffering, Satin, L.S., Hopkins, W.F., Fatherazi, S., Cook D.L. 112:213
—, inactivation kinetics and pharmacology distinguish two calcium currents in mouse pancreatic B-cells, Hopkins, W.F., Satin, L.S., Cook, D.L. 119:229
—, specificity of tetraethylammonium and quinine for three K channels in insulin-secreting cells, Fatherazi, S., Cook, D.L. 120:105
Hodgkin-Huxley model
—, effects of calcium and Bay K-8644 on calcium currents in adrenal medullary chromaffin cells, Ceña, V., Stutzin, A., Rojas, E. 112:255
Hormone action
—, emerging functional roles for the glycosyl phosphatidylinositol membrane protein anchor, Lisanti, M.P., Rodriguez-Boulan, E., Saltiel, A.R. 117:1
Human monocytes
—, chloride and potassium channels in U937 human monocytes, Kanno, T., Takishima, T. 116:149
—, whole-cell currents in macrophages: II. alveolar macrophages, Nelson, D.J., Jow, B., Popovich, K.J. 117:45
—, whole-cell currents in macrophages: I. human monocyte-derived macrophages, Nelson, D.J., Jow, B., Jow, F. 117:29
Human peripheral blood lymphocytes
—, beta-adrenergic modulation of K^+ current in human T lymphocytes, Soliven, B., Nelson, D.J. 117:263
Human placenta
—, adenosine transport and nitrobenzylthioinosine binding in human placental membrane vesicles from brush-border and basal sides of the trophoblast, Barros, L.F., Bustamante, J.C., Yudilevich, D.L., Jarvis, S.M. 119:151
—, cAMP-dependent protein kinase inhibits the chloride conductance in apical membrane vesicles of human placenta, Placchi, P., Lombardo, R., Tamanini, A., Brusa, P., Berton, G., Cabrini, G. 119:25
Human platelets
—, chloride channels in human platelets: evidence for activation by internal calcium, Mahaut-Smith, M.P. 118:69
Human reabsorptive sweat duct
—, intracellular potassium activity and the role of potassium in transepithelial salt transport in the human reabsorptive sweat duct, Reddy, M.M., Quinton, P.M. 119:199
Human red cells
—, Ca^{2+}-activated K^+ channel from human erythrocyte membranes: single channel rectification and selectivity, Christophersen, P. 119:75
—, Ca^{2+}-activated K^+ conductance of the human red cell membrane: voltage-dependent Na^+ block of outward-going currents, Stampe, P., Vestergaard-Bogind, B. 112:9
—, characteristics of the volume- and chloride-dependent K transport in human erythrocytes homozygous for hemoglobin C, Brugnara, C. 111:69
—, interaction among anion, cation and glucose transport proteins in the human red cell, Janoshazi, A., Solomon, A.K. 112:25

—, metabolic control of the K^+ channel of human red cells, Romero, P.J., Ortíz, C.E., Melitto, C. 116:19
—, Na^+/H^+ exchange is increased in sickle cell anemia and young normal red cells, Canessa, M., Fabry, M.E., Suzuka, S.M., Morgan, K., Nagel, R.L. 116:107
Hydration layer
—, proton dissociation dynamics in the aqueous layer of multilamellar phospholipid vesicle, Rochel, S., Nachliel, E., Huppert, D., Gutman, M. 118:225
Hydraulic resistance
—, nature of the water channels in the internodal cells of *Nitellopsis*, Wayne, R., Tazawa, M. 116:31
Hydrochlorothiazide
—, the nature of the neutral Na^+-Cl^- coupled entry at the apical membrane of rabbit gallbladder epithelium: III. analysis of transports on membrane vesicles, Meyer, G., Bottà, G., Rossetti, C., Gremaschi, D. 118:107
Hydrogen ion flux
—, pH-stat experiments in proximal renal tubules, Malnic, G., Lopes, A.G., Cassola, A.C., Berardi, A.L., Aires, M.M., Giebisch, G. 118:121
Hydrogen ion interactions
—, interactions of external and internal H^+ and Na^+ with Na^+/Na^+ and Na^+/H^+ exchange of rabbit red cells: evidence for a common pathway, Morgan, K., Canessa, M. 118:193
Hydrogen ion transport
—, demonstration of the electrogenicity of proton translocation during the phosphorylation step in gastric H^+K^+-ATPase, vander Hijden, H.T.W.M., Grell, E., de Pont, J.J.H.H.M., Bamberg, E. 114:245
—, fusion of cultured dog kidney (MDCK) cells: II. relationship between cell pH and K^+ conductance in response to aldosterone, Oberleithner, H., Kersting, U., Silbernagl, S., Steigner, W., Vogel, U. 111:49
—, H^+/Ca^{2+} exchange in rabbit renal cortical endosomes, Hilden, S.A., Madias, N.E. 112:131
Hydropathy plot analysis
—, observations concerning topology and locations of helix ends of membrane proteins of known structure, White, S.H., Jacobs, R.E. 115:145
Hydrophobicity
—, major myelin proteolipid: the 4-α-helix topology, Popot, J.L., Dinh, D.P., Dautigny, A. 120:233
—, surface dielectric constant, surface hydrophobicity and membrane fusion, Ohki, S., Arnold, K. 114:195
Hydrophobicity analysis
—, observations concerning topology and locations of helix ends of membrane proteins of known structure, White, S.H., Jacobs, R.E. 115:145
Hydroxylamine
—, inhibition of chloride binding to the anion transport site by diethylpyrocarbonate modification of band 3, Hamasaki, N., Izuhara, K., Okubo, K., Kanazawa, Y., Omachi, A., Kleps, R.A. 116:87
—, thiol-dependent passive K : Cl transport in sheep red blood cells: X. a hydroxylamine-oxidation induced K : Cl flux blocked by diethylpyrocarbonate, Lauf, P.K. 118:153
Hyperosmolality
—, hyperosmolality inhibits exocytosis in sea urchin eggs by formation of a granule-free zone and arrest of pore widening, Merkle, C.J., Chandler, D.E. 112:223
Hyperpolarization
—, calmodulin defects cause the loss of Ca^{2+}-dependent K^+ currents in two pantophobiac mutants of *Paramecium tetraurelia*, Preston, R.R., Wallen-Friedman, M.A., Saimi, Y., Kung, C. 115:51
—, effect of cytoplasmic acidification on the membrane potential of T-lymphocytes: role of trace metals, Mason, M.J., Grinstein, S. 116:139
—, evidence for two K^+ currents activated upon hyperpolarization of *Paramecium tetraurelia*, Preston, R.R., Saimi, Y., Kung, C. 115:41
—, intestinal secretagogues increase cytosolic free Ca^{2+} concentration and K^+ conductance in a human intestinal epithelial cell line, Yada, T., Oiki, S., Ueda, S., Okada, Y. 112:159
—, Na activation delays and their relation to inactivation in frog skeletal muscle, Hahin, R. 118:233
—, nitrate and chloride ions have different permeation pathways in skeletal muscle fibers of *Rana pipiens*, Kotsias, B.A., Horowicz, P. 115:95
—, proteolytic activation of a hyperpolarization- and calcium-dependent potassium channel in *Paramecium*, Kubalski, A., Martinac, B., Saimi, Y. 112:91
—, sialic acid and the surface charge associated with hyperpolarization-activated, inward rectifying channels, Fermini, B., Nathan, R.D. 114:61
Hyperpolarization activation
—, calcium-dependent potassium channel in *Paramecium* studied under patch clamp, Saimi, Y., Martinac, B. 112:79
Hypertonicity
—, further evidence for the regulation of the tight junction ion selectivity by cAMP in goldfish intestinal mucosa, Bakker, R., Groot, J.A. 111:25
—, hypo-osmotic stimulation of active Na^+ transport in frog muscle: apparent upregulation of Na^+ pumps, Venosa, R.A. 120:97
—, role of organic osmolytes in adaptation of renal cells to high osmolality, Garcia-Perez, A., Burg, M.B. 119:1
Icosahedral viruses
—, structure and function of channels and channelogs as studied by computational chemistry, Eisenman, G., Alvarez, O. 119:109
Immunoblotting
—, antipeptide antibodies to the 2-adrenergic receptor confirm the extracellular orientation of the amino-terminus and the putative first extracellular loop, Thèveniau, M.A., Raymond, J.R., Rougon, G.N. 111:141
—, conservation of a cytoplasmic carboxy-terminal domain of connexin43, a gap junctional protein in mammal heart and brain, El Aoumari, A., Fromaget, C., Dupont, E., Reggio, H., Durbec, P., Briand, J.-P., Böller, K., Kreitman, B., Gros, D. 115:229
Immunogold labeling
—, conservation of a cytoplasmic carboxy-terminal domain of connexin43, a gap junctional protein in mammal heart and brain, El Aoumari, A., Fromaget, C., Dupont, E., Reggio, H., Durbec, P., Briand, J.-P., Böller, K., Kreitman, B., Gros, D. 115:229
Immunoprecipitation
—, antipeptide antibodies to the 2-adrenergic receptor confirm the extracellular orientation of the amino-terminus and the putative first extracellular loop, Thèveniau, M.A., Raymond, J.R., Rougon, G.N. 111:141
Impedance analysis
—, changes in membrane conductance and areas associated with bicarbonate secretion in turtle bladder, Rich, A., Dixon, T.E., Clausen, C. 113:211
—, electrogenic bicarbonate secretion in the turtle bladder:

apical membrane conductance characteristics, Rich, A., Dixon, T.E., Clausen, C. 119:241
Inactivation gating
—, reconstituted voltage-sensitive sodium channels from eel electroplax: activation of permeability by quaternary lidocaine, N-bromoacetamide, and N-bromosuccinimide, Cooper, E.C., Agnew, W.S. 111:253
Inactivation removal
—, chloramine-T alters the nerve membrane birefringence response, Landowne, D. 113:123
—, gating in iodate-modified single cardiac Na^+ channels, Kohlhardt, M., Fichtner, H., Fröbe, U. 112:67
Indacrinone
—, membrane potential, anion and cation conductances in Ehrlich ascites tumor cells, Lambert, I.H., Hoffmann, E.K., Jørgensen, F. 111:113
Indomethacin
—, constant turnover of arachidonic acid and inhibition of a potassium current in *Aplysia* giant neurons, Carlson, R.O., Levitan, I.B. 116:261
Inductive property
—, electrical tolerance (breakdown) of the *Chara corallina* plasmalemma: II. inductive property of membrane and effects of pH_o and impermeable monovalent cations on breakdown phenomenon, Ohkawa, T., Tsutsui, I. 114:159
Inflammatory cells
—, whole-cell currents in macrophages: II. alveolar macrophages, Nelson, D.J., Jow, B., Popovich, K.J. 117:45
Inhibitor binding
—, inhibition of the phosphate self-exchange flux in human erythrocytes and erythrocyte ghosts, Stadler, F., Schnell, K.F. 118:19
Inner medullary collecting duct
—, urea transport in freshly isolated and cultured cells from rat inner medullary collecting duct, Zhang, R., Verkman, A.S. 117:253
Inorganic cation permeation
—, characterization of a 25-pS nonselective cation channel in a cultured secretory epithelial cell line, Cook, D.I., Poronnik, P., Young, J.A. 114:37
Inorganic phosphate
—, phosphate transport processes in eukaryotic cells, Wehrle, J.P., Pedersen, P.L. 111:199
Inorganic phosphate/anion exchange
—, phosphate transport processes in eukaryotic cells, Wehrle, J.P., Pedersen, P.L. 111:199
Inositol
—, role of organic osmolytes in adaptation of renal cells to high osmolality, Garcia-Perez, A., Burg, M.B. 119:1
Inositol trisphosphate
—, activation and conductance properties of ryanodine-sensitive calcium channels from brain microsomal membranes incorporated into planar lipid bilayers, Ashley, R.H. 111:179
—, evidence for two modes of Ca^{2+} entry following muscarinic stimulation of a human salivary epithelial cell line, He, X., Wu, X., Turner, R.J., Baum, B.J. 115:159
—, oscillating intracellular Ca^{2+} signals evoked by activation of receptors linked to inositol lipid hydrolysis: mechanism of generation, Petersen, O.H., Wakui, M. 118:93
Insulin receptor
—, role of kinases in insulin stimulation of glucose transport, Klip, A., Douen, A.G. 111:1
Insulin resistance
—, role of kinases in insulin stimulation of glucose transport, Klip, A., Douen, A.G. 111:1
Insulin-secreting cells
—, comparative study of the effects of cromakalim (BRL 34915) and diazoxide on membrane potential, $[Ca^{2+}]_i$ and ATP-sensitive potassium currents in insulin-secreting cells, Dunne, M.J., Yule, D.I., Gallacher, D.V., Petersen, O.H. 114:53
—, expression of a rapid, low-voltage threshold K current in insulin-secreting cells is dependent on intracellular calcium buffering, Satin, L.S., Hopkins, W.F., Fatherazi, S., Cook D.L. 112:213
—, specificity of tetraethylammonium and quinine for three K channels in insulin-secreting cells, Fatherazi, S., Cook, D.L. 120:105
—, stimulant-evoked depolarization and increase in $[Ca^{2+}]_i$ in insulin-secreting cells is dependent on external Na^+, Dunne, M.J., Yule, D.I., Gallacher, D.V., Petersen, O.H. 113:131
Intercellular communication
—, connexin family of gap junction proteins, Beyer, E.C., Paul, D.L., Goodenough, D.A. 116:187
—, expression of the gap junction protein connexin43 in embryonic chick lens: molecular cloning, ultrastructural localization, and post-translational phosphorylation, Musil, L.S., Beyer, E.C., Goodenough, D.A. 116:163
Intercellular junctions
—, epithelial cell adhesion mechanisms, Boyer, B., Thiery, J.P. 112:97
Interleukin-3
—, voltage-gated K^+ channels in the mouse interleukin 3-dependent cell line, FDC-P2, Tanaka, H., Ohta, Y., Sugimoto, T., Kurachi, Y. 120:185
Intermediate junctions
—, epithelial cell adhesion mechanisms, Boyer, B., Thiery, J.P. 112:97
Intestinal epithelium
—, maintenance of the macromolecular barrier at cell extrusion sites in intestinal epithelium: Physiological rearrangement of tight junctions, Madara, J.L. 116:177
Intestinal secretagogues
—, intestinal secretagogues increase cytosolic free Ca^{2+} concentration and K^+ conductance in a human intestinal epithelial cell line, Yada, T., Oiki, S., Ueda, S., Okada, Y. 112:159
Intestine
—, membrane potentials and the mechanism of intestinal Na^+ dependent sugar transport, Kimmich, G.A. 114:1
—, phosphate transport processes in eukaryotic cells, Wehrle, J.P., Pedersen, P.L. 111:199
Intracellular calcium
—, lowering extracellular sodium or pH raises intracellular calcium in gastric cells, Negulescu, P.A., Machen, T.E. 116:239
—, stimulation of olfactory receptors alters regulation of $[Ca_i]$ in olfactory neurons of the catfish (*Ictalurus punctatus*), Restrepo, D., Boyle A.G. 120:223
Intracellular calcium buffering
—, expression of a rapid, low-voltage threshold K current in insulin-secreting cells is dependent on intracellular calcium buffering, Satin, L.S., Hopkins, W.F., Fatherazi, S., Cook D.L. 112:213
Intracellular calcium ions
—, bradykinin-induced potassium current in cultured bovine aortic endothelial cells, Colden-Stanfield, M., Schilling, W.P., Possani, L.D., Kunze, D.L. 116:227
—, comparative study of the effects of cromakalim (BRL 34915) and diazoxide on membrane potential, $[Ca^{2+}]_i$ and ATP-sensitive potassium currents in insulin-secreting cells,

Dunne, M.J., Yule, D.I., Gallacher, D.V., Petersen, O.H. 114:53
—, cytosolic calcium regulates a potassium current in corn (*Zea mays*) protoplasts, Ketchum, K.A., Poole, R.J. 119:277
—, cytotoxicity of equinatoxin II from the sea anemone *Actinia equina* involves ion channel formation and an increase in intracellular calcium activity, Zorec, R., Tester, M., Macek, P., Mason, W.T. 118:243
—, direct inhibitory action of EGTA-Ca complex on reverse-mode Na/Ca exchange in *Myxicola* giant axons, Sjodin, R.A., Mahmoud, A.A., Montes, J.G. 114:225
—, effect of cytoplasmic acidification on the membrane potential of T-lymphocytes: role of trace metals, Mason, M.J., Grinstein, S. 116:139
—, effects of caffeine and ryanodine on low pH_i-induced changes in gap junction conductance and calcium concentration in crayfish septate axons, Peracchia, C. 117:79
—, evidence for two modes of Ca^{2+} entry following muscarinic stimulation of a human salivary epithelial cell line, He, X., Wu, X., Turner, R.J., Baum, B.J. 115:159
—, increase in gap junction resistance with acidification in crayfish septate axons is closely related to changes in intracellular calcium but not hydrogen ion concentration, Peracchia, C. 113:75
—, interaction of caffeine-, IP_3- and vanadate-sensitive Ca^{2+} pools in acinar cells of the exocrine pancreas, Dehlinger-Kremer, M., Zeuzem, S., Schulz, I. 119:85
—, large-conductance ion channel measured by whole-cell voltage clamp in single cardiac cells: modulation by β-adrenergic stimulation and inhibition by octanol, Pott, L., Mechmann, S. 117:189
—, oscillating intracellular Ca^{2+} signals evoked by activation of receptors linked to inositol lipid hydrolysis: mechanism of generation, Petersen, O.H., Wakui, M. 118:93
—, role of protein kinase C in the regulation of cytosolic Ca^{2+} in A431 cells: separation of growth factor and bradykinin pathways, Wheller, L.A., Goodrum, D.D., Sachs, G. 118:77
—, stimulant-evoked depolarization and increase in $[Ca^{2+}]_i$ in insulin-secreting cells is dependent on external Na^+, Dunne, M.J., Yule, D.I., Gallacher, D.V., Petersen, O.H. 113:131
—, sulfate self-exchange and amino acid transport in calcium loaded human erythrocytes, Joshi, R., Gupta, C.M. 117:233

Intracellular chloride
—, intracellular ion concentrations and cell volume during cholinergic stimulation of eccrine secretory coil cells, Takemura, T., Sato, F., Saga, K., Suzuki, Y., Sato, K. 119:211

Intracellular chloride ions
—, roles of external and cellular Cl^- ions on the activation of an apical electrodiffusional Cl^- pathway in toad skin, Procopio, J., Lacaz-Vieira, F. 117:57

Intracellular communication
—, developmental changes in regulation of embryonic chick heart gap junctions, Veenstra, R.D. 119:253

Intracellular electric cable
—, power transmission along biological membranes, Skulachev, V.P. 114:97

Intracellular hydrogen ions
—, increase in gap junction resistance with acidification in crayfish septate axons is closely related to changes in intracellular calcium but not hydrogen ion concentration, Peracchia, C. 113:75

Intracellular magnesium ions
—, effect of magnesium ions on red cell membrane properties, Beaven, G.H., Parmar, J., Nash, G.B., Bennett, P.M., Gratzer, W.B. 118:251
—, K-Cl cotransport in LK sheep erythrocytes: kinetics of stimulation by cell swelling, Bergh, C., Kelley, S.J., Dunham, P.B. 117:177

Intracellular pH
—, cytoplasmic acidification and activation of Na^+/H^+ exchange during regulatory volume decrease in Ehrlich ascites tumor cells, Livne, A., Hoffmann, E.K. 114:153
—, effect of cytoplasmic acidification on the membrane potential of T-lymphocytes: role of trace metals, Mason, M.J., Grinstein, S. 116:139
—, evidence for involvement of protein kinase C in regulation of intracellular pH by Cl^-/HCO_3^- antiport, Ludt, J., Tønnessen, T.I., Sandvig, K., Olsnes, S. 119:179
—, increase in gap junction resistance with acidification in crayfish septate axons is closely related to changes in intracellular calcium but not hydrogen ion concentration, Peracchia, C. 113:75
—, mechanism of aldosterone-induced increase of K^+ conductance in early distal renal tubule cells of the frog, Wang, W., Henderson, R.M., Geibel, J., White, S., Giebisch, G. 111:277
—, pH_i-dependent membrane conductance of proximal tubule cells in culture (OK): differential effects on K^+- and Na^+-conductive channels, Schwegler, J.S., Steigner, W., Heuner, A., Silbernagl, S. 117:243
—, regulation of basolateral membrane potential after stimulation of Na^+ transport in proximal tubules, Lapointe, J.-Y., Duplain, M. 120:165
—, studies on the kinetics of Na^+/H^+ exchange in OK cells: introduction of a new device for the analysis of polarized transport in cultured epithelia, Krayer-Pawlowska, D., Helmle-Kolb, C., Montrose, M.H., Krapf, R., Murer, H. 120:173
—, thiol-dependent passive K : Cl transport in sheep red blood cells: IX. modulation by pH in the presence and absence of DIDS and the effect of NEM, Zade-Oppen, A.M.M., Lauf, P.K. 118:143
—, voltage dependence of the *Chara* proton pump revealed by current-voltage measurement during rapid metabolic blockade with cyanide, Blatt, M.R., Beilby, M.J., Tester, M. 114:205

Intracellular potassium
—, intracellular ion concentrations and cell volume during cholinergic stimulation of eccrine secretory coil cells, Takemura, T., Sato, F., Saga, K., Suzuki, Y., Sato, K. 119:211

Intracellular potassium ions
—, intracellular potassium activity and the role of potassium in transepithelial salt transport in the human reabsorptive sweat duct, Reddy, M.M., Quinton, P.M. 119:199

Intracellular sodium
—, intracellular ion concentrations and cell volume during cholinergic stimulation of eccrine secretory coil cells, Takemura, T., Sato, F., Saga, K., Suzuki, Y., Sato, K. 119:211

Inulin
—, activation of protein kinase C by phorbol ester induces downregulation of the Na^+/K^+-ATPase in oocytes of *Xenopus laevis*, Vasilets, L.A., Schmalzing, G., Mädefessel, K., Haase, W., Schwarz, W. 118:131

Inward currents
—, calcium-dependent sodium current in the marine ciliate *Euplotes vannus*, Krüppel, T., Lueken, W. 116:79

Inward rectifier
—, constant turnover of arachidonic acid and inhibition of a potassium current in *Aplysia* giant neurons, Carlson, R.O., Levitan, I.B. 116:261
Inward-rectifying channels
—, Ca modulates outward current through I_{K1} channels, Mazzanti, M., DeFelice, L.J. 116:41
—, evidence for two K^+ currents activated upon hyperpolarization of *Paramecium tetraurelia*, Preston, R.R., Saimi, Y., Kung, C. 115:41
—, inhibition of voltage-dependent Na^+ current in cell-fusion hybrids containing activated c-Ha-*ras*, Estacion, M. 113:169
—, sialic acid and the surface charge associated with hyperpolarization-activated, inward rectifying channels, Fermini, B., Nathan, R.D. 114:61
Inward-rectifying conductance
—, effect of adherence, cell morphology, and lipopolysaccharide on potassium conductance and passive membrane properties of murine macrophage J774.1 cells, McKinney, L.C., Gallin, E.K. 116:47
Iodate
—, gating in iodate-modified single cardiac Na^+ channels, Kohlhardt, M., Fichtner, H., Fröbe, U. 112:67
Ion block
—, activation by Ca^{2+} and block by divalent ions of the K^+ channel in the membrane of cytoplasmic drops from *Chara australis*, Laver, D.R., Walker, N.A. 120:131
—, Ca^{2+}-activated K^+ conductance of the human red cell membrane: voltage-dependent Na^+ block of outward-going currents, Stampe, P., Vestergaard-Bogind, B. 112:9
—, coupling of K^+-gating and permeation with Ca^{2+} block in the Ca^{2+}-activated K^+ channel in *Chara australis*, Laver, D.R. 118:55
—, macroscopic and single-channel studies of two Ca^{2+} channel types in oocytes of the ascidian *Ciona intestinalis*, Bosma, M.M., Moody, W.J. 114:231
—, regulation of basolateral membrane potential after stimulation of Na^+ transport in proximal tubules, Lapointe, J.-Y., Duplain, M. 120:165
Ion channel conductance
—, patch-clamp profile of ion channels in resting murine B lymphocytes, McCann, F.V., McCarthy, D.C., Noelle, R.J. 114:175
Ion channel development
—, structural and developmental differences between three types of Na channels in dorsal root ganglion cells of newborn rats, Schwartz, A., Palti, Y., Meiri, H. 116:117
Ion channels
—, aerolysin, a hemolysin from *Aeromonas hydrophila*, forms voltage-gated channels in planar lipid bilayers, Wilmsen, H.U., Pattus, F., Buckley, J.T. 115:71
—, cytotoxicity of equinatoxin II from the sea anemone *Actinia equina* involves ion channel formation and an increase in intracellular calcium activity, Zorec, R., Tester, M., Macek, P., Mason, W.T. 118:243
—, electrophysiology of cultured human lens epithelial cells, Cooper, K., Gates, P., Rae, J.L., Dewey, J. 117:285
—, formation of ion channels by colicin B in planar lipid bilayers, Bullock, J.O., Armstrong, S.K., Shear, J.L., Lies, D.P., McIntosh, M.A. 114:79
—, identification of electrophysiologically distinct subpopulations of rat taste cells, Akabas, M., Dodd, J., Al-Awqati, Q. 114:71
—, interactions between mutants with defects in two Ca^{2+}-dependent K^+ currents of *Paramecium tetraurelia*, Preston, R.R., Saimi, Y., Amberger, E., Kung, C. 115:61
—, large-conductance ion channel measured by whole-cell voltage clamp in single cardiac cells: modulation by β-adrenergic stimulation and inhibition by octanol, Pott, L., Mechmann, S. 117:189
—, mechanosensitive ion channels, Morris, C.E. 113:93
—, nonselective cation channel activated by patch excision from lobster olfactory receptor neurons, McClintock, T.S., Ache, B.W. 113:115
—, novel type of ion channel activated by Pb^{2+}, Cd^{2+}, and Al^{3+} in cultured mouse neuroblastoma cells, Oortgiesen, M., van Kleef, R.G.D.M., Vijverberg, H.P.M. 113:261
—, voltage-sensitive ion channel of *Escherichia coli*, Delcour, A.H., Martinac, B., Adler, J., Kung, C. 112:267
—, whole-cell currents in macrophages: I. human monocyte-derived macrophages, Nelson, D.J., Jow, B., Jow, F. 117:29
Ion currents
—, calmodulin defects cause the loss of Ca^{2+}-dependent K^+ currents in two pantophobiac mutants of *Paramecium tetraurelia*, Preston, R.R., Wallen-Friedman, M.A., Saimi, Y., Kung, C. 115:51
Ion permeation
—, structure and function of channels and channelogs as studied by computational chemistry, Eisenman, G., Alvarez, O. 119:109
Ion selectivity
—, Ca^{2+}-activated K^+ channel from human erythrocyte membranes: single channel rectification and selectivity, Christophersen, P. 119:75
—, further evidence for the regulation of the tight junction ion selectivity by cAMP in goldfish intestinal mucosa, Bakker, R., Groot, J.A. 111:25
—, structure and function of channels and channelogs as studied by computational chemistry, Eisenman, G., Alvarez, O. 119:109
Ion transport
—, Ca^{2+} pumping ATPase of cardiac sarcolemma is insensitive to membrane potential produced by K^+ and Cl^- gradients but requires a source of counter-transportable H^+, Dixon, D.A., Haynes, D.H. 112:169
—, calcium ion and turgor regulation in plant cells, Okazaki, Y., Tazawa, M. 114:189
—, contributions of secondary active transport processes to membrane potentials, Gordon, L.G.M., Macknight, A.D.C. 120:141
—, recent advances in the molecular characterization of plasma membrane Ca^{2+} pumps, Strehler, E.E. 120:1
—, water transport and estimated transmembrane potential during freezing of mouse oocytes, Toner, M., Cravalho, E.G., Armant, D.R. 115:261
Ionomycin
—, bradykinin-induced potassium current in cultured bovine aortic endothelial cells, Colden-Stanfield, M., Schilling, W.P., Possani, L.D., Kunze, D.L. 116:227
Ionophores
—, Ca^{2+} pumping ATPase of cardiac sarcolemma is insensitive to membrane potential produced by K^+ and Cl^- gradients but requires a source of counter-transportable H^+, Dixon, D.A., Haynes, D.H. 112:169
—, CCCP activation of the reconstituted NaK-pump, Yoda, A., Yoda, S. 117:153
—, membrane potential, anion and cation conductances in Ehrlich ascites tumor cells, Lambert, I.H., Hoffmann, E.K., Jørgensen, F. 111:113

—, sulfate self-exchange and amino acid transport in calcium loaded human erythrocytes, Joshi, R., Gupta, C.M. 117:233
Iron mobilization
—, kinetics of iron passage through subcellular compartments of rabbit reticulocytes, Watkins, J.A., Nunez, M.-T., Gaete, V., Alvarez, O., Glass, J. 119:141
Iron translocation
—, kinetics of iron passage through subcellular compartments of rabbit reticulocytes, Watkins, J.A., Nunez, M.-T., Gaete, V., Alvarez, O., Glass, J. 119:141
Iron uptake
—, kinetics of iron passage through subcellular compartments of rabbit reticulocytes, Watkins, J.A., Nunez, M.-T., Gaete, V., Alvarez, O., Glass, J. 119:141
Isoproterenol
—, analysis of the T-type calcium channel in embryonic chick ventricular myocytes, Kawano, S., DeHaan, R.L. 116:9
—, beta-adrenergic modulation of K^+ current in human T lymphocytes, Soliven, B., Nelson, D.J. 117:263
—, chloride conductive and cotransport mechanisms in cultures of canine tracheal epithelial cells measured by an entrapped fluorescent indicator, Chao, A.C., Widdicombe, J.H., Verkman, A.S. 113:193
J774.1 cells
—, effect of adherence, cell morphology, and lipopolysaccharide on potassium conductance and passive membrane properties of murine macrophage J774.1 cells, McKinney, L.C., Gallin, E.K. 116:47
Jimpy mutations
—, major myelin proteolipid: the 4-α-helix topology, Popot, J.L., Dinh, D.P., Dautigny, A. 120:233
Junction resistance
—, increase in gap junction resistance with acidification in crayfish septate axons is closely related to changes in intracellular calcium but not hydrogen ion concentration, Peracchia, C. 113:75
Junctional conductance
—, gap junction formation and functional interaction between neonatal rat cardiocytes in culture: a correlative physiological and ultrastructural study, Rook, M.B., de Jonge, B., Jongsma, H.J., Masson-Pévet, M.A. 118:179
Junctional conductance-voltage relationship
—, developmental changes in regulation of embryonic chick heart gap junctions, Veenstra, R.D. 119:253
Junctional foot protein
—, identification of a new subpopulation of triad junctions isolated from skeletal muscle; morphological correlations with intact muscle, Kim, K.C., Caswell, A.H., Brunschwig, J.-P., Brandt, N.R. 113:221
—, molecular interactions of the junctional foot protein and dihydropyridine receptor in skeletal muscle triads, Brandt, N.R., Caswell, A.H., Wen, S.-R., Talvenheimo, J.A. 113:237
K/Cl cotransport
—, characteristics of the volume- and chloride-dependent K transport in human erythrocytes homozygous for hemoglobin C, Brugnara, C. 111:69
—, contributions of secondary active transport processes to membrane potentials, Gordon, L.G.M., Macknight, A.D.C. 120:141
—, K-Cl cotransport in LK sheep erythrocytes: kinetics of stimulation by cell swelling, Bergh, C., Kelley, S.J., Dunham, P.B. 117:177
—, Na^+/H^+ exchange is increased in sickle cell anemia and young normal red cells, Canessa, M., Fabry, M.E., Suzuka, S.M., Morgan, K., Nagel, R.L. 116:107
—, thiol-dependent passive K : Cl transport in sheep red blood cells: X. a hydroxylamine-oxidation induced K : Cl flux blocked by diethylpyrocarbonate, Lauf, P.K. 118:153
K^+/Cl^- cotransport
—, thiol-dependent passive K : Cl transport in sheep red blood cells: IX. modulation by pH in the presence and absence of DIDS and the effect of NEM, Zade-Oppen, A.M.M., Lauf, P.K. 118:143
Kidney
—, phosphate transport processes in eukaryotic cells, Wehrle, J.P., Pedersen, P.L. 111:199
—, role of organic osmolytes in adaptation of renal cells to high osmolality, Garcia-Perez, A., Burg, M.B. 119:1
Kinetic models
—, contributions of secondary active transport processes to membrane potentials, Gordon, L.G.M., Macknight, A.D.C. 120:141
—, coupling of K^+-gating and permeation with Ca^{2+} block in the Ca^{2+}-activated K^+ channel in *Chara australis*, Laver, D.R. 118:55
—, interactions of external and internal H^+ and Na^+ with Na^+/Na^+ and Na^+/H^+ exchange of rabbit red cells: evidence for a common pathway, Morgan, K., Canessa, M. 118:193
—, Na activation delays and their relation to inactivation in frog skeletal muscle, Hahin, R. 118:233
—, presteady-state kinetics and carrier-mediated transport: a theoretical analysis, Wierzbicki, W., Berteloot, A., Roy, G. 117:11
Kinetics
—, effects of calcium and Bay K-8644 on calcium currents in adrenal medullary chromaffin cells, Ceña, V., Stutzin, A., Rojas, E. 112:255
—, formation of ion channels by colicin B in planar lipid bilayers, Bullock, J.O., Armstrong, S.K., Shear, J.L., Lies, D.P., McIntosh, M.A. 114:79
—, K-Cl cotransport in LK sheep erythrocytes: kinetics of stimulation by cell swelling, Bergh, C., Kelley, S.J., Dunham, P.B. 117:177
—, kinetics of iron passage through subcellular compartments of rabbit reticulocytes, Watkins, J.A., Nunez, M.-T., Gaete, V., Alvarez, O., Glass, J. 119:141
—, pH modulation of the kinetics of rabbit jejunal, brush border folate transport, Schron, C.M. 120:192
—, pH-stat experiments in proximal renal tubules, Malnic, G., Lopes, A.G., Cassola, A.C., Berardi, A.L., Aires, M.M., Giebisch, G. 118:121
—, studies on the kinetics of Na^+/H^+ exchange in OK cells: introduction of a new device for the analysis of polarized transport in cultured epithelia, Krayer-Pawlowska, D., Helmle-Kolb, C., Montrose, M.H., Krapf, R., Murer, H. 120:173
—, temperature dependence of gating current in myelinated nerve fibers, Jonas, P. 112:277
—, voltage dependence of the *Chara* proton pump revealed by current-voltage measurement during rapid metabolic blockade with cyanide, Blatt, M.R., Beilby, M.J., Tester, M. 114:205
L-lactate
—, functional characteristics of the cardiac sarcolemmal monocarboxylate transporter, Trosper, T.L., Philipson, K.D. 112:15

Lateral mobility
—, emerging functional roles for the glycosyl phosphatidylinositol membrane protein anchor, Lisanti, M.P., Rodriguez-Boulan, E., Saltiel, A.R. 117:1
Lateral power transmission
—, power transmission along biological membranes, Skulachev, V.P. 114:97
Lead
—, novel type of ion channel activated by Pb^{2+}, Cd^{2+}, and Al^{3+} in cultured mouse neuroblastoma cells, Oortgiesen, M., van Kleef, R.G.D.M., Vijverberg, H.P.M. 113:261
Lectins
—, fusion of cultured dog kidney (MDCK) cells: I. technique, fate of plasma membranes and of cell nuclei, Kersting, U., Joha, H., Steigner, W., Gassner, B., Gstraunthaler, G., Pfaller, W., Oberleithner, H. 111:37
Lens epithelium
—, electrophysiology of cultured human lens epithelial cells, Cooper, K., Gates, P., Rae, J.L., Dewey, J. 117:285
—, expression of the gap junction protein connexin43 in embryonic chick lens: molecular cloning, ultrastructural localization, and post-translational phosphorylation, Musil, L.S., Beyer, E.C., Goodenough, D.A. 116:163
Lidocaine
—, reconstituted voltage-sensitive sodium channels from eel electroplax: activation of permeability by quaternary lidocaine, N-bromoacetamide, and N-bromosuccinimide, Cooper, E.C., Agnew, W.S. 111:253
Light terminal cisternae
—, identification of a new subpopulation of triad junctions isolated from skeletal muscle; morphological correlations with intact muscle, Kim, K.C., Caswell, A.H., Brunschwig, J.-P., Brandt, N.R. 113:221
Lipid bilayers
—, activation and conductance properties of ryanodine-sensitive calcium channels from brain microsomal membranes incorporated into planar lipid bilayers, Ashley, R.H. 111:179
—, salicylates and proton transport through lipid bilayer membranes: a model for salicylate-induced uncoupling and swelling in mitochondria, Gutknecht, J. 115:253
Lipid vesicles
—, asymmetry of membrane fluidity in the lipid bilayer of blood platelets: fluorescence study with diphenylhexatriene and analogs, Kitagawa, S., Matsubayashi, M., Kotani, K., Usui, K., Kametani, F. 119:221
Lipids
—, fatty-acid spin probe interactions with erythrocyte ghosts and liposomes prepared from erythrocyte ghosts, Gordon, L.M., Looney, F.D., Curtain, C.C. 111:155
Lipopolysaccharides
—, effect of adherence, cell morphology, and lipopolysaccharide on potassium conductance and passive membrane properties of murine macrophage J774.1 cells, McKinney, L.C., Gallin, E.K. 116:47
—, pore formation by complement in the outer membrane of gram negative bacteria studied with asymmetric planar lipopolysaccharide/phospholipid bilayers, Schröder, G., Brandenburg, K., Brade, L., Seydel, U. 118:161
Liposomes
—, action of diphtheria toxin does not depend on the induction of large, stable pores across biological membranes, Alder, G.M., Bashford, C.L., Pasternak, C.A. 113:67
—, fatty-acid spin probe interactions with erythrocyte ghosts and liposomes prepared from erythrocyte ghosts, Gordon, L.M., Looney, F.D., Curtain, C.C. 111:155
—, fusion of liposomes and rat brain microsomes examined by two assays, Corazzi, L., Fratto, G., Pistolesi, R., Arienti, G. 112:123
—, reconstituted voltage-sensitive sodium channels from eel electroplax: activation of permeability by quaternary lidocaine, N-bromoacetamide, and N-bromosuccinimide, Cooper, E.C., Agnew, W.S. 111:253
—, spontaneous insertion of plant plasma membrane (H^+)ATPase into a preformed bilayer, Simon-Plas, F., Venema, K., Grouzis, J.P., Gibrat, R., Rigaud, J., Grignon, C. 120:51
Lobster
—, nonselective cation channel activated by patch excision from lobster olfactory receptor neurons, McClintock, T.S., Ache, B.W. 113:115
Local osmosis
—, prostaglandin E_2 enhances the sodium conductance of exocrine glands in isolated frog skin (*Rana esculenta*), Nielsen, R. 113:31
Loligo pealei
—, membrane bilayer assembly in neural tissue of rat and squid as a critical phenomenon: influence of temperature and membrane proteins, Ginsberg, L., Gilbert, D.L., Gershfeld, N.L. 119:65
Loop diuretics
—, inactivation of the rabbit parotid Na/K/Cl contransporter by N-ethylmaleimide, George, J.N., Turner, R.J. 112:51
—, solubilization and partial purification of the rabbit parotid $Na/K/Cl^-$-dependent bumetanide binding site, Turner, R.J., George, J.N. 113:203
Lysine residues
—, modification of lysine residues of *Staphylococcus aureus* toxin: effects on its channel-forming properties, Cescatti, L., Pederzolli, C., Menestrina, G. 119:53
Lysophosphatidylcholine
—, nonmediated flip-flop of phospholipid analogues in the erythrocyte membrane as probed by palmitoylcarnitine: basic properties and influence of membrane modification, Classen, J., Deuticke, B., Haest, C.W.M. 111:169
Lysyl residues
—, functional characteristics of the cardiac sarcolemmal monocarboxylate transporter, Trosper, T.L., Philipson, K.D. 112:15
Macrophages
—, chloride and potassium channels in U937 human monocytes, Kanno, T., Takishima, T. 116:149
—, effect of adherence, cell morphology, and lipopolysaccharide on potassium conductance and passive membrane properties of murine macrophage J774.1 cells, McKinney, L.C., Gallin, E.K. 116:47
—, whole-cell currents in macrophages: I. human monocyte-derived macrophages, Nelson, D.J., Jow, B., Jow, F. 117:29
Magnesium ions
—, Ca modulates outward current through I_{K1} channels, Mazzanti, M., DeFelice, L.J. 116:41
—, fusion of liposomes and rat brain microsomes examined by two assays, Corazzi, L., Fratto, G., Pistolesi, R., Arienti, G. 112:123
—, metabolic control of the K^+ channel of human red cells, Romero, P.J., Ortíz, C.E., Melitto, C. 116:19
Mammalian heart
—, conservation of a cytoplasmic carboxy-terminal domain of

connexin 43, a gap junctional protein in mammal heart and brain, El Aoumari, A., Fromaget, C., Dupont, E., Reggio, H., Durbec, P., Briand, J.-P., Böller, K., Kreitman, B., Gros, D. 115:229
Mammary cells
—, oscillating activity of a calcium-activated K^+ channel in normal and cancerous mammary cells in culture, Enomoto, K.I., Furuya, K., Maeno, T., Edwards, C., Oka, T. 119:133
MDCK cells
—, fusion of cultured dog kidney (MDCK) cells: I. technique, fate of plasma membranes and of cell nuclei, Kersting, U., Joha, H., Steigner, W., Gassner, B., Gstraunthaler, G., Pfaller, W., Oberleithner, H. 111:37
—, fusion of cultured dog kidney (MDCK) cells: II. relationship between cell pH and K^+ conductance in response to aldosterone, Oberleithner, H., Kersting, U., Silbernagl, S., Steigner, W., Vogel, U. 111:49
—, identification of riboflavin transport by MDCK cells using quantitative fluorescence video microscopy, Lowy, R.J., Spring, K.R. 117:91
—, preferred apical distribution of glycosyl-phosphatidylinositol (GPI) anchored proteins: a highly conserved feature of the polarized epithelial cell phenotype, Lisanti, M.P., Le Bivic, A., Saltiel, A.R., Rodriguez-Boulan, E. 113:155
Mechanotransduction
—, mechanosensitive ion channels, Morris, C.E. 113:93
Medullary cells
—, effects of calcium and Bay K-8644 on calcium currents in adrenal medullary chromaffin cells, Ceña, V., Stutzin, A., Rojas, E. 112:255
Medullary collecting duct
—, interactions between anion exchange and other membrane proteins in rabbit kidney medullary collecting duct cells, Janoshazi, A., Seifter, J.L., Solomon, A.K. 112:39
Medullary thick ascending limb cells
—, Cl^- transport in basolateral renal medullary vesicles: I. Cl^- transport in intact vesicles, Bayliss, J.M., Reeves, W.B., Andreoli, T.E. 113:49
—, Cl^- transport in basolateral renal medullary vesicles: II. Cl channels in planar lipid bilayers, Reeves, W.B., Andreoli, T.E. 113:57
—, vasopressin alters the mechanism of apical Cl^- entry from $Na^+:Cl^-$ to $Na^+:2Cl^-$ cotransport in mouse medullary thick ascending limb, Sun, A., Grossman, E.B., Lombardi, M., Hebert, S.C. 120:83
Membrane anchors
—, association of acetylcholinesterase with the cell surface, Inestrosa, N.C., Perelman, A. 118:1
Membrane conductance
—, changes in membrane conductance and areas associated with bicarbonate secretion in turtle bladder, Rich, A., Dixon, T.E., Clausen, C. 113:211
—, electrogenic bicarbonate secretion in the turtle bladder: apical membrane conductance characteristics, Rich, A., Dixon, T.E., Clausen, C. 119:241
Membrane damage
—, chemical modification of *Staphylococcus aureus* α-toxin by diethylpyrocarbonate: role of histidines in its membrane-damaging properties, Pederzolli, C., Cescatti, L., Menestrina, G. 119:41
Membrane elasticity
—, effect of magnesium ions on red cell membrane properties, Beaven, G.H., Parmar, J., Nash, G.B., Bennett, P.M., Gratzer, W.B. 118:251
Membrane excitation
—, D_2O-induced cell excitation, Andjus, P.R., Vucelia, D. 115:123
Membrane fluidity
—, asymmetry of membrane fluidity in the lipid bilayer of blood platelets: fluorescence study with diphenylhexatriene and analogs, Kitagawa, S., Matsubayashi, M., Kotani, K., Usui, K., Kametani, F. 119:221
Membrane fusion
—, fusion of cultured dog kidney (MDCK) cells: I. technique, fate of plasma membranes and of cell nuclei, Kersting, U., Joha, H., Steigner, W., Gassner, B., Gstraunthaler, G., Pfaller, W., Oberleithner, H. 111:37
—, hyperosmolality inhibits exocytosis in sea urchin eggs by formation of a granule-free zone and arrest of pore widening, Merkle, C.J., Chandler, D.E. 112:223
—, surface dielectric constant, surface hydrophobicity and membrane fusion, Ohki, S., Arnold, K. 114:195
—, synexin (annexin VII): a cytosolic calcium-binding protein which promotes membrane fusion and forms calcium channels in artificial bilayer and natural membranes, Pollard, H.B., Burns, A.L., Rojas, E. 117:101
Membrane modification
—, nonmediated flip-flop of phospholipid analogues in the erythrocyte membrane as probed by palmitoylcarnitine: basic properties and influence of membrane modification, Classen, J., Deuticke, B., Haest, C.W.M. 111:169
Membrane organization
—, antipeptide antibodies to the 2-adrenergic receptor confirm the extracellular orientation of the amino-terminus and the putative first extracellular loop, Thèveniau, M.A., Raymond, J.R., Rougon, G.N. 111:141
Membrane potential
—, activation by Ca^{2+} and block by divalent ions of the K^+ channel in the membrane of cytoplasmic drops from *Chara australis*, Laver, D.R., Walker, N.A. 120:131
—, application of membrane potential equations to tight epithelia, Gordon, L.G.M., Macknight, A.D.C. 120:155
—, barium- and calcium-permeable channels open at negative membrane potentials in rat ventricular myocytes. Coulombe, A., Lefèvre, I.A., Baro, I., Coraboeuf, E. 111:57
—, branched reaction mechanism for the Na/K pump as an alternative explanation for a nonmonotonic current *vs.* membrane potential response, Milanick, M.A. 119:33
—, Ca^{2+} pumping ATPase of cardiac sarcolemma is insensitive to membrane potential produced by K^+ and Cl^- gradients but requires a source of counter-transportable H^+, Dixon, D.A., Haynes, D.H. 112:169
—, CCCP activation of the reconstituted NaK-pump, Yoda, A., Yoda, S. 117:153
—, characterization of Cl^- transport in vacuolar membrane vesicles using a Cl^--sensitive fluorescent probe: reactionkinetic models for voltage- and concentration-dependence of Cl^- flux, Pope, A.J., Jennings, I.R., Sanders, D., Leigh, R.A. 116:129
—, contributions of secondary active transport processes to membrane potentials, Gordon, L.G.M., Macknight, A.D.C. 120:141
—, effect of adherence, cell morphology, and lipopolysaccharide on potassium conductance and passive membrane properties of murine macrophage J774.1 cells, McKinney, L.C., Gallin, E.K. 116:47
—, effect of cytoplasmic acidification on the membrane poten-

tial of T-lymphocytes: role of trace metals, Mason, M.J., Grinstein, S. 116:139
—, effect of potassium on cell volume regulation in renal straight proximal tubules, Völkl, H., Lang, F. 117:113
—, evidence for two modes of Ca^{2+} entry following muscarinic stimulation of a human salivary epithelial cell line, He, X., Wu, X., Turner, R.J., Baum, B.J. 115:159
—, electrogenic properties of the Na : Ca exchange, Lagnado, L., McNaughton, P.A. 113:177
—, membrane potential, anion and cation conductances in Ehrlich ascites tumor cells, Lambert, I.H., Hoffmann, E.K., Jørgensen, F. 111:113
—, membrane potentials and the mechanism of intestinal Na^+ dependent sugar transport, Kimmich, G.A. 114:1
—, power transmission along biological membranes, Skulachev, V.P. 114:97
—, nitrate and chloride ions have different permeation pathways in skeletal muscle fibers of *Rana pipiens*, Kotsias, B.A., Horowicz, P. 115:95
—, pH_i-dependent membrane conductance of proximal tubule cells in culture (OK): differential effects on K^+- and Na^+-conductive channels, Schwegler, J.S., Steigner, W., Heuner, A., Silbernagl, S. 117:243
—, presteady-state kinetics and carrier-mediated transport: a theoretical analysis, Wierzbicki, W., Berteloot, A., Roy, G. 117:11
—, regulation of basolateral membrane potential after stimulation of Na^+ transport in proximal tubules, Lapointe, J.-Y., Duplain, M. 120:165
Membrane protein structure
—, observations concerning topology and locations of helix ends of membrane proteins of known structure, White, S.H., Jacobs, R.E. 115:145
Membrane proteins
—, immunohistochemical study of a rat membrane protein which induces a selective potassium permeation: its localization in the apical membrane portion of epithelial cells, Sugimoto, T., Tanabe, Y., Shigemoto, R., Iwai, M., Takumi, T., Ohkubo, H., Nakanishi, S. 113:39
—, major myelin proteolipid: the 4-α-helix topology, Popot, J.L., Dinh, D.P., Dautigny, A. 120:233
—, membrane bilayer assembly in neural tissue of rat and squid as a critical phenomenon: influence of temperature and membrane proteins, Ginsberg, L., Gilbert, D.L., Gershfeld, N.L. 119:65
—, nature of the water channels in the internodal cells of *Nitellopsis*, Wayne, R., Tazawa, M. 116:31
—, recent advances in the molecular characterization of plasma membrane Ca^{2+} pumps, Strehler, E.E. 120:1
—, sulfate self-exchange and amino acid transport in calcium loaded human erythrocytes, Joshi, R., Gupta, C.M. 117:233
—, the signal peptide, von Heijne, G. 115:195
—, transport domain of the erythrocyte anion exchange protein, Bar-Noy, S., Cabantchik, Z.I. 115:217
—, use of *Xenopus* oocytes for the functional expression of plasma membrane proteins, Sigel, E. 117:201
Membrane resistance
—, pH_i-dependent membrane conductance of proximal tubule cells in culture (OK): differential effects on K^+- and Na^+-conductive channels, Schwegler, J.S., Steigner, W., Heuner, A., Silbernagl, S. 117:243
Membrane skeleton
—, effect of magnesium ions on red cell membrane properties, Beaven, G.H., Parmar, J., Nash, G.B., Bennett, P.M., Gratzer, W.B. 118:251
Membrane structure
—, sulfate self-exchange and amino acid transport in calcium loaded human erythrocytes, Joshi, R., Gupta, C.M. 117:233
Membrane transport
—, asymmetry of membrane fluidity in the lipid bilayer of blood platelets: fluorescence study with diphenylhexatriene and analogs, Kitagawa, S., Matsubayashi, M., Kotani, K., Usui, K., Kametani, F. 119:221
—, characteristics of the volume- and chloride-dependent K transport in human erythrocytes homozygous for hemoglobin C, Brugnara, C. 111:69
—, D_2O-induced cell excitation, Andjus, P.R., Vucelia, D. 115:123
—, electrogenic properties of the Na : Ca exchange, Lagnado, L., McNaughton, P.A. 113:177
—, membrane and junctional properties of dissociated frog lens epithelial cells, Cooper, K., Rae, J.L., Gates, P. 111:215
Metabolic control
—, metabolic control of the K^+ channel of human red cells, Romero, P.J., Ortíz, C.E., Melitto, C. 116:19
Methacholine
—, intracellular ion concentrations and cell volume during cholinergic stimulation of eccrine secretory coil cells, Takemura, T., Sato, F., Saga, K., Suzuki, Y., Sato, K. 119:211
6-Methoxy-1-(3-sulfonatopropyl)quinolinium (SPQ)
—, cAMP-dependent protein kinase inhibits the chloride conductance in apical membrane vesicles of human placenta, Placchi, P., Lombardo, R., Tamanini, A., Brusa, P., Berton, G., Cabrini, G. 119:25
—, characterization of Cl^- transport in vacuolar membrane vesicles using a Cl^--sensitive fluorescent probe: reaction kinetic models for voltage- and concentration-dependence of Cl^- flux, Pope, A.J., Jennings, I.R., Sanders, D., Leigh, R.A. 116:129
—, chloride conductive and cotransport mechanisms in cultures of canine tracheal epithelial cells measured by an entrapped fluorescent indicator, Chao, A.C., Widdicombe, J.H., Verkman, A.S. 113:193
Mg-ATP
—, spontaneous insertion of plant plasma membrane (H^+)ATPase into a preformed bilayer, Simon-Plas, F., Venema, K., Grouzis, J.P., Gibrat, R., Rigaud, J., Grignon, C. 120:51
Microelectrodes
—, effect of potassium on cell volume regulation in renal straight proximal tubules, Völkl, H., Lang, F. 117:113
—, effects of caffeine and ryanodine on low pH_i-induced changes in gap junction conductance and calcium concentration in crayfish septate axons, Peracchia, C. 117:79
—, increase in gap junction resistance with acidification in crayfish septate axons is closely related to changes in intracellular calcium but not hydrogen ion concentration, Peracchia, C. 113:75
—, intracellular potassium activity and the role of potassium in transepithelial salt transport in the human reabsorptive sweat duct, Reddy, M.M., Quinton, P.M. 119:199
—, pH-stat experiments in proximal renal tubules, Malnic, G., Lopes, A.G., Cassola, A.C., Berardi, A.L., Aires, M.M., Giebisch, G. 118:121
Microsomes
—, activation and conductance properties of ryanodine-sensitive calcium channels from brain microsomal membranes incorporated into planar lipid bilayers, Ashley, R.H. 111:179

—, fusion of liposomes and rat brain microsomes examined by two assays, Corazzi, L., Fratto, G., Pistolesi, R., Arienti, G. 112:123
Microviscosity
—, ESR measurement of time-dependent and equilibrium volumes in red cells, Moronne, M.M., Mehlhorn, R.J., Miller, M.P., Ackerson, L.C., Macey, R.I. 115:31
Mitochondria
—, blockade of a mitochondrial cationic channel by an addressing peptide: an electrophysiological study, Henry, J.-P., Chich, J.-F., Goldschmidt, D., Thieffry, M. 112:139
—, phosphate transport processes in eukaryotic cells, Wehrle, J.P., Pedersen, P.L. 111:199
—, salicylates and proton transport through lipid bilayer membranes: a model for salicylate-induced uncoupling and swelling in mitochondria, Gutknecht, J. 115:253
—, voltage gating in the mitochondrial channel, VDAC, Colombini, M. 111:103
Mitochondrial reticulum
—, power transmission along biological membranes, Skulachev, V.P. 114:97
Molecular cloning
—, connexin family of gap junction proteins, Beyer, E.C., Paul, D.L., Goodenough, D.A. 116:187
—, expression of the gap junction protein connexin43 in embryonic chick lens: molecular cloning, ultrastructural localization, and post-translational phosphorylation, Musil, L.S., Beyer, E.C., Goodenough, D.A. 116:163
—, immunohistochemical study of a rat membrane protein which induces a selective potassium permeation: its localization in the apical membrane portion of epithelial cells, Sugimoto, T., Tanabe, Y., Shigemoto, R., Iwai, M., Takumi, T., Ohkubo, H., Nakanishi, S. 113:39
Molecular dynamics
—, structure and function of channels and channelogs as studied by computational chemistry, Eisenman, G., Alvarez, O. 119:109
Molecular forms
—, association of acetylcholinesterase with the cell surface, Inestrosa, N.C., Perelman, A. 118:1
Molecular mechanics
—, structure and function of channels and channelogs as studied by computational chemistry, Eisenman, G., Alvarez, O. 119:109
Molecular properties
—, recent advances in the molecular characterization of plasma membrane Ca^{2+} pumps, Strehler, E.E. 120:1
Monocarboxylate transport
—, functional characteristics of the cardiac sarcolemmal monocarboxylate transporter, Trosper, T.L., Philipson, K.D. 112:15
Monoclonal antibodies
—, identification of the cardiac sarcolemmal Na^+-Ca^{2+} exchanger using monoclonal antibodies, Vemuri, R., Haberland, M.E., Fong, D., Philipson, K.D. 118:279
Morphometry
—, gap junction formation and functional interaction between neonatal rat cardiocytes in culture: a correlative physiological and ultrastructural study, Rook, M.B., de Jonge, B., Jongsma, H.J., Masson-Pévet, M.A. 118:179
Mouse B-cells
—, expression of a rapid, low-voltage threshold K current in insulin-secreting cells is dependent on intracellular calcium buffering, Satin, L.S., Hopkins, W.F., Fatherazi, S., Cook D.L. 112:213
Mouse kidney
—, cAMP-activated chloride channel in the basolateral membrane of the thick ascending limb of the mouse kidney, Paulais, M., Teulon, J. 113:253
—, effect of potassium on cell volume regulation in renal straight proximal tubules, Völkl, H., Lang, F. 117:113
—, vasopressin alters the mechanism of apical Cl^- entry from $Na^+:Cl^-$ to $Na^+:2Cl^-$ cotransport in mouse medullary thick ascending limb, Sun, A., Grossman, E.B., Lombardi, M., Hebert, S.C. 120:83
Mouse neuroblastoma cells
—, novel type of ion channel activated by Pb^{2+}, Cd^{2+}, and Al^{3+} in cultured mouse neuroblastoma cells, Oortgiesen, M., van Kleef, R.G.D.M., Vijverberg, H.P.M. 113:261
mRNA
—, thyroidal enhancement of rat myocardial Na,K-ATPase: preferential expression of 2 activity and mRNA abundance, Gick, G.G., Melikian, J., Ismail-Beigi, F. 115:273
—, urea transport in freshly isolated and cultured cells from rat inner medullary collecting duct, Zhang, R., Verkman, A.S. 117:253
—, use of *Xenopus* oocytes for the functional expression of plasma membrane proteins, Sigel, E. 117:201
mRNA isoforms
—, enhancement of glucose transport in Clone 9 cells by exposure to alkaline pH: studies on potential mechanisms, Hakimian, J., Ismail-Beigi, F. 120:29
—, thyroid hormone regulation of Na,K-ATPase subunit-mRNA expression in neonatal rat myocardium, Melikian, J., Ismail-Beigi, F. 119:171
—, thyroidal enhancement of rat myocardial Na,K-ATPase: preferential expression of 2 activity and mRNA abundance, Gick, G.G., Melikian, J., Ismail-Beigi, F. 115:273
Multilamellar vesicles
—, proton dissociation dynamics in the aqueous layer of multilamellar phospholipid vesicle, Rochel, S., Nachliel, E., Huppert, D., Gutman, M. 118:225
Multisubunit proteins
—, subunit assembly and functional maturation of Na,K-ATPase, Geering, K. 115:109
Muscarinic agonist
—, agonist-induced activation of Na^+/H^+ exchange in rat parotid acinar cells, Manganel, M., Turner, R.J. 111:191
Muscarinic receptors
—, evidence for two modes of Ca^{2+} entry following muscarinic stimulation of a human salivary epithelial cell line, He, X., Wu, X., Turner, R.J., Baum, B.J. 115:159
Muscimol
—, responses of Γ-aminobutyrate receptor from rat brain: similarity of different preparation methods; muscimol induced desensitization and chloride exchange, Cash, D.J., Subbarao, K. 111:229
Muscle membrane
—, nitrate and chloride ions have different permeation pathways in skeletal muscle fibers of *Rana pipiens*, Kotsias, B.A., Horowicz, P. 115:95
Mutants
—, a single amino acid substitution alters conductance and gating of OmpC porin of *Escherichia coli*, Delcour, A.H., Alder, J., Kung, C. 119:267
Mutations
—, calmodulin defects cause the loss of Ca^{2+}-dependent K^+ currents in two pantophobiac mutants of *Paramecium tetraurelia*, Preston, R.R., Wallen-Friedman, M.A., Saimi, Y., Kung, C. 115:51

—, interactions between mutants with defects in two Ca^{2+} dependent K^+ currents of *Paramecium tetraurelia*, Preston, R.R., Saimi, Y., Amberger, E., Kung, C. 115:61
—, major myelin proteolipid: the 4-α-helix topology, Popot, J.L., Dinh, D.P., Dautigny, A. 120:233
Myelin proteolipids
—, major myelin proteolipid: the 4-α-helix topology, Popot, J.L., Dinh, D.P., Dautigny, A. 120:233
Myelinated nerve fiber
—, temperature dependence of gating current in myelinated nerve fibers, Jonas, P. 112:277
Myxicola
—, direct inhibitory action of EGTA-Ca complex on reverse-mode Na/Ca exchange in *Myxicola* giant axons, Sjodin, R.A., Mahmoud, A.A., Montes, J.G. 114:225
N-acetylneuraminic acid (NANA)
—, sialic acid and the surface charge associated with hyperpolarization-activated, inward rectifying channels, Fermini, B., Nathan, R.D. 114:61
N-bromoacetamide
—, reconstituted voltage-sensitive sodium channels from eel electroplax: activation of permeability by quaternary lidocaine, N-bromoacetamide, and N-bromosuccinimide, Cooper, E.C., Agnew, W.S. 111:253
N-bromosuccinimide
—, reconstituted voltage-sensitive sodium channels from eel electroplax: activation of permeability by quaternary lidocaine, N-bromoacetamide, and N-bromosuccinimide, Cooper, E.C., Agnew, W.S. 111:253
N-ethylmaleimide (NEM)
—, characterization of inside-out oriented H^+-ATPases in cholate pretreated renal brush-border membrane vesicles, Simon, B.J., Burckhardt, G. 117:141
—, inactivation of the rabbit parotid Na/K/Cl contransporter by N-ethylmaleimide, George, J.N., Turner, R.J. 112:51
—, Na^+/Na^+ exchange and Na^+/H^+ antiport in rabbit erythrocytes: two distinct transport systems, Escobales, N., Figueroa, J. 120:41
—, thiol-dependent passive K : Cl transport in sheep red blood cells: IX. modulation by pH in the presence and absence of DIDS and the effect of NEM, Zade-Oppen, A.M.M., Lauf, P.K. 118:143
—, thiol-dependent passive K : Cl transport in sheep red blood cells: X. a hydroxylamine-oxidation induced K : Cl flux blocked by diethylpyrocarbonate, Lauf, P.K. 118:153
N-methyl-strychnine
—, chloramine-T alters the nerve membrane birefringence response, Landowne, D. 113:123
Na^+-dependent transport
—, calcium absorption by fish intestine: the involvement of ATP and sodium-dependent calcium extrusion mechanisms, Flik, G., Schoenmakers, T.J.M., Groot, J.A., van Os, C.H., Bonga, S.E.W. 113:13
—, transport of glutamine in *Xenopus laevis* oocytes: relationship with transport of other amino acids, Taylor, P.M., Hundal, H.S., Rennie, M.J. 112:149
Na/Ca exchange
—, direct inhibitory action of EGTA-Ca complex on reverse-mode Na/Ca exchange in *Myxicola* giant axons, Sjodin, R.A., Mahmoud, A.A., Montes, J.G. 114:225
—, electrogenic properties of the Na : Ca exchange, Lagnado, L., McNaughton, P.A. 113:177
Na^+/Ca^{2+} exchange
—, calcium absorption by fish intestine: the involvement of ATP and sodium-dependent calcium extrusion mechanisms, Flik, G., Schoenmakers, T.J.M., Groot, J.A., van Os, C.H., Bonga, S.E.W. 113:13
—, identification of the cardiac sarcolemmal Na^+-Ca^{2+} exchanger using monoclonal antibodies, Vemuri, R., Haberland, M.E., Fong, D., Philipson, K.D. 118:279
Na/Cl cotransport
—, contributions of secondary active transport processes to membrane potentials, Gordon, L.G.M., Macknight, A.D.C. 120:141
Na^+/Cl^- cotransport
—, vasopressin alters the mechanism of apical Cl^- entry from $Na^+ : Cl^-$ to $Na^+ : 2Cl^-$ cotransport in mouse medullary thick ascending limb, Sun, A., Grossman, E.B., Lombardi, M., Hebert, S.C. 120:83
Na^+/Cl^- symport
—, the nature of the neutral Na^+-Cl^- coupled entry at the apical membrane of rabbit gallbladder epithelium: III. analysis of transports on membrane vesicles, Meyer, G., Bottà, G., Rossetti, C., Gremaschi, D. 118:107
Na/H exchange
—, electrogenic 2 Na^+/1 H^+ exchange in crustaceans, Ahearn, G.A., Franco, P., Clay, L.P. 116:215
Na^+/H^+ antiport
—, Na^+/Na^+ exchange and Na^+/H^+ antiport in rabbit erythrocytes: two distinct transport systems, Escobales, N., Figueroa, J. 120:41
—, ontogeny of the Na^+-H^+ exchanger in rat ileal brush-border membrane vesicles, Kikuchi, K., Kikuchi, T., Ghishan, F.K. 114:257
Na^+/H^+ exchange
—, agonist-induced activation of Na^+/H^+ exchange in rat parotid acinar cells, Manganel, M., Turner, R.J. 111:191
—, cytoplasmic acidification and activation of Na^+/H^+ exchange during regulatory volume decrease in Ehrlich ascites tumor cells, Livne, A., Hoffmann, E.K. 114:153
—, interactions of external and internal H^+ and Na^+ with Na^+/Na^+ and Na^+/H^+ exchange of rabbit red cells: evidence for a common pathway, Morgan, K., Canessa, M. 118:193
—, Na^+/H^+ exchange is increased in sickle cell anemia and young normal red cells, Canessa, M., Fabry, M.E., Suzuka, S.M., Morgan, K., Nagel, R.L. 116:107
—, ontogeny of the Na^+-H^+ exchanger in rat ileal brush-border membrane vesicles, Kikuchi, K., Kikuchi, T., Ghishan, F.K. 114:257
—, the nature of the neutral Na^+-Cl^- coupled entry at the apical membrane of rabbit gallbladder epithelium: III. analysis of transports on membrane vesicles, Meyer, G., Bottá, G., Rossetti, C., Gremaschi, D. 118:107
—, time- and dose-dependent effects of protein kinase C on proximal bicarbonate transport, Wang, T., Chan, Y.L. 117:131
Na/K-ATPase
—, CCCP activation of the reconstituted NaK-pump, Yoda, A., Yoda, S. 117:153
—, electrogenic and electroneutral transport modes of renal Na/K ATPase reconstituted into proteoliposomes, Goldshleger, R., Shahak, Y., Karlish, S.J.D. 113:139
—, Na,K-ATPase and the development of Na^+ transport in rat distal colon, Pácha, J., Teisinger, J., Popp, M., Capek, K. 120:201
—, subunit assembly and functional maturation of Na,K-ATPase, Geering, K. 115:109
—, thyroid hormone regulation of Na,K-ATPase subunit-mRNA expression in neonatal rat myocardium, Melikian, J., Ismail-Beigi, F. 119:171

—, thyroidal enhancement of rat myocardial Na,K-ATPase: preferential expression of 2 activity and mRNA abundance, Gick, G.G., Melikian, J., Ismail-Beigi, F. 115:273
Na^+/K^+-ATPase
—, activation of protein kinase C by phorbol ester induces downregulation of the Na^+/K^+-ATPase in oocytes of *Xenopus laevis*, Vasilets, L.A., Schmalzing, G., Mädefessel, K., Haase, W., Schwarz, W. 118:131
—, calcium absorption by fish intestine: the involvement of ATP and sodium-dependent calcium extrusion mechanisms, Flik, G., Schoenmakers, T.J.M., Groot, J.A., van Os, C.H., Bonga, S.E.W. 113:13
—, immunohistochemical study of a rat membrane protein which induces a selective potassium permeation: its localization in the apical membrane portion of epithelial cells, Sugimoto, T., Tanabe, Y., Shigemoto, R., Iwai, M., Takumi, T., Ohkubo, H., Nakanishi, S. 113:39
—, interaction among anion, cation and glucose transport proteins in the human red cell, Janoshazi, A., Solomon, A.K. 112:25
—, interactions between anion exchange and other membrane proteins in rabbit kidney medullary collecting duct cells, Janoshazi, A., Seifter, J.L., Solomon, A.K. 112:39
—, mechanism of aldosterone-induced increase of K^+ conductance in early distal renal tubule cells of the frog, Wang, W., Henderson, R.M., Geibel, J., White, S., Giebisch, G. 111:277
—, sulfhydryl-reactive heavy metals increase cell membrane K^+ and Ca^{2+} transport in renal proximal tubule, Kone, B.C., Brenner, R.M., Gullans, S.R. 113:1
Na/K pump
—, branched reaction mechanism for the Na/K pump as an alternative explanation for a nonmonotonic current *vs.* membrane potential response, Milanick, M.A. 119:33
—, CCCP activation of the reconstituted NaK-pump, Yoda, A., Yoda, S. 117:153
—, electrogenic and electroneutral transport modes of renal Na/K ATPase reconstituted into proteoliposomes, Goldshleger, R., Shahak, Y., Karlish, S.J.D. 113:139
—, Na,K-ATPase and the development of Na^+ transport in rat distal colon, Pácha, J., Teisinger, J., Popp, M., Capek, K. 120:201
Na^+/K^+ pump
—, activation of protein kinase C by phorbol ester induces downregulation of the Na^+/K^+-ATPase in oocytes of *Xenopus laevis*, Vasilets, L.A., Schmalzing, G., Mädefessel, K., Haase, W., Schwarz, W. 118:131
—, intracellular potassium activity and the role of potassium in transepithelial salt transport in the human reabsorptive sweat duct, Reddy, M.M., Quinton, P.M. 119:199
Na^+/K^+ symport
—, transport of potassium in *Chara australis:* II. kinetics of a symport with sodium, McCulloch, S.R., Beilby, M.J., Walker, N.A. 115:129
Na/K/Cl cotransport
—, inactivation of the rabbit parotid Na/K/Cl contransporter by N-ethylmaleimide, George, J.N., Turner, R.J. 112:51
—, role of phospholipids in the binding of bumetanide to the rabbit parotid Na/K/Cl cotransporter, Corcelli, A., Turner, R.J. 120:125
—, solubilization and partial purification of the rabbit parotid Na/K/Cl^-dependent bumetanide binding site, Turner, R.J., George, J.N. 113:203
$Na^+/K^+/Cl^-$ cotransport
—, vasopressin alters the mechanism of apical Cl^- entry from $Na^+:Cl^-$ to $Na^+:2Cl^-$ cotransport in mouse medullary thick ascending limb, Sun, A., Grossman, E.B., Lombardi, M., Hebert, S.C. 120:83
Na/K/Cl transport
—, chloride conductive and cotransport mechanisms in cultures of canine tracheal epithelial cells measured by an entrapped fluorescent indicator, Chao, A.C., Widdicombe, J.H., Verkman, A.S. 113:193
Na/Na exchange
—, electrogenic and electroneutral transport modes of renal Na/K ATPase reconstituted into proteoliposomes, Goldshleger, R., Shahak, Y., Karlish, S.J.D. 113:139
Na^+/Na^+ exchange
—, interactions of external and internal H^+ and Na^+ with Na^+/Na^+ and Na^+/H^+ exchange of rabbit red cells: evidence for a common pathway, Morgan, K., Canessa, M. 118:193
—, Na^+/Na^+ exchange and Na^+/H^+ antiport in rabbit erythrocytes: two distinct transport systems, Escobales, N., Figueroa, J. 120:41
Na^+/proline symport
—, mechanism of Na^+/proline symport in *Escherichia coli:* reappraisal of the effect of cation binding to the Na^+/proline-symport carrier, Yamato, I., Anraku, Y. 114:143
Nasal epithelium
—, outward-rectifying chloride channels in cultured adult and fetal human nasal epithelial cells, Jorissen, M., Vereecke, J., Carmeliet, E., Van den Berghe, H., Cassiman, J.-J. 117:123
Nerst equation
—, sodium channels contribute to action potential generation in canine and human pancreatic islet B cells, Pressel, D.M., Misler, S. 116:273
Nerve growth factor
—, characterization of sodium currents in mammalian sensory neurons cultured in serum-free defined medium with and without nerve growth factor, Omri, G., Meiri, H. 115:13
Nerve impulse
—, chloramine-T alters the nerve membrane birefringence response, Landowne, D. 113:123
Neural membranes
—, membrane bilayer assembly in neural tissue of rat and squid as a critical phenomenon: influence of temperature and membrane proteins, Ginsberg, L., Gilbert, D.L., Gershfeld, N.L. 119:65
Neuraminidase
—, sialic acid and the surface charge associated with hyperpolarization-activated, inward rectifying channels, Fermini, B., Nathan, R.D. 114:61
Neuroblastoma cells
—, novel type of ion channel activated by Pb^{2+}, Cd^{2+}, and Al^{3+} in cultured mouse neuroblastoma cells, Oortgiesen, M., van Kleef, R.G.D.M., Vijverberg, H.P.M. 113:261
Nickel ions
—, developmental changes in the calcium currents in embryonic chick ventricular myocytes, Kawano, S., DeHaan, R.L. 120:17
Nicotinic acetylcholine receptors
—, effects of pH on acetylcholine receptor function, Palma, A., Li, L., Chen, X., Pappone, P., NcNamee, M. 120:67
Nifedipine
—, cytosolic calcium regulates a potassium current in corn

(*Zea mays*) protoplasts, Ketchum, K.A., Poole, R.J. 119:277
—, developmental changes in the calcium currents in embryonic chick ventricular myocytes, Kawano, S., DeHaan, R.L. 120:17
Nigericin
—, effect of cytoplasmic acidification on the membrane potential of T-lymphocytes: role of trace metals, Mason, M.J., Grinstein, S. 116:139
Nimopidine
—, multiple conductance levels of the dihydropyridine-sensitive calcium channel in GH_3 cells, Kunze, D.L., Ritchie, A.K. 118:171
Nitella flexilis
—, inversion of extracellular current and axial voltage profile in *Chara* and *Nitella*, Fisahn, J., Lucas, W.J. 113:23
Nitellopsis obtusa
—, nature of the water channels in the internodal cells of *Nitellopsis*, Wayne, R., Tazawa, M. 116:31
Nitrate ion currents
—, nitrate and chloride ions have different permeation pathways in skeletal muscle fibers of *Rana pipiens*, Kotsias, B.A., Horowicz, P. 115:95
Nitrendipine
—, cytosolic calcium regulates a potassium current in corn (*Zea mays*) protoplasts, Ketchum, K.A., Poole, R.J. 119:277
Nitrobenzylthioinosine (NBMPR)
—, adenosine transport and nitrobenzylthioinosine binding in human placental membrane vesicles from brush-border and basal sides of the trophoblast, Barros, L.F., Bustamante, J.C., Yudilevich, D.L., Jarvis, S.M. 119:151
NMR
—, inhibition of chloride binding to the anion transport site by diethylpyrocarbonate modification of band 3, Hamasaki, N., Izuhara, K., Okubo, K., Kanazawa, Y., Omachi, A., Kleps, R.A. 116:87
NO_3^- conductance
—, membrane potential, anion and cation conductances in Ehrlich ascites tumor cells, Lambert, I.H., Hoffmann, E.K., Jørgensen, F. 111:113
Nonmonotonic current
—, branched reaction mechanism for the Na/K pump as an alternative explanation for a nonmonotonic current *vs.* membrane potential response, Milanick, M.A. 119:33
Nonselective anion channels
—, patch-clamp profile of ion channels in resting murine B lymphocytes, McCann, F.V., McCarthy, D.C., Noelle, R.J. 114:175
Nonselective cation channels
—, characterization of a 25-pS nonselective cation channel in a cultured secretory epithelial cell line, Cook, D.I., Poronnik, P., Young, J.A. 114:37
—, nonselective cation channel activated by patch excision from lobster olfactory receptor neurons, McClintock, T.S., Ache, B.W. 113:115
Nonyltriethylammonium
—, nature of the water channels in the internodal cells of *Nitellopsis*, Wayne, R., Tazawa, M. 116:31
Noxiustoxin
—, bradykinin-induced potassium current in cultured bovine aortic endothelial cells, Colden-Stanfield, M., Schilling, W.P., Possani, L.D., Kunze, D.L. 116:227
Nucleoside transport
—, adenosine transport and nitrobenzylthioinosine binding in human placental membrane vesicles from brush-border and basal sides of the trophoblast, Barros, L.F., Bustamante, J.C., Yudilevich, D.L., Jarvis, S.M. 119:151
Nystatin
—, Na,K-ATPase and the development of Na^+ transport in rat distal colon, Pácha, J., Teisinger, J., Popp, M., Capek, K. 120:201
Octadecyl
—, fusion of liposomes and rat brain microsomes examined by two assays, Corazzi, L., Fratto, G., Pistolesi, R., Arienti, G. 112:123
Octanol
—, large-conductance ion channel measured by whole-cell voltage clamp in single cardiac cells: modulation by β-adrenergic stimulation and inhibition by octanol, Pott, L., Mechmann, S. 117:189
Odorants
—, transmembrane currents in frog olfactory cilia, Kleene, S.J., Gesteland, R.C. 120:75
Olfaction
—, nonselective cation channel activated by patch excision from lobster olfactory receptor neurons, McClintock, T.S., Ache, B.W. 113:115
Olfactory neurons
—, stimulation of olfactory receptors alters regulation of $[Ca_i]$ in olfactory neurons of the catfish (*Ictalurus punctatus*), Restrepo, D., Boyle A.G. 120:223
Olfactory receptor cells
—, stimulation of olfactory receptors alters regulation of $[Ca_i]$ in olfactory neurons of the catfish (*Ictalurus punctatus*), Restrepo, D., Boyle A.G. 120:223
—, transmembrane currents in frog olfactory cilia, Kleene, S.J., Gesteland, R.C. 120:75
Oligomerization
—, subunit assembly and functional maturation of Na,K-ATPase, Geering, K. 115:109
Oligosaccharides
—, altered patterns of *N*-linked glycosylation of the *Torpedo* aceytylcholine receptor expressed in *Xenopus* oocytes, Buller, A.L., White, M.M. 115:179
Omeprazole
—, demonstration of the electrogenicity of proton translocation during the phosphorylation step in gastric H^+K^+-ATPase, vander Hijden, H.T.W.M., Grell, E., de Pont, J.J.H.H.M., Bamberg, E. 114:245
—, effect of potassium on cell volume regulation in renal straight proximal tubules, Völkl, H., Lang, F. 117:113
Oocyte expression system
—, effects of pH on acetylcholine receptor function, Palma, A., Li, L., Chen, X., Pappone, P., NcNamee, M. 120:67
Oocytes
—, activation of protein kinase C by phorbol ester induces downregulation of the Na^+/K^+-ATPase in oocytes of *Xenopus laevis*, Vasilets, L.A., Schmalzing, G., Mädefessel, K., Haase, W., Schwarz, W. 118:131
—, altered patterns of *N*-linked glycosylation of the *Torpedo* aceytylcholine receptor expressed in *Xenopus* oocytes, Buller, A.L., White, M.M. 115:179
—, endogenous D-glucose transport in oocytes of *Xenopus laevis*, Weber, W.-M., Schwarz, W., Passow, H. 111:93
—, macroscopic and single-channel studies of two Ca^{2+} chan-

nel types in oocytes of the ascidian *Ciona intestinalis*, Bosma, M.M., Moody, W.J. 114:231
—, transport of glutamine in *Xenopus laevis* oocytes: relationship with transport of other amino acids, Taylor, P.M., Hundal, H.S., Rennie, M.J. 112:149
—, use of *Xenopus* oocytes for the functional expression of plasma membrane proteins, Sigel, E. 117:201
—, water transport and estimated transmembrane potential during freezing of mouse oocytes, Toner, M., Cravalho, E.G., Armant, D.R. 115:261
Open channels
—, activation by Ca^{2+} and block by divalent ions of the K^+ channel in the membrane of cytoplasmic drops from *Chara australis*, Laver, D.R., Walker, N.A. 120:131
—, Ca^{2+}-activated K^+ channel from human erythrocyte membranes: single channel rectification and selectivity, Christophersen, P. 119:75
—, channels as enzymes, Eisenberg, R.S. 115:1
—, specificity of tetraethylammonium and quinine for three K channels in insulin-secreting cells, Fatherazi, S., Cook, D.L. 120:105
Open probability
—, a single amino acid substitution alters conductance and gating of OmpC porin of *Escherichia coli*, Delcour, A.H., Alder, J., Kung, C. 119:267
—, Cl^- channels in basolateral renal medullary membranes: III. determinants of single-channel activity, Winters, C.J., Reeves, W.B., Andreoli, T.E. 118:269
—, Na^+ channel blockade by cyclic AMP and other 6-aminopurines in neonatal rat heart, Herzig, J.W., Kohlhardt, M. 119:163
—, oscillating activity of a calcium-activated K^+ channel in normal and cancerous mammary cells in culture, Enomoto, K.I., Furuya, K., Maeno, T., Edwards, C., Oka, T. 119:133
—, potassium channel in rabbit corneal endothelium activated by external anions, Rae, J.L., Dewey, J., Cooper, K., Gates, P. 114:29
—, regulation of maxi-K^+ channels on pancreatic duct cells by cyclic AMP-dependent phosphorylation, Gray, M.A., Greenwell, J.R., Garton, A.J., Argent, B.E. 115:203
—, specificity of tetraethylammonium and quinine for three K channels in insulin-secreting cells, Fatherazi, S., Cook, D.L. 120:105
—, sulmazole (AR-L 115BS) activates the sheep cardiac muscle sarcoplasmic reticulum calcium-release channel in the presence and absence of calcium, Williams, A.J., Holmberg, S.R.M. 115:167
Open time
—, effects of pH on acetylcholine receptor function, Palma, A., Li, L., Chen, X., Pappone, P., NcNamee, M. 120:67
—, multiple conductance levels of the dihydropyridine-sensitive calcium channel in GH_3 cells, Kunze, D.L., Ritchie, A.K. 118:171
Opossum kidney
—, pH*i*-dependent membrane conductance of proximal tubule cells in culture (OK): differential effects on K^+- and Na^+-conductive channels, Schwegler, J.S., Steigner, W., Heuner, A., Silbernagl, S. 117:243
—, studies on the kinetics of Na^+/H^+ exchange in OK cells: introduction of a new device for the analysis of polarized transport in cultured epithelia, Krayer-Pawlowska, D., Helmle-Kolb, C., Montrose, M.H., Krapf, R., Murer, H. 120:173
Opsin shift
—, synthetic retinals as probes for the binding site and photoreactions in rhodopsins, Ottolenghi, M., Sheves, M. 112:193
Organic cation permeation
—, characterization of a 25-pS nonselective cation channel in a cultured secretory epithelial cell line, Cook, D.I., Poronnik, P., Young, J.A. 114:37
Organic osmolytes
—, role of organic osmolytes in adaptation of renal cells to high osmolality, Garcia-Perez, A., Burg, M.B. 119:1
Osmoregulation
—, role of organic osmolytes in adaptation of renal cells to high osmolality, Garcia-Perez, A., Burg, M.B. 119:1
Osmosis
—, nature of the water channels in the internodal cells of *Nitellopsis*, Wayne, R., Tazawa, M. 116:31
Osmotic cell swelling
—, K-Cl cotransport in LK sheep erythrocytes: kinetics of stimulation by cell swelling, Bergh, C., Kelley, S.J., Dunham, P.B. 117:177
Osmotic water permeability
—, ESR measurement of time-dependent and equilibrium volumes in red cells, Moronne, M.M., Mehlhorn, R.J., Miller, M.P., Ackerson, L.C., Macey, R.I. 115:31
Osteoblasts
—, high-affinity sodium-dependent uptake of ascorbic acid by rat osteoblasts, Wilson, J.X., Dixon, S.J. 111:83
Ouabain
—, effect of potassium on cell volume regulation in renal straight proximal tubules, Völkl, H., Lang, F. 117:113
—, interaction among anion, cation and glucose transport proteins in the human red cell, Janoshazi, A., Solomon, A.K. 112:25
—, interactions between anion exchange and other membrane proteins in rabbit kidney medullary collecting duct cells, Janoshazi, A., Seifter, J.L., Solomon, A.K. 112:39
—, intracellular potassium activity and the role of potassium in transepithelial salt transport in the human reabsorptive sweat duct, Reddy, M.M., Quinton, P.M. 119:199
—, vasopressin alters the mechanism of apical Cl^- entry from $Na^+:Cl^-$ to $Na^+:2Cl^-$ cotransport in mouse medullary thick ascending limb, Sun, A., Grossman, E.B., Lombardi, M., Hebert, S.C. 120:83
Ouabain binding
—, activation of protein kinase C by phorbol ester induces downregulation of the Na^+/K^+-ATPase in oocytes of *Xenopus laevis*, Vasilets, L.A., Schmalzing, G., Mädefessel, K., Haase, W., Schwarz, W. 118:131
—, hypo-osmotic stimulation of active Na^+ transport in frog muscle: apparent upregulation of Na^+ pumps, Venosa, R.A. 120:97
—, Na,K-ATPase and the development of Na^+ transport in rat distal colon, Pácha, J., Teisinger, J., Popp, M., Capek, K. 120:201
—, thyroidal enhancement of rat myocardial Na,K-ATPase: preferential expression of 2 activity and mRNA abundance, Gick, G.G., Melikian, J., Ismail-Beigi, F. 115:273
Ouabain-resistant K^+ flux
—, thiol-dependent passive K : Cl transport in sheep red blood cells: IX. modulation by pH in the presence and absence of DIDS and the effect of NEM, Zade-Oppen, A.M.M., Lauf, P.K. 118:143
Outer medullary membrane
—, Cl^- channels in basolateral renal medullary membranes:

III. determinants of single-channel activity, Winters, C.J., Reeves, W.B., Andreoli, T.E. 118:269
Outer membrane
—, a single amino acid substitution alters conductance and gating of OmpC porin of *Escherichia coli*, Delcour, A.H., Alder, J., Kung, C. 119:267
—, pore formation by complement in the outer membrane of gram negative bacteria studied with asymmetric planar lipopolysaccharide/phospholipid bilayers, Schröder, G., Brandenburg, K., Brade, L., Seydel, U. 118:161
—, voltage gating in the mitochondrial channel, VDAC, Colombini, M. 111:103
—, voltage-sensitive ion channel of *Escherichia coli*, Delcour, A.H., Martinac, B., Adler, J., Kung, C. 112:267
Outward currents
—, whole-cell currents in macrophages: I. human monocyte-derived macrophages, Nelson, D.J., Jow, B., Jow, F. 117:29
—, whole-cell currents in macrophages: II. alveolar macrophages, Nelson, D.J., Jow, B., Popovich, K.J. 117:45
Outward rectifiers
—, bicarbonate permeability of the outwardly rectifying anion channel, Tabcharani, J.A., Jensen, T.J., Riordan, J.R., Hanrahan, J.W. 112:109
Outward-rectifying channels
—, inhibition of an outwardly rectifying anion channel by HEPES and related buffers, Hanrahan, J.W., Tabcharani, J.A. 116:65
—, outward-rectifying chloride channels in cultured adult and fetal human nasal epithelial cells, Jorissen, M., Vereecke, J., Carmeliet, E., Van den Berghe, H., Cassiman, J.-J. 117:123
Outward-rectifying currents
—, electrophysiology of cultured human lens epithelial cells, Cooper, K., Gates, P., Rae, J.L., Dewey, J. 117:285
Oxidation
—, thiol-dependent passive K : Cl transport in sheep red blood cells: X. a hydroxylamine-oxidation induced K : Cl flux blocked by diethylpyrocarbonate, Lauf, P.K. 118:153
Oxotremorine-M
—, evidence for two modes of Ca^{2+} entry following muscarinic stimulation of a human salivary epithelial cell line, He, X., Wu, X., Turner, R.J., Baum, B.J. 115:159
Oxygen consumption
—, sulfhydryl-reactive heavy metals increase cell membrane K^+ and Ca^{2+} transport in renal proximal tubule, Kone, B.C., Brenner, R.M., Gullans, S.R. 113:1
—, vasopressin alters the mechanism of apical Cl^- entry from $Na^+ : Cl^-$ to $Na^+ : 2Cl^-$ cotransport in mouse medullary thick ascending limb, Sun, A., Grossman, E.B., Lombardi, M., Hebert, S.C. 120:83
Oxytocin
—, effects of PCMBS on the water and small solute permeabilities in frog urinary bladder, Ibarra, C., Ripoche, P., Parisi, M., Bourguet, J. 116:57
p-chloromercuribenzene sulfonate (*p*CMBS)
—, effects of PCMBS on the water and small solute permeabilities in frog urinary bladder, Ibarra, C., Ripoche, P., Parisi, M., Bourguet, J. 116:57
—, nature of the water channels in the internodal cells of *Nitellopsis*, Wayne, R., Tazawa, M. 116:31
p-chloromercuribenzoic acid (*p*CMB)
—, activation of Cl^-/OH^- exchange by parachloromercuribenzoic acid in rabbit renal brush-border membranes, Karniski, L.P. 112:59
—, evidence for permanent water channels in the basolateral membrane of an ADH-sensitive epithelium, Van Der Goot, F., Corman, B., Ripoche, P. 120:59
P-type pump
—, recent advances in the molecular characterization of plasma membrane Ca^{2+} pumps, Strehler, E.E. 120:1
Palmitoylcarnitine
—, nonmediated flip-flop of phospholipid analogues in the erythrocyte membrane as probed by palmitoylcarnitine: basic properties and influence of membrane modification, Classen, J., Deuticke, B., Haest, C.W.M. 111:169
Pancreatic acinar cells
—, interaction of caffeine-, IP_3- and vanadate-sensitive Ca^{2+} pools in acinar cells of the exocrine pancreas, Dehlinger-Kremer, M., Zeuzem, S., Schulz, I. 119:85
Pancreatic B-cells
—, inactivation kinetics and pharmacology distinguish two calcium currents in mouse pancreatic B-cells, Hopkins, W.F., Satin, L.S., Cook, D.L. 119:229
Pancreatic β-cells
—, charybdotoxin-sensitive $K_{i(Ca)}$ channel is not involved in glucose-induced electrical activity in pancreatic β-cells, Kukuljan, M., Goncalves, A.A., Atwater, I. 119:187
Pancreatic duct cells
—, regulation of maxi-K^+ channels on pancreatic duct cells by cyclic AMP-dependent phosphorylation, Gray, M.A., Greenwell, J.R., Garton, A.J., Argent, B.E. 115:203
Pancreatic islet cells
—, expression of a rapid, low-voltage threshold K current in insulin-secreting cells is dependent on intracellular calcium buffering, Satin, L.S., Hopkins, W.F., Fatherazi, S., Cook D.L. 112:213
—, sodium channels contribute to action potential generation in canine and human pancreatic islet B cells, Pressel, D.M., Misler, S. 116:273
—, specificity of tetraethylammonium and quinine for three K channels in insulin-secreting cells, Fatherazi, S., Cook, D.L. 120:105
Pantophobiacs
—, calmodulin defects cause the loss of Ca^{2+}-dependent K^+ currents in two pantophobiac mutants of *Paramecium tetraurelia*, Preston, R.R., Wallen-Friedman, M.A., Saimi, Y., Kung, C. 115:51
—, interactions between mutants with defects in two Ca^{2+} dependent K^+ currents of *Paramecium tetraurelia*, Preston, R.R., Saimi, Y., Amberger, E., Kung, C. 115:61
Papain
—, stimulation of olfactory receptors alters regulation of $[Ca_i]$ in olfactory neurons of the catfish (*Ictalurus punctatus*), Restrepo, D., Boyle A.G. 120:223
Paramecium
—, calcium-dependent potassium channel in *Paramecium* studied under patch clamp, Saimi, Y., Martinac, B. 112:79
—, proteolytic activation of a hyperpolarization- and calcium-dependent potassium channel in *Paramecium*, Kubalski, A., Martinac, B., Saimi, Y. 112:91
—, studies of the cyclic adenosine monophosphate chemoreceptor of *Paramecium*, Van Houten, J.L., Cote, B.L., Zhang, J., Baez, J., Gagnon, M.L. 119:15
Paramecium tetraurelia
—, calmodulin defects cause the loss of Ca^{2+}-dependent K^+ currents in two pantophobiac mutants of *Paramecium tetraurelia*, Preston, R.R., Wallen-Friedman, M.A., Saimi, Y., Kung, C. 115:51

—, evidence for two K^+ currents activated upon hyperpolarization of *Paramecium tetraurelia*, Preston, R.R., Saimi, Y., Kung, C. 115:41
—, interactions between mutants with defects in two Ca^{2+} dependent K^+ currents of *Paramecium tetraurelia*, Preston, R.R., Saimi, Y., Amberger, E., Kung, C. 115:61
Parotid gland
—, inactivation of the rabbit parotid Na/K/Cl contransporter by N-ethylmaleimide, George, J.N., Turner, R.J. 112:51
—, role of phospholipids in the binding of bumetanide to the rabbit parotid Na/K/Cl cotransporter, Corcelli, A., Turner, R.J. 120:125
—, solubilization and partial purification of the rabbit parotid Na/K/Cl^- dependent bumetanide binding site, Turner, R.J., George, J.N. 113:203
Patch clamp
—, a single amino acid substitution alters conductance and gating of OmpC porin of *Escherichia coli*, Delcour, A.H., Alder, J., Kung, C. 119:267
—, activation by Ca^{2+} and block by divalent ions of the K^+ channel in the membrane of cytoplasmic drops from *Chara australis*, Laver, D.R., Walker, N.A. 120:131
—, Ca^{2+}-activated K^+ channel from human erythrocyte membranes: single channel rectification and selectivity, Christophersen, P. 119:75
—, calcium-dependent potassium channel in *Paramecium* studied under patch clamp, Saimi, Y., Martinac, B. 112:79
—, cAMP-activated chloride channel in the basolateral membrane of the thick ascending limb of the mouse kidney, Paulais, M., Teulon, J. 113:253
—, characterization of sodium currents in mammalian sensory neurons cultured in serum-free defined medium with and without nerve growth factor, Omri, G., Meiri, H. 115:13
—, charybdotoxin-sensitive $K_{(Ca)}$ channel is not involved in glucose-induced electrical activity in pancreatic β-cells, Kukuljan, M., Goncalves, A.A., Atwater, I. 119:187
—, chloride and potassium channels in U937 human monocytes, Kanno, T., Takishima, T. 116:149
—, chloride channels in human platelets: evidence for activation by internal calcium, Mahaut-Smith, M.P. 118:69
—, comparative study of the effects of cromakalim (BRL 34915) and diazoxide on membrane potential, $[Ca^{2+}]_i$ and ATP-sensitive potassium currents in insulin-secreting cells, Dunne, M.J., Yule, D.I., Gallacher, D.V., Petersen, O.H. 114:53
—, coupling of K^+-gating and permeation with Ca^{2+} block in the Ca^{2+}-activated K^+ channel in *Chara australis*, Laver, D.R. 118:55
—, cytosolic calcium regulates a potassium current in corn (*Zea mays*) protoplasts, Ketchum, K.A., Poole, R.J. 119:277
—, developmental changes in regulation of embryonic chick heart gap junctions, Veenstra, R.D. 119:253
—, effect of adherence, cell morphology, and lipopolysaccharide on potassium conductance and passive membrane properties of murine macrophage J774.1 cells, McKinney, L.C., Gallin, E.K. 116:47
—, effects of pH on acetylcholine receptor function, Palma, A., Li, L., Chen, X., Pappone, P., NcNamee, M. 120:67
—, electrophysiology of cultured human lens epithelial cells, Cooper, K., Gates, P., Rae, J.L., Dewey, J. 117:285
—, identification of electrophysiologically distinct subpopulations of rat taste cells, Akabas, M., Dodd, J., Al-Awqati, Q. 114:71
—, inhibition of an outwardly rectifying anion channel by HEPES and related buffers, Hanrahan, J.W., Tabcharani, J.A. 116:65
—, inhibition of voltage-dependent Na^+ current in cell-fusion hybrids containing activated c-Ha-*ras*, Estacion, M. 113:169
—, large-conductance ion channel measured by whole-cell voltage clamp in single cardiac cells: modulation by β-adrenergic stimulation and inhibition by octanol, Pott, L., Mechmann, S. 117:189
—, macroscopic and single-channel studies of two Ca^{2+} channel types in oocytes of the ascidian *Ciona intestinalis*, Bosma, M.M., Moody, W.J. 114:231
—, mechanism of aldosterone-induced increase of K^+ conductance in early distal renal tubule cells of the frog, Wang, W., Henderson, R.M., Geibel, J., White, S., Giebisch, G. 111:277
—, mechanosensitive ion channels, Morris, C.E. 113:93
—, modulation of membrane K^+ conductance in T-lymphocytes by substance P via a GTP-binding protein, Schumann, M.A., Gardner, P. 111:133
—, patch-clamp profile of ion channels in resting murine B lymphocytes, McCann, F.V., McCarthy, D.C., Noelle, R.J. 114:175
—, pH_i-dependent membrane conductance of proximal tubule cells in culture (OK): differential effects on K^+- and Na^+-conductive channels, Schwegler, J.S., Steigner, W., Heuner, A., Silbernagl, S. 117:243
—, potassium channel in rabbit corneal endothelium activated by external anions, Rae, J.L., Dewey, J., Cooper, K., Gates, P. 114:29
—, proteolytic activation of a hyperpolarization- and calcium-dependent potassium channel in *Paramecium*, Kubalski, A., Martinac, B., Saimi, Y. 112:91
—, regulation of maxi-K^+ channels on pancreatic duct cells by cyclic AMP-dependent phosphorylation, Gray, M.A., Greenwell, J.R., Garton, A.J., Argent, B.E. 115:203
—, sialic acid and the surface charge associated with hyperpolarization-activated, inward rectifying channels, Fermini, B., Nathan, R.D. 114:61
—, stimulant-evoked depolarization and increase in $[Ca^{2+}]_i$ in insulin-secreting cells is dependent on external Na^+, Dunne, M.J., Yule, D.I., Gallacher, D.V., Petersen, O.H. 113:131
—, structural and developmental differences between three types of Na channels in dorsal root ganglion cells of newborn rats, Schwartz, A., Palti, Y., Meiri, H. 116:117
—, voltage-sensitive ion channel of *Escherichia coli*, Delcour, A.H., Martinac, B., Adler, J., Kung, C. 112:267
—, zinc inhibition of chloride efflux from skeletal muscle of *Rana pipiens* and its modification by external pH and chloride activity, Spalding, B.C., Taber, P., Swift, J.G., Horowicz, P. 116:195
Pelizaeus-Merzbacher disease
—, major myelin proteolipid: the 4-α-helix topology, Popot, J.L., Dinh, D.P., Dautigny, A. 120:233
Peptides
—, blockade of a mitochondrial cationic channel by an addressing peptide: an electrophysiological study, Henry, J.-P., Chich, J.-F., Goldschmidt, D., Thieffry, M. 112:139
—, the signal peptide, von Heijne, G. 115:195
Perforated patch
—, sodium channels contribute to action potential generation in canine and human pancreatic islet B cells, Pressel, D.M., Misler, S. 116:273

Perfusion technique
—, studies on the kinetics of Na^+/H^+ exchange in OK cells: introduction of a new device for the analysis of polarized transport in cultured epithelia, Krayer-Pawlowska, D., Helmle-Kolb, C., Montrose, M.H., Krapf, R., Murer, H. 120:173
Permeability
—, application of membrane potential equations to tight epithelia, Gordon, L.G.M., Macknight, A.D.C. 120:155
—, barium- and calcium-permeable channels open at negative membrane potentials in rat ventricular myocytes, Coulombe, A., Lefévre, I.A., Baro, I., Coraboeuf, E. 111:57
—, contributions of secondary active transport processes to membrane potentials, Gordon, L.G.M., Macknight, A.D.C. 120:141
—, further evidence for the regulation of the tight junction ion selectivity by cAMP in goldfish intestinal mucosa, Bakker, R., Groot, J.A. 111:25
—, nitrate and chloride ions have different permeation pathways in skeletal muscle fibers of *Rana pipiens*, Kotsias, B.A., Horowicz, P. 115:95
—, reconstituted voltage-sensitive sodium channels from eel electroplax: activation of permeability by quaternary lidocaine, N-bromoacetamide, and N-bromosuccinimide, Cooper, E.C., Agnew, W.S. 111:253
—, water transport and estimated transmembrane potential during freezing of mouse oocytes, Toner, M., Cravalho, E.G., Armant, D.R. 115:261
pH
—, effects of caffeine and ryanodine on low pH_i-induced changes in gap junction conductance and calcium concentration in crayfish septate axons, Peracchia, C. 117:79
—, fusion of cultured dog kidney (MDCK) cells: II. relationship between cell pH and K^+ conductance in response to aldosterone, Oberleithner, H., Kersting, U., Silbernagl, S., Steigner, W., Vogel, U. 111:49
—, pH modulation of the kinetics of rabbit jejunal, brush border folate transport, Schron, C.M. 120:192
pH buffer
—, inhibition of an outwardly rectifying anion channel by HEPES and related buffers, Hanrahan, J.W., Tabcharani, J.A. 116:65
pH dependence
—, effects of pH on acetylcholine receptor function, Palma, A., Li, L., Chen, X., Pappone, P., NcNamee, M. 120:67
—, enhancement of glucose transport in Clone 9 cells by exposure to alkaline pH: studies on potential mechanisms, Hakimian, J., Ismail-Beigi, F. 120:29
—, inhibition of chloride binding to the anion transport site by diethylpyrocarbonate modification of band 3, Hamasaki, N., Izuhara, K., Okubo, K., Kanazawa, Y., Omachi, A., Kleps, R.A. 116:87
—, inversion of extracellular current and axial voltage profile in *Chara* and *Nitella*, Fisahn, J., Lucas, W.J. 113:23
—, lowering extracellular sodium or pH raises intracellular calcium in gastric cells, Negulescu, P.A., Machen, T.E. 116:239
—, nitrate and chloride ions have different permeation pathways in skeletal muscle fibers of *Rana pipiens*, Kotsias, B.A., Horowicz, P. 115:95
—, pH_i-dependent membrane conductance of proximal tubule cells in culture (OK): differential effects on K^+- and Na^+-conductive channels, Schwegler, J.S., Steigner, W., Heuner, A., Silbernagl, S. 117:243
—, the nature of the neutral Na^+-Cl^- coupled entry at the apical membrane of rabbit gallbladder epithelium: III. analysis of transports on membrane vesicles, Meyer, G., Bottá, G., Rossetti, C., Gremaschi, D. 118:107
—, zinc inhibition of chloride efflux from skeletal muscle of *Rana pipiens* and its modification by external pH and chloride activity, Spalding, B.C., Taber, P., Swift, J.G., Horowicz, P. 116:195
pH gradient
—, Ca^{2+} pump and Ca^{2+}/H^+ antiporter in plasma membrane vesicles isolated by aqueous two-phase partitioning from corn leaves, Kasai, M., Muto, S. 114:133
—, ontogeny of the Na^+-H^+ exchanger in rat ileal brush-border membrane vesicles, Kikuchi, K., Kikuchi, T., Ghishan, F.K. 114:257
pH regulation
—, agonist-induced activation of Na^+/H^+ exchange in rat parotid acinar cells, Manganel, M., Turner, R.J. 111:191
—, cytoplasmic acidification and activation of Na^+/H^+ exchange during regulatory volume decrease in Ehrlich ascites tumor cells, Livne, A., Hoffmann, E.K. 114:153
—, evidence for involvement of protein kinase C in regulation of intracellular pH by Cl^-/HCO3- antiport, Ludt, J., Tønnessen, T.I., Sandvig, K., Olsnes, S. 119:179
pH-sensitive microelectrodes
—, increase in gap junction resistance with acidification in crayfish septate axons is closely related to changes in intracellular calcium but not hydrogen ion concentration, Peracchia, C. 113:75
pH stat
—, pH-stat experiments in proximal renal tubules, Malnic, G., Lopes, A.G., Cassola, A.C., Berardi, A.L., Aires, M.M., Giebisch, G. 118:121
Phenylalkylamine
—, cytosolic calcium regulates a potassium current in corn (*Zea mays*) protoplasts, Ketchum, K.A., Poole, R.J. 119:277
Phenylglyoxal (PGO)
—, Cl^- channels in basolateral renal medullary membranes: III. determinants of single-channel activity, Winters, C.J., Reeves, W.B., Andreoli, T.E. 118:269
Phloretin
—, salicylates and proton transport through lipid bilayer membranes: a model for salicylate-induced uncoupling and swelling in mitochondria, Gutknecht, J. 115:253
—, urea transport in freshly isolated and cultured cells from rat inner medullary collecting duct, Zhang, R., Verkman, A.S. 117:253
Phlorhizin
—, inhibition of the phosphate self-exchange flux in human erythrocytes and erythrocyte ghosts, Stadler, F., Schnell, K.F. 118:19
Phlorizin
—, endogenous D-glucose transport in oocytes of *Xenopus laevis*, Weber, W.-M., Schwarz, W., Passow, H. 111:93
Phlorizin binding
—, membrane potentials and the mechanism of intestinal Na^+ dependent sugar transport, Kimmich, G.A. 114:1
—, two substrate sites in the renal Na^+-D-glucose cotransporter studied by model analysis of phlorizin binding and D-glucose transport measurements, Koepsell, H., Fritzsch, G., Korn, K., Madrala, A. 114:113
Phorbol esters
—, activation of protein kinase C by phorbol ester induces downregulation of the Na^+/K^+-ATPase in oocytes of *Xeno-*

pus laevis, Vasilets, L.A., Schmalzing, G., Mädefessel, K., Haase, W., Schwarz, W. 118:131
—, constant turnover of arachidonic acid and inhibition of a potassium current in *Aplysia* giant neurons, Carlson, R.O., Levitan, I.B. 116:261
—, enhancement of glucose transport in Clone 9 cells by exposure to alkaline pH: studies on potential mechanisms, Hakimian, J., Ismail-Beigi, F. 120:29
—, evidence for involvement of protein kinase C in regulation of intracellular pH by Cl^-/HCO_3^- antiport, Ludt, J., Tønnessen, T.I., Sandvig, K., Olsnes, S. 119:179
—, regulation of intracellular arachidonic acid in *Aplysia* nervous system, Carlson, R.O., Levitan, I.B. 116:249
—, role of kinases in insulin stimulation of glucose transport, Klip, A., Douen, A.G. 111:1
—, time- and dose-dependent effects of protein kinase C on proximal bicarbonate transport, Wang, T., Chan, Y.L. 117:131
Phosphate self-exchange flux
—, inhibition of the phosphate self-exchange flux in human erythrocytes and erythrocyte ghosts, Stadler, F., Schnell, K.F. 118:19
Phosphate transport
—, inhibition of the phosphate self-exchange flux in human erythrocytes and erythrocyte ghosts, Stadler, F., Schnell, K.F. 118:19
—, phosphate transport processes in eukaryotic cells, Wehrle, J.P., Pedersen, P.L. 111:199
Phosphatidylinositol glycolipids
—, association of acetylcholinesterase with the cell surface, Inestrosa, N.C., Perelman, A. 118:1
Phospholipases
—, emerging functional roles for the glycosyl phosphatidylinositol membrane protein anchor, Lisanti, M.P., Rodriguez-Boulan, E., Saltiel, A.R. 117:1
—, regulation of intracellular arachidonic acid in *Aplysia* nervous system, Carlson, R.O., Levitan, I.B. 116:249
Phospholipid bilayer membranes
—, blockade of a mitochondrial cationic channel by an addressing peptide: an electrophysiological study, Henry, J.-P., Chich, J.-F., Goldschmidt, D., Thieffry, M. 112:139
—, salicylates and proton transport through lipid bilayer membranes: a model for salicylate-induced uncoupling and swelling in mitochondria, Gutknecht, J. 115:253
Phospholipids
—, pore formation by complement in the outer membrane of gram negative bacteria studied with asymmetric planar lipopolysaccharide/phospholipid bilayers, Schröder, G., Brandenburg, K., Brade, L., Seydel, U. 118:161
—, proton dissociation dynamics in the aqueous layer of multilamellar phospholipid vesicle, Rochel, S., Nachliel, E., Huppert, D., Gutman, M. 118:225
—, role of phospholipids in the binding of bumetanide to the rabbit parotid Na/K/Cl cotransporter, Corcelli, A., Turner, R.J. 120:125
Phosphorylation
—, cAMP-dependent protein kinase inhibits the chloride conductance in apical membrane vesicles of human placenta, Placchi, P., Lombardo, R., Tamanini, A., Brusa, P., Berton, G., Cabrini, G. 119:25
—, coupling of catalytic and channel function in the Ca^{2+} transport ATPase, Inesi, G., Kirtley, M.E. 116:1
—, expression of the gap junction protein connexin43 in embryonic chick lens: molecular cloning, ultrastructural localization, and post-translational phosphorylation, Musil, L.S., Beyer, E.C., Goodenough, D.A. 116:163
—, demonstration of the electrogenicity of proton translocation during the phosphorylation step in gastric H^+K^+-ATPase, vander Hijden, H.T.W.M., Grell, E., de Pont, J.J.H.H.M., Bamberg, E. 114:245
—, Na^+ channel blockade by cyclic AMP and other 6-aminopurines in neonatal rat heart, Herzig, J.W., Kohlhardt, M. 119:163
Photoaffinity labeling
—, adenosine transport and nitrobenzylthioinosine binding in human placental membrane vesicles from brush-border and basal sides of the trophoblast, Barros, L.F., Bustamante, J.C., Yudilevich, D.L., Jarvis, S.M. 119:151
Photosynthetic reaction centers
—, observations concerning topology and locations of helix ends of membrane proteins of known structure, White, S.H., Jacobs, R.E. 115:145
Pig kidney
—, characterization of inside-out oriented H^+-ATPases in cholate pretreated renal brush-border membrane vesicles, Simon, B.J., Burckhardt, G. 117:141
Planar lipid bilayers
—, action of diphtheria toxin does not depend on the induction of large, stable pores across biological membranes, Alder, G.M., Bashford, C.L., Pasternak, C.A. 113:67
—, activation and conductance properties of ryanodine-sensitive calcium channels from brain microsomal membranes incorporated into planar lipid bilayers, Ashley, R.H. 111:179
—, aerolysin, a hemolysin from *Aeromonas hydrophila*, forms voltage-gated channels in planar lipid bilayers, Wilmsen, H.U., Pattus, F., Buckley, J.T. 115:71
—, aminoglycoside blockade of Ca^{2+}-activated K^+ channel from rat brain synaptosomal membranes incorporated into planar bilayers, Nomura, K., Naruse, K., Watanabe, K., Sokabe, M. 115:241
—, chemical modification of *Staphylococcus aureus* α-toxin by diethylpyrocarbonate: role of histidines in its membrane-damaging properties, Pederzolli, C., Cescatti, L., Menestrina, G. 119:41
—, Cl^- channels in basolateral renal medullary membranes: III. determinants of single-channel activity, Winters, C.J., Reeves, W.B., Andreoli, T.E. 118:269
—, Cl^- transport in basolateral renal medullary vesicles: II. Cl channels in planar lipid bilayers, Reeves, W.B., Andreoli, T.E. 113:57
—, cytotoxicity of equinatoxin II from the sea anemone *Actinia equina* involves ion channel formation and an increase in intracellular calcium activity, Zorec, R., Tester, M., Macek, P., Mason, W.T. 118:243
—, electrically silent anion transport through bilayer lipid membrane induced by tributyltin and triethyllead, Antonenko, Y.N. 113:109
—, formation of ion channels by colicin B in planar lipid bilayers, Bullock, J.O., Armstrong, S.K., Shear, J.L., Lies, D.P., McIntosh, M.A. 114:79
—, isolation of two saxitoxin-sensitive sodium channel subtypes from rat brain with distinct biochemical and functional properties, Corbett, A.M., Krueger, B.K. 117:163
—, pore formation by complement in the outer membrane of gram negative bacteria studied with asymmetric planar lipopolysaccharide/phospholipid bilayers, Schröder, G., Brandenburg, K., Brade, L., Seydel, U. 118:161
—, reconstitution of a calcium-activated potassium channel in

basolateral membranes of rabbit colonocytes into planar lipid bilayers, Turnheim, K., Costantin, J., Chan, S., Schultz, S.G. 112:247
Planar lipid membranes
—, demonstration of the electrogenicity of proton translocation during the phosphorylation step in gastric H^+K^+-ATPase, vander Hijden, H.T.W.M., Grell, E., de Pont, J.J.H.H.M., Bamberg, E. 114:245
Plant cells
—, calcium ion and turgor regulation in plant cells, Okazaki, Y., Tazawa, M. 114:189
Plant plasma membrane
—, spontaneous insertion of plant plasma membrane (H^+)ATPase into a preformed bilayer, Simon-Plas, F., Venema, K., Grouzis, J.P., Gibrat, R., Rigaud, J., Grignon, C. 120:51
Plasma membrane
—, activation of protein kinase C by phorbol ester induces downregulation of the Na^+/K^+-ATPase in oocytes of *Xenopus laevis*, Vasilets, L.A., Schmalzing, G., Mädefessel, K., Haase, W., Schwarz, W. 118:131
—, association of acetylcholinesterase with the cell surface, Inestrosa, N.C., Perelman, A. 118:1
—, asymmetry of membrane fluidity in the lipid bilayer of blood platelets: fluorescence study with diphenylhexatriene and analogs, Kitagawa, S., Matsubayashi, M., Kotani, K., Usui, K., Kametani, F. 119:221
—, Ca^{2+} pump and Ca^{2+}/H^+ antiporter in plasma membrane vesicles isolated by aqueous two-phase partitioning from corn leaves, Kasai, M., Muto, S. 114:133
—, calcium absorption by fish intestine: the involvement of ATP and sodium-dependent calcium extrusion mechanisms, Flik, G., Schoenmakers, T.J.M., Groot, J.A., van Os, C.H., Bonga, S.E.W. 113:13
—, cytosolic calcium regulates a potassium current in corn (*Zea mays*) protoplasts, Ketchum, K.A., Poole, R.J. 119:277
—, fusion of cultured dog kidney (MDCK) cells: I. technique, fate of plasma membranes and of cell nuclei, Kersting, U., Joha, H., Steigner, W., Gassner, B., Gstraunthaler, G., Pfaller, W., Oberleithner, H. 111:37
—, hyperosmolality inhibits exocytosis in sea urchin eggs by formation of a granule-free zone and arrest of pore widening, Merkle, C.J., Chandler, D.E. 112:223
—, rabbit distal colon epithelium: III. Ca^{2+}-activated K^+ channels in basolateral plasma membrane vesicles of surface and crypt cells, Wiener, H., Klaerke, D.A., Jørgensen, P.L. 117:275
—, reassociation of cortical secretory vesicles with sea urchin egg plasma membrane: assessment of binding specificity, Jackson, R.C., Modern, P.A. 115:83
—, recent advances in the molecular characterization of plasma membrane Ca^{2+} pumps, Strehler, E.E. 120:1
—, specific binding sites for corticosterone in isolated cells and plasma membrane from rat liver, Trueba, M., Ibarrola, I., Ogiza, K., Marino, A., Marcarulla, J.M. 120:115
—, temperature-dependent lateral and transverse distribution of the epidermal growth factor receptor in A431 plasma membranes, Azevedo, J.R., Johnson, D.A. 118:215
—, use of *Xenopus* oocytes for the functional expression of plasma membrane proteins, Sigel, E. 117:201
Plasmalemma
—, electrical tolerance (breakdown) of the *Chara corallina* plasmalemma: II. inductive property of membrane and effects of pH_o and impermeable monovalent cations on breakdown phenomenon, Ohkawa, T., Tsutsui, I. 114:159
Platelets
—, chemical modification of *Staphylococcus aureus* α-toxin by diethylpyrocarbonate: role of histidines in its membrane-damaging properties, Pederzolli, C., Cescatti, L., Menestrina, G. 119:41
pOH dependence
—, zinc inhibition of chloride efflux from skeletal muscle of *Rana pipiens* and its modification by external pH and chloride activity, Spalding, B.C., Taber, P., Swift, J.G., Horowicz, P. 116:195
Polarity assay
—, preferred apical distribution of glycosyl-phosphatidylinositol (GPI) anchored proteins: a highly conserved feature of the polarized epithelial cell phenotype, Lisanti, M.P., Le Bivic, A., Saltiel, A.R., Rodriguez-Boulan, E. 113:155
Polyclonal antibodies
—, formation of ion channels by colicin B in planar lipid bilayers, Bullock, J.O., Armstrong, S.K., Shear, J.L., Lies, D.P., McIntosh, M.A. 114:79
—, identification of the cardiac sarcolemmal Na^+-Ca^{2+} exchanger using monoclonal antibodies, Vemuri, R., Haberland, M.E., Fong, D., Philipson, K.D. 118:279
Polyethylene glycol
—, surface dielectric constant, surface hydrophobicity and membrane fusion, Ohki, S., Arnold, K. 114:195
Porcine kidney
—, two substrate sites in the renal Na^+-D-glucose cotransporter studied by model analysis of phlorizin binding and D-glucose transport measurements, Koepsell, H., Fritzsch, G., Korn, K., Madrala, A. 114:113
Pore formation
—, pore formation by complement in the outer membrane of gram negative bacteria studied with asymmetric planar lipopolysaccharide/phospholipid bilayers, Schröder, G., Brandenburg, K., Brade, L., Seydel, U. 118:161
Pores
—, action of diphtheria toxin does not depend on the induction of large, stable pores across biological membranes, Alder, G.M., Bashford, C.L., Pasternak, C.A. 113:67
Porin
—, a single amino acid substitution alters conductance and gating of OmpC porin of *Escherichia coli*, Delcour, A.H., Alder, J., Kung, C. 119:267
—, voltage-sensitive ion channel of *Escherichia coli*, Delcour, A.H., Martinac, B., Adler, J., Kung, C. 112:267
Posttranslational processing
—, subunit assembly and functional maturation of Na,K-ATPase, Geering, K. 115:109
Potassium channels
—, Ca modulates outward current through *IK1* channels, Mazzanti, M., DeFelice, L.J. 116:41
—, calcium-dependent potassium channel in *Paramecium* studied under patch clamp, Saimi, Y., Martinac, B. 112:79
—, comparative study of the effects of cromakalim (BRL 34915) and diazoxide on membrane potential, $[Ca^{2+}]_i$ and ATP-sensitive potassium currents in insulin-secreting cells, Dunne, M.J., Yule, D.I., Gallacher, D.V., Petersen, O.H. 114:53
—, effect of adherence, cell morphology, and lipopolysaccharide on potassium conductance and passive membrane properties of murine macrophage J774.1 cells, McKinney, L.C., Gallin, E.K. 116:47

—, intestinal secretagogues increase cytosolic free Ca^{2+} concentration and K^+ conductance in a human intestinal epithelial cell line, Yada, T., Oiki, S., Ueda, S., Okada, Y. 112:159
—, proteolytic activation of a hyperpolarization- and calcium dependent potassium channel in *Paramecium*, Kubalski, A., Martinac, B., Saimi, Y. 112:91
Potassium conductance
—, effect of adherence, cell morphology, and lipopolysaccharide on potassium conductance and passive membrane properties of murine macrophage J774.1 cells, McKinney, L.C., Gallin, E.K. 116:47
—, effect of potassium on cell volume regulation in renal straight proximal tubules, Völkl, H., Lang, F. 117:113
Potassium contracture
—, competitive action of divalent cations and D600 in frog slow muscle fibers, Krippeit-Drews, P., Schmidt, H. 112:185
Potassium currents
—, anticalmodulin drugs block the sodium gating current of squid giant axons, Ichikawa, M., Urayama, M., Matsumoto, G. 120:211
—, constant turnover of arachidonic acid and inhibition of a potassium current in *Aplysia* giant neurons, Carlson, R.O., Levitan, I.B. 116:261
—, expression of a rapid, low-voltage threshold K current in insulin-secreting cells is dependent on intracellular calcium buffering, Satin, L.S., Hopkins, W.F., Fatherazi, S., Cook D.L. 112:213
Potassium ion channels
—, beta-adrenergic modulation of K^+ current in human T lymphocytes, Soliven, B., Nelson, D.J. 117:263
—, bradykinin-induced potassium current in cultured bovine aortic endothelial cells, Colden-Stanfield, M., Schilling, W.P., Possani, L.D., Kunze, D.L. 116:227
—, Ca^{2+}-activated K^+ channel from human erythrocyte membranes: single channel rectification and selectivity, Christophersen, P. 119:75
—, cytosolic calcium regulates a potassium current in corn (*Zea mays*) protoplasts, Ketchum, K.A., Poole, R.J. 119:277
—, fusion of cultured dog kidney (MDCK) cells: II. relationship between cell pH and K^+ conductance in response to aldosterone, Oberleithner, H., Kersting, U., Silbernagl, S., Steigner, W., Vogel, U. 111:49
—, identification of electrophysiologically distinct subpopulations of rat taste cells, Akabas, M., Dodd, J., Al-Awqati, Q. 114:71
—, mechanism of aldosterone-induced increase of K^+ conductance in early distal renal tubule cells of the frog, Wang, W., Henderson, R.M., Geibel, J., White, S., Giebisch, G. 111:277
—, metabolic control of the K^+ channel of human red cells, Romero, P.J., Ortíz, C.E., Melitto, C. 116:19
—, nature of the water channels in the internodal cells of *Nitellopsis*, Wayne, R., Tazawa, M. 116:31
—, potassium channel in rabbit corneal endothelium activated by external anions, Rae, J.L., Dewey, J., Cooper, K., Gates, P. 114:29
—, reconstitution of a calcium-activated potassium channel in basolateral membranes of rabbit colonocytes into planar lipid bilayers, Turnheim, K., Costantin, J., Chan, S., Schultz, S.G. 112:247
—, regulation of maxi-K^+ channels on pancreatic duct cells by cyclic AMP-dependent phosphorylation, Gray, M.A., Greenwell, J.R., Garton, A.J., Argent, B.E. 115:203
—, voltage-gated K^+ channels in the mouse interleukin 3-dependent cell line, FDC-P2, Tanaka, H., Ohta, Y., Sugimoto, T., Kurachi, Y. 120:185
—, whole-cell currents in macrophages: II. alveolar macrophages, Nelson, D.J., Jow, B., Popovich, K.J. 117:45
Potassium ion conductance
—, activation by Ca^{2+} and block by divalent ions of the K^+ channel in the membrane of cytoplasmic drops from *Chara australis*, Laver, D.R., Walker, N.A. 120:131
—, Ca^{2+}-activated K^+ conductance of the human red cell membrane: voltage-dependent Na^+ block of outward-going currents, Stampe, P., Vestergaard-Bogind, B. 112:9
—, fusion of cultured dog kidney (MDCK) cells: II. relationship between cell pH and K^+ conductance in response to aldosterone, Oberleithner, H., Kersting, U., Silbernagl, S., Steigner, W., Vogel, U. 111:49
—, interactions between mutants with defects in two Ca^{2+} dependent K^+ currents of *Paramecium tetraurelia*, Preston, R.R., Saimi, Y., Amberger, E., Kung, C. 115:61
—, intestinal secretagogues increase cytosolic free Ca^{2+} concentration and K^+ conductance in a human intestinal epithelial cell line, Yada, T., Oiki, S., Ueda, S., Okada, Y. 112:159
—, intracellular potassium activity and the role of potassium in transepithelial salt transport in the human reabsorptive sweat duct, Reddy, M.M., Quinton, P.M. 119:199
—, mechanism of aldosterone-induced increase of K^+ conductance in early distal renal tubule cells of the frog, Wang, W., Henderson, R.M., Geibel, J., White, S., Giebisch, G. 111:277
—, membrane potential, anion and cation conductances in Ehrlich ascites tumor cells, Lambert, I.H., Hoffmann, E.K., Jørgensen, F. 111:113
—, modulation of membrane K^+ conductance in T-lymphocytes by substance P via a GTP-binding protein, Schumann, M.A., Gardner, P. 111:133
—, pH*i*-dependent membrane conductance of proximal tubule cells in culture (OK): differential effects on K^+- and Na^+-conductive channels, Schwegler, J.S., Steigner, W., Heuner, A., Silbernagl, S. 117:243
—, regulation of basolateral membrane potential after stimulation of Na^+ transport in proximal tubules, Lapointe, J.-Y., Duplain, M. 120:165
—, whole-cell currents in macrophages: I. human monocyte-derived macrophages, Nelson, D.J., Jow, B., Jow, F. 117:29
Potassium ion currents
—, electrophysiology of cultured human lens epithelial cells, Cooper, K., Gates, P., Rae, J.L., Dewey, J. 117:285
—, evidence for two K^+ currents activated upon hyperpolarization of *Paramecium tetraurelia*, Preston, R.R., Saimi, Y., Kung, C. 115:41
—, modulation of membrane K^+ conductance in T-lymphocytes by substance P via a GTP-binding protein, Schumann, M.A., Gardner, P. 111:133
—, voltage-gated K^+ channels in the mouse interleukin 3-dependent cell line, FDC-P2, Tanaka, H., Ohta, Y., Sugimoto, T., Kurachi, Y. 120:185
Potassium ion flux
—, hypo-osmotic stimulation of active Na^+ transport in frog muscle: apparent upregulation of Na^+ pumps, Venosa, R.A. 120:97
—, thiol-dependent passive K : Cl transport in sheep red blood cells: IX. modulation by pH in the presence and absence of DIDS and the effect of NEM, Zade-Oppen, A.M.M., Lauf, P.K. 118:143

Potassium ion transport
—, demonstration of the electrogenicity of proton translocation during the phosphorylation step in gastric H^+K^+-ATPase, vander Hijden, H.T.W.M., Grell, E., de Pont, J.J.H.H.M., Bamberg, E. 114:245
—, immunohistochemical study of a rat membrane protein which induces a selective potassium permeation: its localization in the apical membrane portion of epithelial cells, Sugimoto, T., Tanabe, Y., Shigemoto, R., Iwai, M., Takumi, T., Ohkubo, H., Nakanishi, S. 113:39
—, intracellular potassium activity and the role of potassium in transepithelial salt transport in the human reabsorptive sweat duct, Reddy, M.M., Quinton, P.M. 119:199
—, sulfhydryl-reactive heavy metals increase cell membrane K^+ and Ca^{2+} transport in renal proximal tubule, Kone, B.C., Brenner, R.M., Gullans, S.R. 113:1
—, transport of potassium in *Chara australis*: II. kinetics of a symport with sodium, McCulloch, S.R., Beilby, M.J., Walker, N.A. 115:129
Potassium ions
—, two substrate sites in the renal Na^+-D-glucose cotransporter studied by model analysis of phlorizin binding and D-glucose transport measurements, Koepsell, H., Fritzsch, G., Korn, K., Madrala, A. 114:113
Potassium transport
—, characteristics of the volume- and chloride-dependent K transport in human erythrocytes homozygous for hemoglobin C, Brugnara, C. 111:69
Presteady-state kinetics
—, presteady-state kinetics and carrier-mediated transport: a theoretical analysis, Wierzbicki, W., Berteloot, A., Roy, G. 117:11
Primary active transport
—, contributions of secondary active transport processes to membrane potentials, Gordon, L.G.M., Macknight, A.D.C. 120:141
Probenecid
—, identification of riboflavin transport by MDCK cells using quantitative fluorescence video microscopy, Lowy, R.J., Spring, K.R. 117:91
Prohormone maturation
—, genetic analysis of clathrin function in yeast, Payne, G.S. 116:93
Proline binding
—, mechanism of Na^+/proline symport in *Escherichia coli:* reappraisal of the effect of cation binding to the Na^+/proline-symport carrier, Yamato, I., Anraku, Y. 114:143
Proline carrier
—, mechanism of Na^+/proline symport in *Escherichia coli:* reappraisal of the effect of cation binding to the Na^+/proline-symport carrier, Yamato, I., Anraku, Y. 114:143
Pronase
—, proteolytic activation of a hyperpolarization- and calcium dependent potassium channel in *Paramecium*, Kubalski, A., Martinac, B., Saimi, Y. 112:91
Propionic acid
—, asymmetry of membrane fluidity in the lipid bilayer of blood platelets: fluorescence study with diphenylhexatriene and analogs, Kitagawa, S., Matsubayashi, M., Kotani, K., Usui, K., Kametani, F. 119:221
Prostaglandin E_2
—, prostaglandin E_2 enhances the sodium conductance of exocrine glands in isolated frog skin (*Rana esculenta*), Nielsen, R. 113:31
Protein conformation
—, subunit assembly and functional maturation of Na,K-ATPase, Geering, K. 115:109
Protein degradation
—, subunit assembly and functional maturation of Na,K-ATPase, Geering, K. 115:109
Protein folding
—, subunit assembly and functional maturation of Na,K-ATPase, Geering, K. 115:109
Protein kinase A
—, cAMP-dependent protein kinase inhibits the chloride conductance in apical membrane vesicles of human placenta, Placchi, P., Lombardo, R., Tamanini, A., Brusa, P., Berton, G., Cabrini, G. 119:25
—, regulation of maxi-K^+ channels on pancreatic duct cells by cyclic AMP-dependent phosphorylation, Gray, M.A., Greenwell, J.R., Garton, A.J., Argent, B.E. 115:203
Protein kinase C
—, activation of protein kinase C by phorbol ester induces downregulation of the Na^+/K^+-ATPase in oocytes of *Xenopus laevis*, Vasilets, L.A., Schmalzing, G., Mädefessel, K., Haase, W., Schwarz, W. 118:131
—, constant turnover of arachidonic acid and inhibition of a potassium current in *Aplysia* giant neurons, Carlson, R.O., Levitan, I.B. 116:261
—, evidence for involvement of protein kinase C in regulation of intracellular pH by Cl^-/HCO_3^- antiport, Ludt, J., Tønnesen, T.I., Sandvig, K., Olsnes, S. 119:179
—, regulation of intracellular arachidonic acid in *Aplysia* nervous system, Carlson, R.O., Levitan, I.B. 116:249
—, role of kinases in insulin stimulation of glucose transport, Klip, A., Douen, A.G. 111:1
—, role of protein kinase C in the regulation of cytosolic Ca^{2+} in A431 cells: separation of growth factor and bradykinin pathways, Wheller, L.A., Goodrum, D.D., Sachs, G. 118:77
—, time- and dose-dependent effects of protein kinase C on proximal bicarbonate transport, Wang, T., Chan, Y.L. 117:131
Protein modifiers
—, functional characteristics of the cardiac sarcolemmal monocarboxylate transporter, Trosper, T.L., Philipson, K.D. 112:15
Protein overlay
—, molecular interactions of the junctional foot protein and dihydropyridine receptor in skeletal muscle triads, Brandt, N.R., Caswell, A.H., Wen, S.-R., Talvenheimo, J.A. 113:237
Protein secretion
—, the signal peptide, von Heijne, G. 115:195
Protein structure
—, voltage gating in the mitochondrial channel, VDAC, Colombini, M. 111:103
Protein structure model
—, major myelin proteolipid: the 4-α-helix topology, Popot, J.L., Dinh, D.P., Dautigny, A. 120:233
Protein targeting
—, preferred apical distribution of glycosyl-phosphatidylinositol (GPI) anchored proteins: a highly conserved feature of the polarized epithelial cell phenotype, Lisanti, M.P., Le Bivic, A., Saltiel, A.R., Rodriguez-Boulan, E. 113:155
Proteins
—, channels as enzymes, Eisenberg, R.S. 115:1
—, emerging functional roles for the glycosyl phosphatidylinositol membrane protein anchor, Lisanti, M.P., Rodriguez-Boulan, E., Saltiel, A.R. 117:1

—, fatty-acid spin probe interactions with erythrocyte ghosts and liposomes prepared from erythrocyte ghosts, Gordon, L.M., Looney, F.D., Curtain, C.C. 111:155
—, identification of the cardiac sarcolemmal Na^+-Ca^{2+} exchanger using monoclonal antibodies, Vemuri, R., Haberland, M.E., Fong, D., Philipson, K.D. 118:279
Proteolipid proteins (PLP)
—, major myelin proteolipid: the 4-α-helix topology, Popot, J.L., Dinh, D.P., Dautigny, A. 120:233
Proteoliposomes
—, CCCP activation of the reconstituted NaK-pump, Yoda, A., Yoda, S. 117:153
Proteolysis
—, calpain I activates Ca^{2+} transport by the reconstituted erythrocyte Ca^{2+} pump, Wang, K.K.W., Roufogalis, B.D., Villalobo, A. 112:233
—, proteolytic activation of a hyperpolarization- and calcium-dependent potassium channel in *Paramecium*, Kubalski, A., Martinac, B., Saimi, Y. 112:91
Proton conductance
—, salicylates and proton transport through lipid bilayer membranes: a model for salicylate-induced uncoupling and swelling in mitochondria, Gutknecht, J. 115:253
Proton diffusion
—, proton dissociation dynamics in the aqueous layer of multilamellar phospholipid vesicle, Rochel, S., Nachliel, E., Huppert, D., Gutman, M. 118:225
Proton transport
—, changes in membrane conductance and areas associated with bicarbonate secretion in turtle bladder, Rich, A., Dixon, T.E., Clausen, C. 113:211
—, salicylates and proton transport through lipid bilayer membranes: a model for salicylate-induced uncoupling and swelling in mitochondria, Gutknecht, J. 115:253
Protons
—, mechanism of Na^+/proline symport in *Escherichia coli*: reappraisal of the effect of cation binding to the Na^+/proline-symport carrier, Yamato, I., Anraku, Y. 114:143
Protoplasmic streaming
—, D_2O-induced cell excitation, Andjus, P.R., Vucelia, D. 115:123
Proximal tubules
—, characterization of inside-out oriented H^+-ATPases in cholate pretreated renal brush-border membrane vesicles, Simon, B.J., Burckhardt, G. 117:141
—, effect of potassium on cell volume regulation in renal straight proximal tubules, Völkl, H., Lang, F. 117:113
—, immunohistochemical study of a rat membrane protein which induces a selective potassium permeation: its localization in the apical membrane portion of epithelial cells, Sugimoto, T., Tanabe, Y., Shigemoto, R., Iwai, M., Takumi, T., Ohkubo, H., Nakanishi, S. 113:39
—, pH_i-dependent membrane conductance of proximal tubule cells in culture (OK): differential effects on K^+- and Na^+-conductive channels, Schwegler, J.S., Steigner, W., Heuner, A., Silbernagl, S. 117:243
—, pH-stat experiments in proximal renal tubules, Malnic, G., Lopes, A.G., Cassola, A.C., Berardi, A.L., Aires, M.M., Giebisch, G. 118:121
—, regulation of basolateral membrane potential after stimulation of Na^+ transport in proximal tubules, Lapointe, J.-Y., Duplain, M. 120:165
—, sulfhydryl-reactive heavy metals increase cell membrane K^+ and Ca^{2+} transport in renal proximal tubule, Kone, B.C., Brenner, R.M., Gullans, S.R. 113:1
—, time- and dose-dependent effects of protein kinase C on proximal bicarbonate transport, Wang, T., Chan, Y.L. 117:131
—, two substrate sites in the renal Na^+-D-glucose cotransporter studied by model analysis of phlorizin binding and D-glucose transport measurements, Koepsell, H., Fritzsch, G., Korn, K., Madrala, A. 114:113
Pump currents
—, demonstration of the electrogenicity of proton translocation during the phosphorylation step in gastric H^+K^+-ATPase, vander Hijden, H.T.W.M., Grell, E., de Pont, J.J.H.H.M., Bamberg, E. 114:245
Pyridoxal-5′-phosphate (PLP)
—, transport domain of the erythrocyte anion exchange protein, Bar-Noy, S., Cabantchik, Z.I. 115:217
Pyruvate
—, reversible activation of the ATP-dependent potassium current with dialysis of frog atrial cells by micromolar concentrations of GDP, Pilsudski, R., Rougier, O., Tourneur, Y. 117:223
Pyruvate transport
—, functional characteristics of the cardiac sarcolemmal monocarboxylate transporter, Trosper, T.L., Philipson, K.D. 112:15
Quinidine
—, evidence for two K^+ currents activated upon hyperpolarization of *Paramecium tetraurelia*, Preston, R.R., Saimi, Y., Kung, C. 115:41
Quinine
—, membrane potential, anion and cation conductances in Ehrlich ascites tumor cells, Lambert, I.H., Hoffmann, E.K., Jørgensen, F. 111:113
—, reconstitution of a calcium-activated potassium channel in basolateral membranes of rabbit colonocytes into planar lipid bilayers, Turnheim, K., Costantin, J., Chan, S., Schultz, S.G. 112:247
—, specificity of tetraethylammonium and quinine for three K channels in insulin-secreting cells, Fatherazi, S., Cook, D.L. 120:105
R18 assay
—, fusion of liposomes and rat brain microsomes examined by two assays, Corazzi, L., Fratto, G., Pistolesi, R., Arienti, G. 112:123
Rabbit
—, inactivation of the rabbit parotid Na/K/Cl contransporter by N-ethylmaleimide, George, J.N., Turner, R.J. 112:51
—, Na^+/Na^+ exchange and Na^+/H^+ antiport in rabbit erythrocytes: two distinct transport systems, Escobales, N., Figueroa, J. 120:41
—, potassium channel in rabbit corneal endothelium activated by external anions, Rae, J.L., Dewey, J., Cooper, K., Gates, P. 114:29
—, role of phospholipids in the binding of bumetanide to the rabbit parotid Na/K/Cl cotransporter, Corcelli, A., Turner, R.J. 120:125
—, solubilization and partial purification of the rabbit parotid Na/K/Cl^- dependent bumetanide binding site, Turner, R.J., George, J.N. 113:203
Rabbit distal colon
—, rabbit distal colon epithelium: III. Ca^{2+}-activated K^+ channels in basolateral plasma membrane vesicles of surface and crypt cells, Wiener, H., Klaerke, D.A., Jørgensen, P.L. 117:275
—, reconstitution of a calcium-activated potassium channel in basolateral membranes of rabbit colonocytes into planar

lipid bilayers, Turnheim, K., Costantin, J., Chan, S., Schultz, S.G. 112:247
Rabbit gallbladder
—, the nature of the neutral Na^+-Cl^- coupled entry at the apical membrane of rabbit gallbladder epithelium: III. analysis of transports on membrane vesicles, Meyer, G., Bottá, G., Rossetti, C., Gremaschi, D. 118:107
Rabbit intestine
—, pH modulation of the kinetics of rabbit jejunal, brush border folate transport, Schron, C.M. 120:192
Rabbit kidney
—, activation of Cl^-/OH^- exchange by parachloromercuribenzoic acid in rabbit renal brush-border membranes, Karniski, L.P. 112:59
—, Cl^- channels in basolateral renal medullary membranes: III. determinants of single-channel activity, Winters, C.J., Reeves, W.B., Andreoli, T.E. 118:269
—, Cl^- transport in basolateral renal medullary vesicles: I. Cl^- transport in intact vesicles, Bayliss, J.M., Reeves, W.B., Andreoli, T.E. 113:49
—, Cl^- transport in basolateral renal medullary vesicles: II. Cl channels in planar lipid bilayers, Reeves, W.B., Andreoli, T.E. 113:57
—, H^+/Ca^{2+} exchange in rabbit renal cortical endosomes, Hilden, S.A., Madias, N.E. 112:131
—, interactions between anion exchange and other membrane proteins in rabbit kidney medullary collecting duct cells, Janoshazi, A., Seifter, J.L., Solomon, A.K. 112:39
—, sulfhydryl-reactive heavy metals increase cell membrane K^+ and Ca^{2+} transport in renal proximal tubule, Kone, B.C., Brenner, R.M., Gullans, S.R. 113:1
Rabbit red blood cells
—, interactions of external and internal H^+ and Na^+ with Na^+/Na^+ and Na^+/H^+ exchange of rabbit red cells: evidence for a common pathway, Morgan, K., Canessa, M. 118:193
Rabbit reticulocytes
—, kinetics of iron passage through subcellular compartments of rabbit reticulocytes, Watkins, J.A., Nunez, M.-T., Gaete, V., Alvarez, O., Glass, J. 119:141
Radical interactions
—, fatty-acid spin probe interactions with erythrocyte ghosts and liposomes prepared from erythrocyte ghosts, Gordon, L.M., Looney, F.D., Curtain, C.C. 111:155
Rana catesbeiana
—, Na activation delays and their relation to inactivation in frog skeletal muscle, Hahin, R. 118:233
Rana pipiens
—, Na activation delays and their relation to inactivation in frog skeletal muscle, Hahin, R. 118:233
—, zinc inhibition of chloride efflux from skeletal muscle of *Rana pipiens* and its modification by external pH and chloride activity, Spalding, B.C., Taber, P., Swift, J.G., Horowicz, P. 116:195
Rapid equilibrium approximation
—, presteady-state kinetics and carrier-mediated transport: a theoretical analysis, Wierzbicki, W., Berteloot, A., Roy, G. 117:11
ras oncogene
—, inhibition of voltage-dependent Na^+ current in cell-fusion hybrids containing activated c-Ha-*ras*, Estacion, M. 113:169
Rat
—, agonist-induced activation of Na^+/H^+ exchange in rat parotid acinar cells, Manganel, M., Turner, R.J. 111:191
—, characterization of sodium currents in mammalian sensory neurons cultured in serum-free defined medium with and without nerve growth factor, Omri, G., Meiri, H. 115:13
—, identification of electrophysiologically distinct subpopulations of rat taste cells, Akabas, M., Dodd, J., Al-Awqati, Q. 114:71
—, immunohistochemical study of a rat membrane protein which induces a selective potassium permeation: its localization in the apical membrane portion of epithelial cells, Sugimoto, T., Tanabe, Y., Shigemoto, R., Iwai, M., Takumi, T., Ohkubo, H., Nakanishi, S. 113:39
—, regulation of maxi-K^+ channels on pancreatic duct cells by cyclic AMP-dependent phosphorylation, Gray, M.A., Greenwell, J.R., Garton, A.J., Argent, B.E. 115:203
—, structural and developmental differences between three types of Na channels in dorsal root ganglion cells of newborn rats, Schwartz, A., Palti, Y., Meiri, H. 116:117
Rat brain
—, activation and conductance properties of ryanodine-sensitive calcium channels from brain microsomal membranes incorporated into planar lipid bilayers, Ashley, R.H. 111:179
—, aminoglycoside blockade of Ca^{2+}-activated K^+ channel from rat brain synaptosomal membranes incorporated into planar bilayers, Nomura, K., Naruse, K., Watanabe, K., Sokabe, M. 115:241
—, conservation of a cytoplasmic carboxy-terminal domain of connexin43, a gap junctional protein in mammal heart and brain, El Aoumari, A., Fromaget, C., Dupont, E., Reggio, H., Durbec, P., Briand, J.-P., Böller, K., Kreitman, B., Gros, D. 115:229
—, fusion of liposomes and rat brain microsomes examined by two assays, Corazzi, L., Fratto, G., Pistolesi, R., Arienti, G. 112:123
—, responses of γ-aminobutyrate receptor from rat brain: similarity of different preparation methods; muscimol induced desensitization and chloride exchange, Cash, D.J., Subbarao, K. 111:229
Rat calvaria cells
—, high-affinity sodium-dependent uptake of ascorbic acid by rat osteoblasts, Wilson, J.X., Dixon, S.J. 111:83
Rat distal colon
—, Na,K-ATPase and the development of Na^+ transport in rat distal colon, Pácha, J., Teisinger, J., Popp, M., Capek, K. 120:201
Rat heart
—, conservation of a cytoplasmic carboxy-terminal domain of connexin 43, a gap junctional protein in mammal heart and brain, El Aoumari, A., Fromaget, C., Dupont, E., Reggio, H., Durbec, P., Briand, J.-P., Böller, K., Kreitman, B., Gros, D. 115:229
—, gap junction formation and functional interaction between neonatal rat cardiocytes in culture: a correlative physiological and ultrastructural study, Rook, M.B., de Jonge, B., Jongsma, H.J., Masson-Pévet, M.A. 118:179
—, Na^+ channel blockade by cyclic AMP and other 6-aminopurines in neonatal rat heart, Herzig, J.W., Kohlhardt, M. 119:163
Rat ileum
—, ontogeny of the Na^+-H^+ exchanger in rat ileal brush-border membrane vesicles, Kikuchi, K., Kikuchi, T., Ghishan, F.K. 114:257
Rat kidney
—, immunohistochemical study of a rat membrane protein which induces a selective potassium permeation: its localization in the apical membrane portion of epithelial cells,

Sugimoto, T., Tanabe, Y., Shigemoto, R., Iwai, M., Takumi, T., Ohkubo, H., Nakanishi, S. 113:39
—, single chloride channels in endosomal vesicle preparations from rat kidney cortex, Schmid, A., Burckhardt, G., Gógelein, H. 111:265
—, time- and dose-dependent effects of protein kinase C on proximal bicarbonate transport, Wang, T., Chan, Y.L. 117:131
—, urea transport in freshly isolated and cultured cells from rat inner medullary collecting duct, Zhang, R., Verkman, A.S. 117:253
Rat liver
—, purification of the microsomal Ca^{2+}-ATPase from rat liver, Jong, Y.-J., Sheldon, A., Zhang, G.H., Kraus-Friedmann, N. 118:49
—, specific binding sites for corticosterone in isolated cells and plasma membrane from rat liver, Trueba, M., Ibarrola, I., Ogiza, K., Marino, A., Marcarulla, J.M. 120:115
Rat myocardium
—, thyroid hormone regulation of Na,K-ATPase subunit-mRNA expression in neonatal rat myocardium, Melikian, J., Ismail-Beigi, F. 119:171
—, thyroidal enhancement of rat myocardial Na,K-ATPase: preferential expression of 2 activity and mRNA abundance, Gick, G.G., Melikian, J., Ismail-Beigi, F. 115:273
Rat neural tissue
—, membrane bilayer assembly in neural tissue of rat and squid as a critical phenomenon: influence of temperature and membrane proteins, Ginsberg, L., Gilbert, D.L., Gershfeld, N.L. 119:65
Rat pancreas
—, oscillating intracellular Ca^{2+} signals evoked by activation of receptors linked to inositol lipid hydrolysis: mechanism of generation, Petersen, O.H., Wakui, M. 118:93
Rate constants
—, presteady-state kinetics and carrier-mediated transport: a theoretical analysis, Wierzbicki, W., Berteloot, A., Roy, G. 117:11
Reaction kinetic carrier model
—, characterization of Cl^- transport in vacuolar membrane vesicles using a Cl^--sensitive fluorescent probe: reaction kinetic models for voltage- and concentration-dependence of Cl^- flux, Pope, A.J., Jennings, I.R., Sanders, D., Leigh, R.A. 116:129
—, voltage dependence of the *Chara* proton pump revealed by current-voltage measurement during rapid metabolic blockade with cyanide, Blatt, M.R., Beilby, M.J., Tester, M. 114:205
Reaction kinetic model
—, branched reaction mechanism for the Na/K pump as an alternative explanation for a nonmonotonic current *vs.* membrane potential response, Milanick, M.A. 119:33
—, kinetics of iron passage through subcellular compartments of rabbit reticulocytes, Watkins, J.A., Nunez, M.-T., Gaete, V., Alvarez, O., Glass, J. 119:141
Reaction network model
—, zinc inhibition of chloride efflux from skeletal muscle of *Rana pipiens* and its modification by external pH and chloride activity, Spalding, B.C., Taber, P., Swift, J.G., Horowicz, P. 116:195
Receptor-activated Ca^{2+} oscillation
—, oscillating intracellular Ca^{2+} signals evoked by activation of receptors linked to inositol lipid hydrolysis: mechanism of generation, Petersen, O.H., Wakui, M. 118:93
Receptor cells
—, perspectives of taste reception, Avenet, P., Lindemann, B. 112:1
Receptors
—, intestinal secretagogues increase cytosolic free Ca^{2+} concentration and K^+ conductance in a human intestinal epithelial cell line, Yada, T., Oiki, S., Ueda, S., Okada, Y. 112:159
—, temperature-dependent lateral and transverse distribution of the epidermal growth factor receptor in A431 plasma membranes, Azevedo, J.R., Johnson, D.A. 118:215
Reconstitution
—, a single amino acid substitution alters conductance and gating of OmpC porin of *Escherichia coli*, Delcour, A.H., Alder, J., Kung, C. 119:267
—, effects of pH on acetylcholine receptor function, Palma, A., Li, L., Chen, X., Pappone, P., NcNamee, M. 120:67
—, electrogenic and electroneutral transport modes of renal Na/K ATPase reconstituted into proteoliposomes, Goldshleger, R., Shahak, Y., Karlish, S.J.D. 113:139
—, isolation of two saxitoxin-sensitive sodium channel subtypes from rat brain with distinct biochemical and functional properties, Corbett, A.M., Krueger, B.K. 117:163
—, rabbit distal colon epithelium: III. Ca^{2+}-activated K^+ channels in basolateral plasma membrane vesicles of surface and crypt cells, Wiener, H., Klaerke, D.A., Jørgensen, P.L. 117:275
—, reconstitution of a calcium-activated potassium channel in basolateral membranes of rabbit colonocytes into planar lipid bilayers, Turnheim, K., Costantin, J., Chan, S., Schultz, S.G. 112:247
—, voltage-sensitive ion channel of *Escherichia coli*, Delcour, A.H., Martinac, B., Adler, J., Kung, C. 112:267
Rectification
—, Ca^{2+}-activated K^+ channel from human erythrocyte membranes: single channel rectification and selectivity, Christophersen, P. 119:75
—, Cl^- transport in basolateral renal medullary vesicles: I. Cl^- transport in intact vesicles, Bayliss, J.M., Reeves, W.B., Andreoli, T.E. 113:49
—, Cl^- transport in basolateral renal medullary vesicles: II. Cl channels in planar lipid bilayers, Reeves, W.B., Andreoli, T.E. 113:57
Red cell membranes
—, effect of magnesium ions on red cell membrane properties, Beaven, G.H., Parmar, J., Nash, G.B., Bennett, P.M., Gratzer, W.B. 118:251
Red cells
—, chemical modification of *Staphylococcus aureus* α-toxin by diethylpyrocarbonate: role of histidines in its membrane-damaging properties, Pederzolli, C., Cescatti, L., Menestrina, G. 119:41
—, ESR measurement of time-dependent and equilibrium volumes in red cells, Moronne, M.M., Mehlhorn, R.J., Miller, M.P., Ackerson, L.C., Macey, R.I. 115:31
Regulatory volume decrease
—, cytoplasmic acidification and activation of Na^+/H^+ exchange during regulatory volume decrease in Ehrlich ascites tumor cells, Livne, A., Hoffmann, E.K. 114:153
—, membrane potential, anion and cation conductances in Ehrlich ascites tumor cells, Lambert, I.H., Hoffmann, E.K., Jørgensen, F. 111:113
Relaxation
—, presteady-state kinetics and carrier-mediated transport: a theoretical analysis, Wierzbicki, W., Berteloot, A., Roy, G. 117:11

Renkin equation
—, characterization of a 25-pS nonselective cation channel in a cultured secretory epithelial cell line, Cook, D.I., Poronnik, P., Young, J.A. 114:37
Repolarization
—, regulation of basolateral membrane potential after stimulation of Na^+ transport in proximal tubules, Lapointe, J.-Y., Duplain, M. 120:165
Reticulocytes
—, kinetics of iron passage through subcellular compartments of rabbit reticulocytes, Watkins, J.A., Nunez, M.-T., Gaete, V., Alvarez, O., Glass, J. 119:141
—, Na^+/H^+ exchange is increased in sickle cell anemia and young normal red cells, Canessa, M., Fabry, M.E., Suzuka, S.M., Morgan, K., Nagel, R.L. 116:107
Reye's syndrome
—, salicylates and proton transport through lipid bilayer membranes: a model for salicylate-induced uncoupling and swelling in mitochondria, Gutknecht, J. 115:253
Rhodamine
—, fusion of liposomes and rat brain microsomes examined by two assays, Corazzi, L., Fratto, G., Pistolesi, R., Arienti, G. 112:123
Rhodopsin
—, synthetic retinals as probes for the binding site and photoreactions in rhodopsins, Ottolenghi, M., Sheves, M. 112:193
Riboflavin transport
—, identification of riboflavin transport by MDCK cells using quantitative fluorescence video microscopy, Lowy, R.J., Spring, K.R. 117:91
RINm5F cells
—, comparative study of the effects of cromakalim (BRL 34915) and diazoxide on membrane potential, $[Ca^{2+}]_i$ and ATP-sensitive potassium currents in insulin-secreting cells, Dunne, M.J., Yule, D.I., Gallacher, D.V., Petersen, O.H. 114:53
—, stimulant-evoked depolarization and increase in $[Ca^{2+}]_i$ in insulin-secreting cells is dependent on external Na^+, Dunne, M.J., Yule, D.I., Gallacher, D.V., Petersen, O.H. 113:131
Rubidium ion flux
—, bradykinin-induced potassium current in cultured bovine aortic endothelial cells, Colden-Stanfield, M., Schilling, W.P., Possani, L.D., Kunze, D.L. 116:227
—, rabbit distal colon epithelium: III. Ca^{2+}-activated K^+ channels in basolateral plasma membrane vesicles of surface and crypt cells, Wiener, H., Klaerke, D.A., Jørgensen, P.L. 117:275
—, thiol-dependent passive K : Cl transport in sheep red blood cells: IX. modulation by pH in the presence and absence of DIDS and the effect of NEM, Zade-Oppen, A.M.M., Lauf, P.K. 118:143
Rubidium ion uptake
—, vasopressin alters the mechanism of apical Cl^- entry from $Na^+ : Cl^-$ to $Na^+ : 2Cl^-$ cotransport in mouse medullary thick ascending limb, Sun, A., Grossman, E.B., Lombardi, M., Hebert, S.C. 120:83
Ruthenium red
—, interaction of caffeine-, IP_3- and vanadate-sensitive Ca^{2+} pools in acinar cells of the exocrine pancreas, Dehlinger-Kremer, M., Zeuzem, S., Schulz, I. 119:85
Ryanodine
—, activation and conductance properties of ryanodine-sensitive calcium channels from brain microsomal membranes incorporated into planar lipid bilayers, Ashley, R.H. 111:179
—, effects of caffeine and ryanodine on low pH*i*-induced changes in gap junction conductance and calcium concentration in crayfish septate axons, Peracchia, C. 117:79
Ryanodine receptor
—, identification of a new subpopulation of triad junctions isolated from skeletal muscle; morphological correlations with intact muscle, Kim, K.C., Caswell, A.H., Brunschwig, J.-P., Brandt, N.R. 113:221
Saccharomyces cerevisiae
—, genetic analysis of clathrin function in yeast, Payne, G.S. 116:93
Salicylate
—, inhibition of the phosphate self-exchange flux in human erythrocytes and erythrocyte ghosts, Stadler, F., Schnell, K.F. 118:19
—, salicylates and proton transport through lipid bilayer membranes: a model for salicylate-induced uncoupling and swelling in mitochondria, Gutknecht, J. 115:253
Salivary duct
—, immunohistochemical study of a rat membrane protein which induces a selective potassium permeation: its localization in the apical membrane portion of epithelial cells, Sugimoto, T., Tanabe, Y., Shigemoto, R., Iwai, M., Takumi, T., Ohkubo, H., Nakanishi, S. 113:39
Salivary epithelial cells
—, evidence for two modes of Ca^{2+} entry following muscarinic stimulation of a human salivary epithelial cell line, He, X., Wu, X., Turner, R.J., Baum, B.J. 115:159
Salt
—, role of organic osmolytes in adaptation of renal cells to high osmolality, Garcia-Perez, A., Burg, M.B. 119:1
Salt taste
—, perspectives of taste reception, Avenet, P., Lindemann, B. 112:1
Salt transport
—, intracellular potassium activity and the role of potassium in transepithelial salt transport in the human reabsorptive sweat duct, Reddy, M.M., Quinton, P.M. 119:199
Sarcoplasmic reticulum
—, coupling of catalytic and channel function in the Ca^{2+} transport ATPase, Inesi, G., Kirtley, M.E. 116:1
—, sulmazole (AR-L 115BS) activates the sheep cardiac muscle sarcoplasmic reticulum calcium-release channel in the presence and absence of calcium, Williams, A.J., Holmberg, S.R.M. 115:167
Saxitoxin
—, isolation of two saxitoxin-sensitive sodium channel subtypes from rat brain with distinct biochemical and functional properties, Corbett, A.M., Krueger, B.K. 117:163
Scorpion venom
—, isolation of two saxitoxin-sensitive sodium channel subtypes from rat brain with distinct biochemical and functional properties, Corbett, A.M., Krueger, B.K. 117:163
—, rabbit distal colon epithelium: III. Ca^{2+}-activated K^+ channels in basolateral plasma membrane vesicles of surface and crypt cells, Wiener, H., Klaerke, D.A., Jørgensen, P.L. 117:275
—, reconstitution of a calcium-activated potassium channel in basolateral membranes of rabbit colonocytes into planar lipid bilayers, Turnheim, K., Costantin, J., Chan, S., Schultz, S.G. 112:247
Sea anemones
—, cytotoxicity of equinatoxin II from the sea anemone *Actinia equina* involves ion channel formation and an increase in intracellular calcium activity, Zorec, R., Tester, M., Macek, P., Mason, W.T. 118:243

Sea urchin eggs
—, hyperosmolality inhibits exocytosis in sea urchin eggs by formation of a granule-free zone and arrest of pore widening, Merkle, C.J., Chandler, D.E. 112:223
—, reassociation of cortical secretory vesicles with sea urchin egg plasma membrane: assessment of binding specificity, Jackson, R.C., Modern, P.A. 115:83
Secondary active transport
—, application of membrane potential equations to tight epithelia, Gordon, L.G.M., Macknight, A.D.C. 120:155
—, contributions of secondary active transport processes to membrane potentials, Gordon, L.G.M., Macknight, A.D.C. 120:141
—, K-Cl cotransport in LK sheep erythrocytes: kinetics of stimulation by cell swelling, Bergh, C., Kelley, S.J., Dunham, P.B. 117:177
Sensory cells
—, nonselective cation channel activated by patch excision from lobster olfactory receptor neurons, McClintock, T.S., Ache, B.W. 113:115
Sensory neurons
—, characterization of sodium currents in mammalian sensory neurons cultured in serum-free defined medium with and without nerve growth factor, Omri, G., Meiri, H. 115:13
—, structural and developmental differences between three types of Na channels in dorsal root ganglion cells of newborn rats, Schwartz, A., Palti, Y., Meiri, H. 116:117
Sensory physiology
—, identification of electrophysiologically distinct subpopulations of rat taste cells, Akabas, M., Dodd, J., Al-Awqati, Q. 114:71
—, perspectives of taste reception, Avenet, P., Lindemann, B. 112:1
Sensory transduction
—, studies of the cyclic adenosine monophosphate chemoreceptor of *Paramecium*, Van Houten, J.L., Cote, B.L., Zhang, J., Baez, J., Gagnon, M.L. 119:15
Serum
—, enhancement of glucose transport in Clone 9 cells by exposure to alkaline pH: studies on potential mechanisms, Hakimian, J., Ismail-Beigi, F. 120:29
Serum-free medium
—, characterization of sodium currents in mammalian sensory neurons cultured in serum-free defined medium with and without nerve growth factor, Omri, G., Meiri, H. 115:13
Short circuit currents
—, application of membrane potential equations to tight epithelia, Gordon, L.G.M., Macknight, A.D.C. 120:155
—, changes in membrane conductance and areas associated with bicarbonate secretion in turtle bladder, Rich, A., Dixon, T.E., Clausen, C. 113:211
—, chloride conductive and cotransport mechanisms in cultures of canine tracheal epithelial cells measured by an entrapped fluorescent indicator, Chao, A.C., Widdicombe, J.H., Verkman, A.S. 113:193
—, Na,K-ATPase and the development of Na^+ transport in rat distal colon, Pácha, J., Teisinger, J., Popp, M., Capek, K. 120:201
Sialic acid
—, sialic acid and the surface charge associated with hyperpolarization-activated, inward rectifying channels, Fermini, B., Nathan, R.D. 114:61
Sickle cell anemia
—, Na^+/H^+ exchange is increased in sickle cell anemia and young normal red cells, Canessa, M., Fabry, M.E., Suzuka, S.M., Morgan, K., Nagel, R.L. 116:107
Signal peptides
—, the signal peptide, von Heijne, G. 115:195
Signal sequence
—, the signal peptide, von Heijne, G. 115:195
Single channel activity
—, barium- and calcium-permeable channels open at negative membrane potentials in rat ventricular myocytes, Coulombe, A., Lefévre, I.A., Baro, I., Coraboeuf, E. 111:57
Single channel conductance
—, aminoglycoside blockade of Ca^{2+}-activated K^+ channel from rat brain synaptosomal membranes incorporated into planar bilayers, Nomura, K., Naruse, K., Watanabe, K., Sokabe, M. 115:241
—, Ca^{2+}-activated K^+ channel from human erythrocyte membranes: single channel rectification and selectivity, Christophersen, P. 119:75
—, gap junction formation and functional interaction between neonatal rat cardiocytes in culture: a correlative physiological and ultrastructural study, Rook, M.B., de Jonge, B., Jongsma, H.J., Masson-Pévet, M.A. 118:179
—, isolation of two saxitoxin-sensitive sodium channel subtypes from rat brain with distinct biochemical and functional properties, Corbett, A.M., Krueger, B.K. 117:163
—, specificity of tetraethylammonium and quinine for three K channels in insulin-secreting cells, Fatherazi, S., Cook, D.L. 120:105
Single channel currents
—, bradykinin-induced potassium current in cultured bovine aortic endothelial cells, Colden-Stanfield, M., Schilling, W.P., Possani, L.D., Kunze, D.L. 116:227
—, chloride channels in human platelets: evidence for activation by internal calcium, Mahaut-Smith, M.P. 118:69
—, electrophysiology of cultured human lens epithelial cells, Cooper, K., Gates, P., Rae, J.L., Dewey, J. 117:285
—, novel type of ion channel activated by Pb^{2+}, Cd^{2+}, and Al^{3+} in cultured mouse neuroblastoma cells, Oortgiesen, M., van Kleef, R.G.D.M., Vijverberg, H.P.M. 113:261
—, oscillating activity of a calcium-activated K^+ channel in normal and cancerous mammary cells in culture, Enomoto, K.I., Furuya, K., Maeno, T., Edwards, C., Oka, T. 119:133
—, outward-rectifying chloride channels in cultured adult and fetal human nasal epithelial cells, Jorissen, M., Vereecke, J., Carmeliet, E., Van den Berghe, H., Cassiman, J.-J. 117:123
Single channel recording
—, analysis of the T-type calcium channel in embryonic chick ventricular myocytes, Kawano, S., DeHaan, R.L. 116:9
—, cAMP-activated chloride channel in the basolateral membrane of the thick ascending limb of the mouse kidney, Paulais, M., Teulon, J. 113:253
—, effects of pH on acetylcholine receptor function, Palma, A., Li, L., Chen, X., Pappone, P., NcNamee, M. 120:67
—, macroscopic and single-channel studies of two Ca^{2+} channel types in oocytes of the ascidian *Ciona intestinalis*, Bosma, M.M., Moody, W.J. 114:231
—, mechanosensitive ion channels, Morris, C.E. 113:93
—, patch-clamp profile of ion channels in resting murine B lymphocytes, McCann, F.V., McCarthy, D.C., Noelle, R.J. 114:175
Single channels
—, a single amino acid substitution alters conductance and

gating of OmpC porin of *Escherichia coli*, Delcour, A.H., Alder, J., Kung, C. 119:267
—, bicarbonate permeability of the outwardly rectifying anion channel, Tabcharani, J.A., Jensen, T.J., Riordan, J.R., Hanrahan, J.W. 112:109
—, calcium-dependent potassium channel in *Paramecium* studied under patch clamp, Saimi, Y., Martinac, B. 112:79
—, macroscopic and single-channel studies of two Ca^{2+} channel types in oocytes of the ascidian *Ciona intestinalis*, Bosma, M.M., Moody, W.J. 114:231
—, mechanism of aldosterone-induced increase of K^+ conductance in early distal renal tubule cells of the frog, Wang, W., Henderson, R.M., Geibel, J., White, S., Giebisch, G. 111:277
—, multiple conductance levels of the dihydropyridine-sensitive calcium channel in GH_3 cells, Kunze, D.L., Ritchie, A.K. 118:171
—, sulmazole (AR-L 115BS) activates the sheep cardiac muscle sarcoplasmic reticulum calcium-release channel in the presence and absence of calcium, Williams, A.J., Holmberg, S.R.M. 115:167
—, zinc inhibition of chloride efflux from skeletal muscle of *Rana pipiens* and its modification by external pH and chloride activity, Spalding, B.C., Taber, P., Swift, J.G., Horowicz, P. 116:195
Single cilium
—, transmembrane currents in frog olfactory cilia, Kleene, S.J., Gesteland, R.C. 120:75
Sinoatrial node
—, sialic acid and the surface charge associated with hyperpolarization-activated, inward rectifying channels, Fermini, B., Nathan, R.D. 114:61
SITS
—, regulation of basolateral membrane potential after stimulation of Na^+ transport in proximal tubules, Lapointe, J.-Y., Duplain, M. 120:165
Skeletal muscle
—, identification of a new subpopulation of triad junctions isolated from skeletal muscle; morphological correlations with intact muscle, Kim, K.C., Caswell, A.H., Brunschwig, J.-P., Brandt, N.R. 113:221
—, molecular interactions of the junctional foot protein and dihydropyridine receptor in skeletal muscle triads, Brandt, N.R., Caswell, A.H., Wen, S.-R., Talvenheimo, J.A. 113:237
—, Na activation delays and their relation to inactivation in frog skeletal muscle, Hahin, R. 118:233
—, nitrate and chloride ions have different permeation pathways in skeletal muscle fibers of *Rana pipiens*, Kotsias, B.A., Horowicz, P. 115:95
—, zinc inhibition of chloride efflux from skeletal muscle of *Rana pipiens* and its modification by external pH and chloride activity, Spalding, B.C., Taber, P., Swift, J.G., Horowicz, P. 116:195
Sodium channels
—, characterization of sodium currents in mammalian sensory neurons cultured in serum-free defined medium with and without nerve growth factor, Omri, G., Meiri, H. 115:13
—, isolation of two saxitoxin-sensitive sodium channel subtypes from rat brain with distinct biochemical and functional properties, Corbett, A.M., Krueger, B.K. 117:163
—, Na activation delays and their relation to inactivation in frog skeletal muscle, Hahin, R. 118:233
—, reconstituted voltage-sensitive sodium channels from eel electroplax: activation of permeability by quaternary lidocaine, N-bromoacetamide, and N-bromosuccinimide, Cooper, E.C., Agnew, W.S. 111:253
—, structural and developmental differences between three types of Na channels in dorsal root ganglion cells of newborn rats, Schwartz, A., Palti, Y., Meiri, H. 116:117
Sodium conductance
—, calcium-dependent sodium current in the marine ciliate *Euplotes vannus*, Krüppel, T., Lueken, W. 116:79
—, prostaglandin E_2 enhances the sodium conductance of exocrine glands in isolated frog skin (*Rana esculenta*), Nielsen, R. 113:31
Sodium cotransport
—, high-affinity sodium-dependent uptake of ascorbic acid by rat osteoblasts, Wilson, J.X., Dixon, S.J. 111:83
Sodium-coupled transport
—, electrophysiological investigation of the amino acid carrier selectivity in epithelial cells from *Xenopus* embryo, Bergman, J., Zaafrani, M., Bergman, C. 111:241
Sodium currents
—, anticalmodulin drugs block the sodium gating current of squid giant axons, Ichikawa, M., Urayama, M., Matsumoto, G. 120:211
—, characterization of sodium currents in mammalian sensory neurons cultured in serum-free defined medium with and without nerve growth factor, Omri, G., Meiri, H. 115:13
—, chloramine-T alters the nerve membrane birefringence response, Landowne, D. 113:123
—, temperature dependence of gating current in myelinated nerve fibers, Jonas, P. 112:277
Sodium-dependent transport
—, calcium absorption by fish intestine: the involvement of ATP and sodium-dependent calcium extrusion mechanisms, Flik, G., Schoenmakers, T.J.M., Groot, J.A., van Os, C.H., Bonga, S.E.W. 113:13
—, electrogenic properties of the Na : Ca exchange, Lagnado, L., McNaughton, P.A. 113:177
—, electrophysiological investigation of the amino acid carrier selectivity in epithelial cells from *Xenopus* embryo, Bergman, J., Zaafrani, M., Bergman, C. 111:241
—, endogenous D-glucose transport in oocytes of *Xenopus laevis*, Weber, W.-M., Schwarz, W., Passow, H. 111:93
—, high-affinity sodium-dependent uptake of ascorbic acid by rat osteoblasts, Wilson, J.X., Dixon, S.J. 111:83
—, membrane potentials and the mechanism of intestinal Na^+ dependent sugar transport, Kimmich, G.A. 114:1
Sodium flux
—, electrogenic 2 Na^+/1 H^+ exchange in crustaceans, Ahearn, G.A., Franco, P., Clay, L.P. 116:215
Sodium gating currents
—, anticalmodulin drugs block the sodium gating current of squid giant axons, Ichikawa, M., Urayama, M., Matsumoto, G. 120:211
Sodium ion channels
—, gating in iodate-modified single cardiac Na^+ channels, Kohlhardt, M., Fichtner, H., Fröbe, U. 112:67
—, inhibition of voltage-dependent Na^+ current in cell-fusion hybrids containing activated c-Ha-*ras*, Estacion, M. 113:169
—, Na^+ channel blockade by cyclic AMP and other 6-aminopurines in neonatal rat heart, Herzig, J.W., Kohlhardt, M. 119:163
—, sodium channels contribute to action potential generation in canine and human pancreatic islet B cells, Pressel, D.M., Misler, S. 116:273

Sodium ion conductance
—, pH*i*-dependent membrane conductance of proximal tubule cells in culture (OK): differential effects on K^+- and Na^+-conductive channels, Schwegler, J.S., Steigner, W., Heuner, A., Silbernagl, S. 117:243
Sodium ion currents
—, electrophysiology of cultured human lens epithelial cells, Cooper, K., Gates, P., Rae, J.L., Dewey, J. 117:285
Sodium ion dependence
—, stimulant-evoked depolarization and increase in $[Ca^{2+}]_i$ in insulin-secreting cells is dependent on external Na^+, Dunne, M.J., Yule, D.I., Gallacher, D.V., Petersen, O.H. 113:131
Sodium ion flux
—, direct inhibitory action of EGTA-Ca complex on reverse-mode Na/Ca exchange in *Myxicola* giant axons, Sjodin, R.A., Mahmoud, A.A., Montes, J.G. 114:225
Sodium ion interactions
—, interactions of external and internal H^+ and Na^+ with Na^+/Na^+ and Na^+/H^+ exchange of rabbit red cells: evidence for a common pathway, Morgan, K., Canessa, M. 118:193
Sodium ion transport
—, hypo-osmotic stimulation of active Na^+ transport in frog muscle: apparent upregulation of Na^+ pumps, Venosa, R.A. 120:97
—, Na,K-ATPase and the development of Na^+ transport in rat distal colon, Pácha, J., Teisinger, J., Popp, M., Capek, K. 120:201
—, Na^+/Na^+ exchange and Na^+/H^+ antiport in rabbit erythrocytes: two distinct transport systems, Escobales, N., Figueroa, J. 120:41
—, regulation of basolateral membrane potential after stimulation of Na^+ transport in proximal tubules, Lapointe, J.-Y., Duplain, M. 120:165
Sodium ion uptake V
—, vasopressin alters the mechanism of apical Cl^- entry from $Na^+:Cl^-$ to $Na^+:2Cl^-$ cotransport in mouse medullary thick ascending limb, Sun, A., Grossman, E.B., Lombardi, M., Hebert, S.C. 120:83
Sodium ions
—, mechanism of Na^+/proline symport in *Escherichia coli*: reappraisal of the effect of cation binding to the Na^+/prolinesymport carrier, Yamato, I., Anraku, Y. 114:143
—, the nature of the neutral Na^+-Cl^- coupled entry at the apical membrane of rabbit gallbladder epithelium: III. analysis of transports on membrane vesicles, Meyer, G., Bottá, G., Rossetti, C., Gremaschi, D. 118:107
—, two substrate sites in the renal Na^+-D-glucose cotransporter studied by model analysis of phlorizin binding and D-glucose transport measurements, Koepsell, H., Fritzsch, G., Korn, K., Madrala, A. 114:113
Sodium pump
—, hypo-osmotic stimulation of active Na^+ transport in frog muscle: apparent upregulation of Na^+ pumps, Venosa, R.A. 120:97
Sodium tail currents
—, calcium-dependent sodium current in the marine ciliate *Euplotes vannus*, Krüppel, T., Lueken, W. 116:79
Sodium transport
—, application of membrane potential equations to tight epithelia, Gordon, L.G.M., Macknight, A.D.C. 120:155
Sodium uptake
—, agonist-induced activation of Na^+/H^+ exchange in rat parotid acinar cells, Manganel, M., Turner, R.J. 111:191
Sorbitol
—, role of organic osmolytes in adaptation of renal cells to high osmolality, Garcia-Perez, A., Burg, M.B. 119:1
Sour taste
—, perspectives of taste reception, Avenet, P., Lindemann, B. 112:1
Soybean lipids
—, role of phospholipids in the binding of bumetanide to the rabbit parotid Na/K/Cl cotransporter, Corcelli, A., Turner, R.J. 120:125
—, spontaneous insertion of plant plasma membrane (H^+)ATPase into a preformed bilayer, Simon-Plas, F., Venema, K., Grouzis, J.P., Gibrat, R., Rigaud, J., Grignon, C. 120:51
Spectrin
—, effect of magnesium ions on red cell membrane properties, Beaven, G.H., Parmar, J., Nash, G.B., Bennett, P.M., Gratzer, W.B. 118:251
Spin probes
—, fatty-acid spin probe interactions with erythrocyte ghosts and liposomes prepared from erythrocyte ghosts, Gordon, L.M., Looney, F.D., Curtain, C.C. 111:155
Spontaneous insertion
—, spontaneous insertion of plant plasma membrane (H^+)ATPase into a preformed bilayer, Simon-Plas, F., Venema, K., Grouzis, J.P., Gibrat, R., Rigaud, J., Grignon, C. 120:51
Squid giant axons
—, anticalmodulin drugs block the sodium gating current of squid giant axons, Ichikawa, M., Urayama, M., Matsumoto, G. 120:211
—, chloramine-T alters the nerve membrane birefringence response, Landowne, D. 113:123
Squid neural tissue
—, membrane bilayer assembly in neural tissue of rat and squid as a critical phenomenon: influence of temperature and membrane proteins, Ginsberg, L., Gilbert, D.L., Gershfeld, N.L. 119:65
Staphylococcus aureus
—, chemical modification of *Staphylococcus aureus* α-toxin by diethylpyrocarbonate: role of histidines in its membrane-damaging properties, Pederzolli, C., Cescatti, L., Menestrina, G. 119:41
—, modification of lysine residues of *Staphylococcus aureus* toxin: effects on its channel-forming properties, Cescatti, L., Pederzolli, C., Menestrina, G. 119:53
Staurosporine
—, role of protein kinase C in the regulation of cytosolic Ca^{2+} in A431 cells: separation of growth factor and bradykinin pathways, Wheller, L.A., Goodrum, D.D., Sachs, G. 118:77
Steroids
—, specific binding sites for corticosterone in isolated cells and plasma membrane from rat liver, Trueba, M., Ibarrola, I., Ogiza, K., Marino, A., Marcarulla, J.M. 120:115
Stilbene inhibitors
—, interaction among anion, cation and glucose transport proteins in the human red cell, Janoshazi, A., Solomon, A.K. 112:25
—, interactions between anion exchange and other membrane proteins in rabbit kidney medullary collecting duct cells, Janoshazi, A., Seifter, J.L., Solomon, A.K. 112:39
Stoichiometry
—, electrogenic 2 Na^+/1 H^+ exchange in crustaceans, Ahearn, G.A., Franco, P., Clay, L.P. 116:215

—, membrane potentials and the mechanism of intestinal Na^+ dependent sugar transport, Kimmich, G.A. 114:1
Stretch-sensitive channels
—, mechanosensitive ion channels, Morris, C.E. 113:93
Structure-function relationship
—, recent advances in the molecular characterization of plasma membrane Ca^{2+} pumps, Strehler, E.E. 120:1
Substance P
—, modulation of membrane K^+ conductance in T-lymphocytes by substance P via a GTP-binding protein, Schumann, M.A., Gardner, P. 111:133
Substrate binding forces
—, expression of substrate specificity in facilitated transport systems, Krupka, R.M. 117:69
Substrate sites
—, two substrate sites in the renal Na^+-D-glucose cotransporter studied by model analysis of phlorizin binding and D-glucose transport measurements, Koepsell, H., Fritzsch, G., Korn, K., Madrala, A. 114:113
Substrate specificity
—, expression of substrate specificity in facilitated transport systems, Krupka, R.M. 117:69
Substrates
—, branched reaction mechanism for the Na/K pump as an alternative explanation for a nonmonotonic current *vs.* membrane potential response, Milanick, M.A. 119:33
—, functional characteristics of the cardiac sarcolemmal monocarboxylate transporter, Trosper, T.L., Philipson, K.D. 112:15
Subunit expression
—, thyroid hormone regulation of Na,K-ATPase subunit-mRNA expression in neonatal rat myocardium, Melikian, J., Ismail-Beigi, F. 119:171
Sugar transport
—, membrane potentials and the mechanism of intestinal Na^+ dependent sugar transport, Kimmich, G.A. 114:1
Sulfate
—, inhibition of the phosphate self-exchange flux in human erythrocytes and erythrocyte ghosts, Stadler, F., Schnell, K.F. 118:19
—, sulfate self-exchange and amino acid transport in calcium loaded human erythrocytes, Joshi, R., Gupta, C.M. 117:233
Sulfhydryl groups
—, activation of Cl^-/OH^- exchange by parachloromercuribenzoic acid in rabbit renal brush-border membranes, Karniski, L.P. 112:59
—, sulfhydryl-reactive heavy metals increase cell membrane K^+ and Ca^{2+} transport in renal proximal tubule, Kone, B.C., Brenner, R.M., Gullans, S.R. 113:1
Sulfhydryl reagents
—, activation of Cl^-/OH^- exchange by parachloromercuribenzoic acid in rabbit renal brush-border membranes, Karniski, L.P. 112:59
Sulfhydryls
—, thiol-dependent passive K : Cl transport in sheep red blood cells: X. a hydroxylamine-oxidation induced K : Cl flux blocked by diethylpyrocarbonate, Lauf, P.K. 118:153
Sulmazole
—, sulmazole (AR-L 115BS) activates the sheep cardiac muscle sarcoplasmic reticulum calcium-release channel in the presence and absence of calcium, Williams, A.J., Holmberg, S.R.M. 115:167
Surface cells
—, rabbit distal colon epithelium: III. Ca^{2+}-activated K^+ channels in basolateral plasma membrane vesicles of surface and crypt cells, Wiener, H., Klaerke, D.A., Jørgensen, P.L. 117:275
Surface charge
—, sialic acid and the surface charge associated with hyperpolarization-activated, inward rectifying channels, Fermini, B., Nathan, R.D. 114:61
Surface dielectric constant
—, surface dielectric constant, surface hydrophobicity and membrane fusion, Ohki, S., Arnold, K. 114:195
Sweet taste
—, perspectives of taste reception, Avenet, P., Lindemann, B. 112:1
Synaptosomal membrane
—, aminoglycoside blockade of Ca^{2+}-activated K^+ channel from rat brain synaptosomal membranes incorporated into planar bilayers, Nomura, K., Naruse, K., Watanabe, K., Sokabe, M. 115:241
Synexin
—, synexin (annexin VII): a cytosolic calcium-binding protein which promotes membrane fusion and forms calcium channels in artificial bilayer and natural membranes, Pollard, H.B., Burns, A.L., Rojas, E. 117:101
Synthetic peptides
—, structural and developmental differences between three types of Na channels in dorsal root ganglion cells of newborn rats, Schwartz, A., Palti, Y., Meiri, H. 116:117
Synthetic retinals
—, synthetic retinals as probes for the binding site and photoreactions in rhodopsins, Ottolenghi, M., Sheves, M. 112:193
T lymphocytes
—, beta-adrenergic modulation of K^+ current in human T lymphocytes, Soliven, B., Nelson, D.J. 117:263
—, modulation of membrane K^+ conductance in T-lymphocytes by substance P via a GTP-binding protein, Schumann, M.A., Gardner, P. 111:133
T-type calcium channels
—, analysis of the T-type calcium channel in embryonic chick ventricular myocytes, Kawano, S., DeHaan, R.L. 116:9
Taste cells
—, identification of electrophysiologically distinct subpopulations of rat taste cells, Akabas, M., Dodd, J., Al-Awqati, Q. 114:71
Taste reception
—, perspectives of taste reception, Avenet, P., Lindemann, B. 112:1
Tb-DPA assay
—, fusion of liposomes and rat brain microsomes examined by two assays, Corazzi, L., Fratto, G., Pistolesi, R., Arienti, G. 112:123
Teleost
—, calcium absorption by fish intestine: the involvement of ATP and sodium-dependent calcium extrusion mechanisms, Flik, G., Schoenmakers, T.J.M., Groot, J.A., van Os, C.H., Bonga, S.E.W. 113:13
Temperature dependence
—, membrane bilayer assembly in neural tissue of rat and squid as a critical phenomenon: influence of temperature and membrane proteins, Ginsberg, L., Gilbert, D.L., Gershfeld, N.L. 119:65
—, specific binding sites for corticosterone in isolated cells and plasma membrane from rat liver, Trueba, M., Ibarrola, I., Ogiza, K., Marino, A., Marcarulla, J.M. 120:115

—, temperature dependence of gating current in myelinated nerve fibers, Jonas, P. 112:277
—, temperature-dependent lateral and transverse distribution of the epidermal growth factor receptor in A431 plasma membranes, Azevedo, J.R., Johnson, D.A. 118:215
Tempone
—, ESR measurement of time-dependent and equilibrium volumes in red cells, Moronne, M.M., Mehlhorn, R.J., Miller, M.P., Ackerson, L.C., Macey, R.I. 115:31
Tetrabutylammonium chloride
—, bradykinin-induced potassium current in cultured bovine aortic endothelial cells, Colden-Stanfield, M., Schilling, W.P., Possani, L.D., Kunze, D.L. 116:227
12-O-Tetradecanoylphorbol 13-acetate (TPA)
—, enhancement of glucose transport in Clone 9 cells by exposure to alkaline pH: studies on potential mechanisms, Hakimian, J., Ismail-Beigi, F. 120:29
—, evidence for involvement of protein kinase C in regulation of intracellular pH by Cl^-/HCO_3^- antiport, Ludt, J., Tønnessen, T.I., Sandvig, K., Olsnes, S. 119:179
Tetraethylammonium (TEA)
—, evidence for two K^+ currents activated upon hyperpolarization of *Paramecium tetraurelia*, Preston, R.R., Saimi, Y., Kung, C. 115:41
—, interactions between mutants with defects in two Ca^{2+} dependent K^+ currents of *Paramecium tetraurelia*, Preston, R.R., Saimi, Y., Amberger, E., Kung, C. 115:61
—, oscillating activity of a calcium-activated K^+ channel in normal and cancerous mammary cells in culture, Enomoto, K.I., Furuya, K., Maeno, T., Edwards, C., Oka, T. 119:133
—, specificity of tetraethylammonium and quinine for three K channels in insulin-secreting cells, Fatherazi, S., Cook, D.L. 120:105
Tetramethylrhodamine
—, temperature-dependent lateral and transverse distribution of the epidermal growth factor receptor in A431 plasma membranes, Azevedo, J.R., Johnson, D.A. 118:215
Tetrodotoxin
—, characterization of sodium currents in mammalian sensory neurons cultured in serum-free defined medium with and without nerve growth factor, Omri, G., Meiri, H. 115:13
—, reconstituted voltage-sensitive sodium channels from eel electroplax: activation of permeability by quaternary lidocaine, N-bromoacetamide, and N-bromosuccinimide, Cooper, E.C., Agnew, W.S. 111:253
—, sodium channels contribute to action potential generation in canine and human pancreatic islet B cells, Pressel, D.M., Misler, S. 116:273
Theophylline
—, metabolic control of the K^+ channel of human red cells, Romero, P.J., Ortíz, C.E., Melitto, C. 116:19
Thermolysin
—, proteolytic activation of a hyperpolarization- and calcium dependent potassium channel in *Paramecium*, Kubalski, A., Martinac, B., Saimi, Y. 112:91
Thiamin transport
—, thiamin transport by human erythrocytes and ghosts, Casirola, D., Patrini, C., Ferrari, G., Rindi, G. 118:11
Thick ascending loop of Henle
—, cAMP-activated chloride channel in the basolateral membrane of the thick ascending limb of the mouse kidney, Paulais, M., Teulon, J. 113:253
Thiol
—, thiol-dependent passive K:Cl transport in sheep red blood cells: IX. modulation by pH in the presence and absence of DIDS and the effect of NEM, Zade-Oppen, A.M.M., Lauf, P.K. 118:143
—, thiol-dependent passive K:Cl transport in sheep red blood cells: X. a hydroxylamine-oxidation induced K:Cl flux blocked by diethylpyrocarbonate, Lauf, P.K. 118:153
Thymic lymphocytes
—, effect of cytoplasmic acidification on the membrane potential of T-lymphocytes: role of trace metals, Mason, M.J., Grinstein, S. 116:139
Thyroid hormone
—, thyroidal enhancement of rat myocardial Na,K-ATPase: preferential expression of 2 activity and mRNA abundance, Gick, G.G., Melikian, J., Ismail-Beigi, F. 115:273
Thyroid hormone (T3)
—, thyroid hormone regulation of Na,K-ATPase subunit-mRNA expression in neonatal rat myocardium, Melikian, J., Ismail-Beigi, F. 119:171
Tight epithelium
—, application of membrane potential equations to tight epithelia, Gordon, L.G.M., Macknight, A.D.C. 120:155
Tight junctions
—, further evidence for the regulation of the tight junction ion selectivity by cAMP in goldfish intestinal mucosa, Bakker, R., Groot, J.A. 111:25
—, maintenance of the macromolecular barrier at cell extrusion sites in intestinal epithelium: Physiological rearrangement of tight junctions, Madara, J.L. 116:177
Tilapia
—, calcium absorption by fish intestine: the involvement of ATP and sodium-dependent calcium extrusion mechanisms, Flik, G., Schoenmakers, T.J.M., Groot, J.A., van Os, C.H., Bonga, S.E.W. 113:13
Time dependence
—, ESR measurement of time-dependent and equilibrium volumes in red cells, Moronne, M.M., Mehlhorn, R.J., Miller, M.P., Ackerson, L.C., Macey, R.I. 115:31
—, nitrate and chloride ions have different permeation pathways in skeletal muscle fibers of *Rana pipiens*, Kotsias, B.A., Horowicz, P. 115:95
—, time- and dose-dependent effects of protein kinase C on proximal bicarbonate transport, Wang, T., Chan, Y.L. 117:131
Time-resolved fluorescence
—, proton dissociation dynamics in the aqueous layer of multilamellar phospholipid vesicle, Rochel, S., Nachliel, E., Huppert, D., Gutman, M. 118:225
Toad bladder
—, application of membrane potential equations to tight epithelia, Gordon, L.G.M., Macknight, A.D.C. 120:155
Toad skin
—, roles of external and cellular Cl^- ions on the activation of an apical electrodiffusional Cl^- pathway in toad skin, Procopio, J., Lacaz-Vieira, F. 117:57
Tolbutamide
—, comparative study of the effects of cromakalim (BRL 34915) and diazoxide on membrane potential, $[Ca^{2+}]_i$ and ATP-sensitive potassium currents in insulin-secreting cells, Dunne, M.J., Yule, D.I., Gallacher, D.V., Petersen, O.H. 114:53
—, stimulant-evoked depolarization and increase in $[Ca^{2+}]_i$ in insulin-secreting cells is dependent on external Na^+, Dunne, M.J., Yule, D.I., Gallacher, D.V., Petersen, O.H. 113:131
Tonoplasts
—, activation by Ca^{2+} and block by divalent ions of the K^+

channel in the membrane of cytoplasmic drops from *Chara australis*, Laver, D.R., Walker, N.A. 120:131
—, characterization of Cl^- transport in vacuolar membrane vesicles using a Cl^--sensitive fluorescent probe: reaction kinetic models for voltage- and concentration-dependence of Cl^- flux, Pope, A.J., Jennings, I.R., Sanders, D., Leigh, R.A. 116:129
Torpedo
—, altered patterns of *N*-linked glycosylation of the *Torpedo* aceytylcholine receptor expressed in *Xenopus* oocytes, Buller, A.L., White, M.M. 115:179
Torpedo californica
—, effects of pH on acetylcholine receptor function, Palma, A., Li, L., Chen, X., Pappone, P., NcNamee, M. 120:67
TPA
—, role of protein kinase C in the regulation of cytosolic Ca^{2+} in A431 cells: separation of growth factor and bradykinin pathways, Wheller, L.A., Goodrum, D.D., Sachs, G. 118:77
Trace metals
—, effect of cytoplasmic acidification on the membrane potential of T-lymphocytes: role of trace metals, Mason, M.J., Grinstein, S. 116:139
Tracheal epithelium
—, chloride conductive and cotransport mechanisms in cultures of canine tracheal epithelial cells measured by an entrapped fluorescent indicator, Chao, A.C., Widdicombe, J.H., Verkman, A.S. 113:193
Trans-effects
—, interactions of external and internal H^+ and Na^+ with Na^+/Na^+ and Na^+/H^+ exchange of rabbit red cells: evidence for a common pathway, Morgan, K., Canessa, M. 118:193
Transbilayer helix prediction
—, observations concerning topology and locations of helix ends of membrane proteins of known structure, White, S.H., Jacobs, R.E. 115:145
Transbilayer reorientation
—, nonmediated flip-flop of phospholipid analogues in the erythrocyte membrane as probed by palmitoylcarnitine: basic properties and influence of membrane modification, Classen, J., Deuticke, B., Haest, C.W.M. 111:169
Transepithelial conductance
—, further evidence for the regulation of the tight junction ion selectivity by cAMP in goldfish intestinal mucosa, Bakker, R., Groot, J.A. 111:25
Transferrin
—, kinetics of iron passage through subcellular compartments of rabbit reticulocytes, Watkins, J.A., Nunez, M.-T., Gaete, V., Alvarez, O., Glass, J. 119:141
Transforming growth factor alpha (TGF-α)
—, role of protein kinase C in the regulation of cytosolic Ca^{2+} in A431 cells: separation of growth factor and bradykinin pathways, Wheller, L.A., Goodrum, D.D., Sachs, G. 118:77
Transition state theory
—, expression of substrate specificity in facilitated transport systems, Krupka, R.M. 117:69
Transjunctional voltage
—, developmental changes in regulation of embryonic chick heart gap junctions, Veenstra, R.D. 119:253
Transmembrane electrical potential difference
—, power transmission along biological membranes, Skulachev, V.P. 114:97
Transmembrane potential
—, water transport and estimated transmembrane potential during freezing of mouse oocytes, Toner, M., Cravalho, E.G., Armant, D.R. 115:261
Transmembrane topology
—, major myelin proteolipid: the 4-α-helix topology, Popot, J. L., Dinh, D.P., Dautigny, A. 120:233
Transport ATPase
—, Ca^{2+} pumping ATPase of cardiac sarcolemma is insensitive to membrane potential produced by K^+ and Cl^- gradients but requires a source of counter-transportable H^+, Dixon, D.A., Haynes, D.H. 112:169
Transport kinetics
—, branched reaction mechanism for the Na/K pump as an alternative explanation for a nonmonotonic current *vs.* membrane potential response, Milanick, M.A. 119:33
—, mechanism of Na^+/proline symport in *Escherichia coli*: reappraisal of the effect of cation binding to the Na^+/proline symport carrier, Yamato, I., Anraku, Y. 114:143
—, membrane potentials and the mechanism of intestinal Na^+ dependent sugar transport, Kimmich, G.A. 114:1
—, presteady-state kinetics and carrier-mediated transport: a theoretical analysis, Wierzbicki, W., Berteloot, A., Roy, G. 117:11
—, water transport and estimated transmembrane potential during freezing of mouse oocytes, Toner, M., Cravalho, E.G., Armant, D.R. 115:261
Transport number effects
—, further evidence for the regulation of the tight junction ion selectivity by cAMP in goldfish intestinal mucosa, Bakker, R., Groot, J.A. 111:25
Triad junctions
—, identification of a new subpopulation of triad junctions isolated from skeletal muscle; morphological correlations with intact muscle, Kim, K.C., Caswell, A.H., Brunschwig, J.-P., Brandt, N.R. 113:221
—, molecular interactions of the junctional foot protein and dihydropyridine receptor in skeletal muscle triads, Brandt, N.R., Caswell, A.H., Wen, S.-R., Talvenheimo, J.A. 113:237
Tributyltin
—, electrically silent anion transport through bilayer lipid membrane induced by tributyltin and triethyllead, Antonenko, Y.N. 113:109
Triethyllead
—, electrically silent anion transport through bilayer lipid membrane induced by tributyltin and triethyllead, Antonenko, Y.N. 113:109
Trifluoperazine
—, anticalmodulin drugs block the sodium gating current of squid giant axons, Ichikawa, M., Urayama, M., Matsumoto, G. 120:211
—, reconstitution of a calcium-activated potassium channel in basolateral membranes of rabbit colonocytes into planar lipid bilayers, Turnheim, K., Costantin, J., Chan, S., Schultz, S.G. 112:247
Trimethylammonium (TMA)
—, asymmetry of membrane fluidity in the lipid bilayer of blood platelets: fluorescence study with diphenylhexatriene and analogs, Kitagawa, S., Matsubayashi, M., Kotani, K., Usui, K., Kametani, F. 119:221
Trinitrobenzenesulfonic acid
—, modification of lysine residues of *Staphylococcus aureus* toxin: effects on its channel-forming properties, Cescatti, L., Pederzolli, C., Menestrina, G. 119:53
Triton X-100
—, Ca^{2+} pump and Ca^{2+}/H^+ antiporter in plasma membrane vesicles isolated by aqueous two-phase partitioning from corn leaves, Kasai, M., Muto, S. 114:133

—, purification of the microsomal Ca^{2+}-ATPase from rat liver, Jong, Y.-J., Sheldon, A., Zhang, G.H., Kraus-Friedmann, N. 118:49
—, role of phospholipids in the binding of bumetanide to the rabbit parotid Na/K/Cl cotransporter, Corcelli, A., Turner, R.J. 120:125
—, solubilization and partial purification of the rabbit parotid Na/K/Cl^- dependent bumetanide binding site, Turner, R.J., George, J.N. 113:203
Trypsin
—, blockade of a mitochondrial cationic channel by an addressing peptide: an electrophysiological study, Henry, J.-P., Chich, J.-F., Goldschmidt, D., Thieffry, M. 112:139
—, proteolytic activation of a hyperpolarization- and calcium-dependent potassium channel in *Paramecium*, Kubalski, A., Martinac, B., Saimi, Y. 112:91
Tunicamycin
—, altered patterns of *N*-linked glycosylation of the *Torpedo* aceytylcholine receptor expressed in *Xenopus* oocytes, Buller, A.L., White, M.M. 115:179
Turgor pressure
—, calcium ion and turgor regulation in plant cells, Okazaki, Y., Tazawa, M. 114:189
Turgor regulation
—, calcium ion and turgor regulation in plant cells, Okazaki, Y., Tazawa, M. 114:189
Turtle bladder
—, changes in membrane conductance and areas associated with bicarbonate secretion in turtle bladder, Rich, A., Dixon, T.E., Clausen, C. 113:211
—, electrogenic bicarbonate secretion in the turtle bladder: apical membrane conductance characteristics, Rich, A., Dixon, T.E., Clausen, C. 119:241
Tyrosine kinase
—, role of kinases in insulin stimulation of glucose transport, Klip, A., Douen, A.G. 111:1
Ultrastructural localization
—, expression of the gap junction protein connexin43 in embryonic chick lens: molecular cloning, ultrastructural localization, and post-translational phosphorylation, Musil, L.S., Beyer, E.C., Goodenough, D.A. 116:163
Urea
—, role of organic osmolytes in adaptation of renal cells to high osmolality, Garcia-Perez, A., Burg, M.B. 119:1
Urea transport
—, urea transport in freshly isolated and cultured cells from rat inner medullary collecting duct, Zhang, R., Verkman, A.S. 117:253
Vacuolar ATPase
—, H^+/Ca^{2+} exchange in rabbit renal cortical endosomes, Hilden, S.A., Madias, N.E. 112:131
Vacuolar membranes
—, characterization of Cl^- transport in vacuolar membrane vesicles using a Cl^--sensitive fluorescent probe: reaction kinetic models for voltage- and concentration-dependence of Cl^- flux, Pope, A.J., Jennings, I.R., Sanders, D., Leigh, R.A. 116:129
Valinomycin
—, Ca^{2+} pumping ATPase of cardiac sarcolemma is insensitive to membrane potential produced by K^+ and Cl^- gradients but requires a source of counter-transportable H^+, Dixon, D.A., Haynes, D.H. 112:169
Vanadate
—, interaction of caffeine-, IP3- and vanadate-sensitive Ca^{2+} pools in acinar cells of the exocrine pancreas, Dehlinger-Kremer, M., Zeuzem, S., Schulz, I. 119:85
Variable coupling
—, electrogenic and electroneutral transport modes of renal Na/K ATPase reconstituted into proteoliposomes, Goldshleger, R., Shahak, Y., Karlish, S.J.D. 113:139
Vasopressin
—, urea transport in freshly isolated and cultured cells from rat inner medullary collecting duct, Zhang, R., Verkman, A.S. 117:253
VDAC
—, voltage gating in the mitochondrial channel, VDAC, Colombini, M. 111:103
Veratridine
—, isolation of two saxitoxin-sensitive sodium channel subtypes from rat brain with distinct biochemical and functional properties, Corbett, A.M., Krueger, B.K. 117:163
Vero cells
—, action of diphtheria toxin does not depend on the induction of large, stable pores across biological membranes, Alder, G.M., Bashford, C.L., Pasternak, C.A. 113:67
—, evidence for involvement of protein kinase C in regulation of intracellular pH by Cl^-/HCO_3^- antiport, Ludt, J., Tønnessen, T.I., Sandvig, K., Olsnes, S. 119:179
Vertebrate photoreceptors
—, electrogenic properties of the Na:Ca exchange, Lagnado, L., McNaughton, P.A. 113:177
Vesicle fusion
—, fusion of liposomes and rat brain microsomes examined by two assays, Corazzi, L., Fratto, G., Pistolesi, R., Arienti, G. 112:123
—, single chloride channels in endosomal vesicle preparations from rat kidney cortex, Schmid, A., Burckhardt, G., Gögelein, H. 111:265
—, surface dielectric constant, surface hydrophobicity and membrane fusion, Ohki, S., Arnold, K. 114:195
Vesicles
—, adenosine transport and nitrobenzylthioinosine binding in human placental membrane vesicles from brush-border and basal sides of the trophoblast, Barros, L.F., Bustamante, J.C., Yudilevich, D.L., Jarvis, S.M. 119:151
—, Ca^{2+} pump and Ca^{2+}/H^+ antiporter in plasma membrane vesicles isolated by aqueous two-phase partitioning from corn leaves, Kasai, M., Muto, S. 114:133
—, cAMP-dependent protein kinase inhibits the chloride conductance in apical membrane vesicles of human placenta, Placchi, P., Lombardo, R., Tamanini, A., Brusa, P., Berton, G., Cabrini, G. 119:25
—, characterization of Cl^- transport in vacuolar membrane vesicles using a Cl^--sensitive fluorescent probe: reaction kinetic models for voltage- and concentration-dependence of Cl^- flux, Pope, A.J., Jennings, I.R., Sanders, D., Leigh, R.A. 116:129
—, characterization of inside-out oriented H^+-ATPases in cholate pretreated renal brush-border membrane vesicles, Simon, B.J., Burckhardt, G. 117:141
—, chemical modification of *Staphylococcus aureus* α-toxin by diethylpyrocarbonate: role of histidines in its membrane-damaging properties, Pederzolli, C., Cescatti, L., Menestrina, G. 119:41
—, Cl^- transport in basolateral renal medullary vesicles: I. Cl^- transport in intact vesicles, Bayliss, J.M., Reeves, W.B., Andreoli, T.E. 113:49
—, Cl^- transport in basolateral renal medullary vesicles: II. Cl

channels in planar lipid bilayers, Reeves, W.B., Andreoli, T.E. 113:57
—, electrogenic 2 Na^+/1 H^+ exchange in crustaceans, Ahearn, G.A., Franco, P., Clay, L.P. 116:215
—, electrogenic and electroneutral transport modes of renal Na/K ATPase reconstituted into proteoliposomes, Goldshleger, R., Shahak, Y., Karlish, S.J.D. 113:139
—, mechanism of Na^+/proline symport in *Escherichia coli*: reappraisal of the effect of cation binding to the Na^+/proline-symport carrier, Yamato, I., Anraku, Y. 114:143
—, ontogeny of the Na^+-H^+ exchanger in rat ileal brush-border membrane vesicles, Kikuchi, K., Kikuchi, T., Ghishan, F.K. 114:257
—, presteady-state kinetics and carrier-mediated transport: a theoretical analysis, Wierzbicki, W., Berteloot, A., Roy, G. 117:11
—, proton dissociation dynamics in the aqueous layer of multilamellar phospholipid vesicle, Rochel, S., Nachliel, E., Huppert, D., Gutman, M. 118:225
—, rabbit distal colon epithelium: III. Ca^{2+}-activated K^+ channels in basolateral plasma membrane vesicles of surface and crypt cells, Wiener, H., Klaerke, D.A., Jørgensen, P.L. 117:275
—, responses of Γ-aminobutyrate receptor from rat brain: similarity of different preparation methods; muscimol induced desensitization and chloride exchange, Cash, D.J., Subbarao, K. 111:229
—, the nature of the neutral Na^+-Cl^- coupled entry at the apical membrane of rabbit gallbladder epithelium: III. analysis of transports on membrane vesicles, Meyer, G., Bottá, G., Rossetti, C., Gremaschi, D. 118:107
—, two substrate sites in the renal Na^+-D-glucose cotransporter studied by model analysis of phlorizin binding and D-glucose transport measurements, Koepsell, H., Fritzsch, G., Korn, K., Madrala, A. 114:113

Video microscopy
—, identification of riboflavin transport by MDCK cells using quantitative fluorescence video microscopy, Lowy, R.J., Spring, K.R. 117:91

Visual photocycle
—, synthetic retinals as probes for the binding site and photoreactions in rhodopsins, Ottolenghi, M., Sheves, M. 112:193

Visual pigments
—, synthetic retinals as probes for the binding site and photoreactions in rhodopsins, Ottolenghi, M., Sheves, M. 112:193

Vitamin C
—, high-affinity sodium-dependent uptake of ascorbic acid by rat osteoblasts, Wilson, J.X., Dixon, S.J. 111:83

Vitamins
—, identification of riboflavin transport by MDCK cells using quantitative fluorescence video microscopy, Lowy, R.J., Spring, K.R. 117:91

Voltage clamp
—, beta-adrenergic modulation of K^+ current in human T lymphocytes, Soliven, B., Nelson, D.J. 117:263
—, electrophysiological investigation of the amino acid carrier selectivity in epithelial cells from *Xenopus* embryo, Bergman, J., Zaafrani, M., Bergman, C. 111:241
—, endogenous D-glucose transport in oocytes of *Xenopus laevis*, Weber, W.-M., Schwarz, W., Passow, H. 111:93
—, gap junction formation and functional interaction between neonatal rat cardiocytes in culture: a correlative physiological and ultrastructural study, Rook, M.B., de Jonge, B., Jongsma, H.J., Masson-Pévet, M.A. 118:179
—, mechanism of aldosterone-induced increase of K^+ conductance in early distal renal tubule cells of the frog, Wang, W., Henderson, R.M., Geibel, J., White, S., Giebisch, G. 111:277
—, membrane and junctional properties of dissociated frog lens epithelial cells, Cooper, K., Rae, J.L., Gates, P. 111:215
—, novel type of ion channel activated by Pb^{2+}, Cd^{2+}, and Al^{3+} in cultured mouse neuroblastoma cells, Oortgiesen, M., van Kleef, R.G.D.M., Vijverberg, H.P.M. 113:261
—, sodium channels contribute to action potential generation in canine and human pancreatic islet B cells, Pressel, D.M., Misler, S. 116:273

Voltage dependence
—, aerolysin, a hemolysin from *Aeromonas hydrophila*, forms voltage-gated channels in planar lipid bilayers, Wilmsen, H.U., Pattus, F., Buckley, J.T. 115:71
—, aminoglycoside blockade of Ca^{2+}-activated K^+ channel from rat brain synaptosomal membranes incorporated into planar bilayers, Nomura, K., Naruse, K., Watanabe, K., Sokabe, M. 115:241
—, barium- and calcium-permeable channels open at negative membrane potentials in rat ventricular myocytes, Coulombe, A., Lefévre, I.A., Baro, I., Coraboeuf, E. 111:57
—, branched reaction mechanism for the Na/K pump as an alternative explanation for a nonmonotonic current *vs.* membrane potential response, Milanick, M.A. 119:33
—, Cl^- transport in basolateral renal medullary vesicles: II. Cl channels in planar lipid bilayers, Reeves, W.B., Andreoli, T.E. 113:57
—, developmental changes in regulation of embryonic chick heart gap junctions, Veenstra, R.D. 119:253
—, evidence for two K^+ currents activated upon hyperpolarization of *Paramecium tetraurelia*, Preston, R.R., Saimi, Y., Kung, C. 115:41
—, formation of ion channels by colicin B in planar lipid bilayers, Bullock, J.O., Armstrong, S.K., Shear, J.L., Lies, D.P., McIntosh, M.A. 114:79
—, gating in iodate-modified single cardiac Na^+ channels, Kohlhardt, M., Fichtner, H., Fröbe, U. 112:67
—, macroscopic and single-channel studies of two Ca^{2+} channel types in oocytes of the ascidian *Ciona intestinalis*, Bosma, M.M., Moody, W.J. 114:231
—, voltage dependence of the *Chara* proton pump revealed by current-voltage measurement during rapid metabolic blockade with cyanide, Blatt, M.R., Beilby, M.J., Tester, M. 114:205

Voltage-dependent block
—, Ca^{2+}-activated K^+ conductance of the human red cell membrane: voltage-dependent Na^+ block of outward-going currents, Stampe, P., Vestergaard-Bogind, B. 112:9
—, coupling of K^+-gating and permeation with Ca^{2+} block in the Ca^{2+}-activated K^+ channel in *Chara australis*, Laver, D.R. 118:55
—, nonselective cation channel activated by patch excision from lobster olfactory receptor neurons, McClintock, T.S., Ache, B.W. 113:115

Voltage-dependent channels
—, effects of calcium and Bay K-8644 on calcium currents in adrenal medullary chromaffin cells, Ceña, V., Stutzin, A., Rojas, E. 112:255
—, inhibition of voltage-dependent Na^+ current in cell-fusion hybrids containing activated c-Ha-*ras*, Estacion, M. 113:169

—, voltage-gated K^+ channels in the mouse interleukin 3-dependent cell line, FDC-P2, Tanaka, H., Ohta, Y., Sugimoto, T., Kurachi, Y. 120:185
—, voltage-sensitive ion channel of *Escherichia coli*, Delcour, A.H., Martinac, B., Adler, J., Kung, C. 112:267
Voltage-dependent currents
—, developmental changes in the calcium currents in embryonic chick ventricular myocytes, Kawano, S., DeHaan, R.L. 120:17
—, inactivation kinetics and pharmacology distinguish two calcium currents in mouse pancreatic B-cells, Hopkins, W.F., Satin, L.S., Cook, D.L. 119:229
—, whole-cell currents in macrophages: I. human monocyte-derived macrophages, Nelson, D.J., Jow, B., Jow, F. 117:29
—, whole-cell currents in macrophages: II. alveolar macrophages, Nelson, D.J., Jow, B., Popovich, K.J. 117:45
Voltage-dependent gating mechanisms
—, coupling of K^+-gating and permeation with Ca^{2+} block in the Ca^{2+}-activated K^+ channel in *Chara australis*, Laver, D.R. 118:55
Voltage-dependent K^+ conductance
—, beta-adrenergic modulation of K^+ current in human T lymphocytes, Soliven, B., Nelson, D.J. 117:263
Voltage-dependent Na^+ currents
—, sodium channels contribute to action potential generation in canine and human pancreatic islet B cells, Pressel, D.M., Misler, S. 116:273
Voltage-gated K^+ currents
—, beta-adrenergic modulation of K^+ current in human T lymphocytes, Soliven, B., Nelson, D.J. 117:263
Voltage gating
—, aerolysin, a hemolysin from *Aeromonas hydrophila*, forms voltage-gated channels in planar lipid bilayers, Wilmsen, H.U., Pattus, F., Buckley, J.T. 115:71
—, gating in iodate-modified single cardiac Na^+ channels, Kohlhardt, M., Fichtner, H., Fröbe, U. 112:67
—, voltage-gated K^+ channels in the mouse interleukin 3-dependent cell line, FDC-P2, Tanaka, H., Ohta, Y., Sugimoto, T., Kurachi, Y. 120:185
—, voltage gating in the mitochondrial channel, VDAC, Colombini, M. 111:103
Voltage-sensitive step
—, CCCP activation of the reconstituted NaK-pump, Yoda, A., Yoda, S. 117:153
Volume dependence
—, K-Cl cotransport in LK sheep erythrocytes: kinetics of stimulation by cell swelling, Bergh, C., Kelley, S.J., Dunham, P.B. 117:177
W-5
—, anticalmodulin drugs block the sodium gating current of squid giant axons, Ichikawa, M., Urayama, M., Matsumoto, G. 120:211
W-7
—, anticalmodulin drugs block the sodium gating current of squid giant axons, Ichikawa, M., Urayama, M., Matsumoto, G. 120:211
Water
—, ESR measurement of time-dependent and equilibrium volumes in red cells, Moronne, M.M., Mehlhorn, R.J., Miller, M.P., Ackerson, L.C., Macey, R.I. 115:31
Water activity
—, proton dissociation dynamics in the aqueous layer of multilamellar phospholipid vesicle, Rochel, S., Nachliel, E., Huppert, D., Gutman, M. 118:225
Water channels
—, evidence for permanent water channels in the basolateral membrane of an ADH-sensitive epithelium, Van Der Goot, F., Corman, B., Ripoche, P. 120:59
—, nature of the water channels in the internodal cells of *Nitellopsis*, Wayne, R., Tazawa, M. 116:31
Water permeability
—, effects of PCMBS on the water and small solute permeabilities in frog urinary bladder, Ibarra, C., Ripoche, P., Parisi, M., Bourguet, J. 116:57
—, evidence for permanent water channels in the basolateral membrane of an ADH-sensitive epithelium, Van Der Goot, F., Corman, B., Ripoche, P. 120:59
Water secretion
—, prostaglandin E2 enhances the sodium conductance of exocrine glands in isolated frog skin (*Rana esculenta*), Nielsen, R. 113:31
Water transport
—, effects of PCMBS on the water and small solute permeabilities in frog urinary bladder, Ibarra, C., Ripoche, P., Parisi, M., Bourguet, J. 116:57
—, water transport and estimated transmembrane potential during freezing of mouse oocytes, Toner, M., Cravalho, E.G., Armant, D.R. 115:261
Whole cell currents
—, bradykinin-induced potassium current in cultured bovine aortic endothelial cells, Colden-Stanfield, M., Schilling, W.P., Possani, L.D., Kunze, D.L. 116:227
—, charybdotoxin-sensitive $K_{(Ca)}$ channel is not involved in glucose-induced electrical activity in pancreatic β-cells, Kukuljan, M., Goncalves, A.A., Atwater, I. 119:187
—, cytosolic calcium regulates a potassium current in corn (*Zea mays*) protoplasts, Ketchum, K.A., Poole, R.J. 119:277
—, electrophysiology of cultured human lens epithelial cells, Cooper, K., Gates, P., Rae, J.L., Dewey, J. 117:285
—, whole-cell currents in macrophages: I. human monocyte-derived macrophages, Nelson, D.J., Jow, B., Jow, F. 117:29
—, whole-cell currents in macrophages: II. alveolar macrophages, Nelson, D.J., Jow, B., Popovich, K.J. 117:45
Whole cell recording
—, chloride channels in human platelets: evidence for activation by internal calcium, Mahaut-Smith, M.P. 118:69
—, electrophysiology of cultured human lens epithelial cells, Cooper, K., Gates, P., Rae, J.L., Dewey, J. 117:285
—, large-conductance ion channel measured by whole-cell voltage clamp in single cardiac cells: modulation by β-adrenergic stimulation and inhibition by octanol, Pott, L., Mechmann, S. 117:189
—, membrane and junctional properties of dissociated frog lens epithelial cells, Cooper, K., Rae, J.L., Gates, P. 111:215
—, modulation of membrane K^+ conductance in T-lymphocytes by substance P via a GTP-binding protein, Schumann, M.A., Gardner, P. 111:133
—, stimulant-evoked depolarization and increase in $[Ca^{2+}]_i$ in insulin-secreting cells is dependent on external Na^+, Dunne, M.J., Yule, D.I., Gallacher, D.V., Petersen, O.H. 113:131
X-ray microanalysis
—, intracellular ion concentrations and cell volume during cholinergic stimulation of eccrine secretory coil cells, Takemura, T., Sato, F., Saga, K., Suzuki, Y., Sato, K. 119:211
Xenopus laevis
—, activation of protein kinase C by phorbol ester induces

downregulation of the Na^+/K^+-ATPase in oocytes of *Xenopus laevis*, Vasilets, L.A., Schmalzing, G., Mädefessel, K., Haase, W., Schwarz, W. 118:131
—, altered patterns of *N*-linked glycosylation of the *Torpedo* aceytylcholine receptor expressed in *Xenopus* oocytes, Buller, A.L., White, M.M. 115:179
—, effects of pH on acetylcholine receptor function, Palma, A., Li, L., Chen, X., Pappone, P., NcNamee, M. 120:67
—, electrophysiological investigation of the amino acid carrier selectivity in epithelial cells from *Xenopus* embryo, Bergman, J., Zaafrani, M., Bergman, C. 111:241
—, endogenous D-glucose transport in oocytes of *Xenopus laevis*, Weber, W.-M., Schwarz, W., Passow, H. 111:93
—, temperature dependence of gating current in myelinated nerve fibers, Jonas, P. 112:277
—, transport of glutamine in *Xenopus laevis* oocytes: relationship with transport of other amino acids, Taylor, P.M., Hundal, H.S., Rennie, M.J. 112:149
—, use of *Xenopus* oocytes for the functional expression of plasma membrane proteins, Sigel, E. 117:201

Zea mays
—, Ca^{2+} pump and Ca^{2+}/H^+ antiporter in plasma membrane vesicles isolated by aqueous two-phase partitioning from corn leaves, Kasai, M., Muto, S. 114:133
—, cytosolic calcium regulates a potassium current in corn (*Zea mays*) protoplasts, Ketchum, K.A., Poole, R.J. 119:277
Zero-*trans* influx kinetics
—, presteady-state kinetics and carrier-mediated transport: a theoretical analysis, Wierzbicki, W., Berteloot, A., Roy, G. 117:11
Zinc ion inhibition
—, zinc inhibition of chloride efflux from skeletal muscle of *Rana pipiens* and its modification by external pH and chloride activity, Spalding, B.C., Taber, P., Swift, J.G., Horowicz, P. 116:195
Zinc ions
—, aerolysin, a hemolysin from *Aeromonas hydrophila*, forms voltage-gated channels in planar lipid bilayers, Wilmsen, H.U., Pattus, F., Buckley, J.T. 115:71